

Index

Reactor Materials

Volumes 4-6

Included in this issue is a cumulative index for Volumes 4 to 6 of *Reactor Materials*. An index for this quarterly is prepared annually and appears in the final (Number 4) issue. In this index the bold numbers denote volumes, the numbers in parentheses denote issues, and the other numbers denote pages.

A

- A-3XA-O (irradiated), mechanical properties, **5**(4): 71
- Adhesive bonds, nondestructive testing, **4**(2): 60; **5**(2): 75-6
- AISI 446, corrosion, **6**(3): 46
- Alfenol, corrosion, **4**(1): 41
- Alkali halides
See Halides (alkali) (irradiated)
- Alkali metals
See Metal (alkali)-oxygen-uranium systems and Metals (alkali)
- Alkali nitrate crystals (irradiated), thermal spikes, **6**(1): 78
- Allen PBX, corrosion by potassium, **5**(4): 62
- Alloys
See also specific alloys
casting, **4**(2): 51; **4**(3): 52
corrosion, **5**(4): 63; **6**(1): 70
degassing, **4**(2): 51
diffusion bonding, **4**(1): 65-6
electron-beam applications, **4**(2): 51
explosive forming and working, **4**(3): 60-3
mechanical properties, **6**(4): 63
melting, **4**(2): 51; **4**(3): 52
nondestructive testing, **4**(3): 64
solid solubility, **6**(4): 65
stress corrosion, **6**(1): 70
temperature effects, **6**(4): 63
welding, **4**(3): 60; **4**(4): 56
- Alloys [302, 406, 406(Mod.), 410, 430], corrosion, **4**(1): 41
- Alloys (boride-coated), preparation, **6**(2): 67
- Alloys (brazing), corrosion, **4**(1): 41-2, 45
flow properties, **4**(1): 24-5
- Alloys (high-strength), tensile properties, **5**(4): 72
- Alloys (irradiated), defects, **6**(1): 77-8
effects, **4**(3): 32, 35; **4**(4): 40; **5**(4): 68;
6(1): 81-2; **6**(3): 54-5
fission-product slowing, **4**(4): 41
phase transformations, **4**(3): 35
- Alloys (ordered) (irradiated), damage and recovery, **4**(3): 34
- Alloys (powder metallurgical), corrosion and tensile strength, **4**(1): 49
- Alloys (refractory), corrosion, **6**(1): 61
diffusion bonding, **6**(4): 77
forging, **5**(3): 65
- Alloys (refractory) (irradiated), effects, **6**(3): 55
- Alloys (structural) (irradiated), effects, **4**(1): 58
mechanical properties, **6**(4): 61-2
- Alloys (superlattice) (irradiated), phase transformation, **5**(4): 6-7
- Alloys (supersaturated) (irradiated), phase transformation, **5**(4): 7
- Aluminides, permeability to nitrogen, **6**(1): 72
- protective coatings for niobium alloys and tantalum, **5**(1): 38
- Aluminum, Al²⁶ diffusion in, **6**(1): 89
bonding, **4**(4): 53; **5**(1): 71
cladding corrosion, **4**(3): 4
coating corrosion, **4**(3): 3
corrosion, **4**(1): 42; **4**(4): 33-4; **5**(1): 39, 41; **5**(2): 43; **5**(4): 58; **6**(1): 69; **6**(3): 43-4; **6**(4): 55
diffusion, in niobium, **5**(4): 47
in UAl₄, **4**(1): 52
in uranium, **4**(3): 2
with uranium, **6**(1): 89
diffusion bonding, **5**(1): 67
electrolytic deposition of uranium oxide on, **6**(4): 73
explosive forming, **5**(1): 70; **6**(3): 73
explosive joining to mild steel, **5**(1): 71
extrusion, **5**(1): 64, 70
internal friction, **6**(3): 58
lithium solid solubility in, **6**(3): 58
manganese diffusion in, **5**(1): 58-9
Mn⁵⁴ diffusion in, **6**(1): 89
manual, **4**(1): 49
mechanical properties, **4**(1): 49
nickel diffusion in, **4**(1): 53
nondestructive metallography, **4**(3): 22
nuclear applications, **4**(1): 49
phase studies, **4**(1): 49
physical properties, **4**(1): 49
plastic deformation effects, **6**(4): 63
plating, **5**(3): 68
of uranium, **4**(2): 60; **4**(3): 58
reactions with UC, UC₂, and UN, **6**(2): 42
self-diffusion, **4**(3): 44; **5**(1): 58-9
slip, **5**(1): 56
solubility in plutonium, **5**(4): 23
stacking faults, **6**(1): 87
stress-corrosion cracking, **6**(1): 69
superconducting transition temperature, **6**(4): 63
tensile properties, **6**(3): 16
ultrasonic roll bonding, **4**(3): 53
ultrasonic testing, **6**(1): 108
- uranium, diffusion in, **4**(1): 53; **5**(4): 21
solubility in, **5**(4): 21
xenon diffusion in, **4**(2): 45-6
- Aluminum-26, diffusion in aluminum, **6**(1): 89
- Aluminum (irradiated), annealing, **4**(3): 31;
5(1): 44
carbon-ion energy loss and ranges, **4**(3): 32
damage, **5**(1): 44; **5**(2): 49; **6**(1): 77
damage recovery, **4**(2): 35
density, **4**(4): 38
dislocations, **5**(2): 48; **5**(4): 64; **6**(1): 76
effects, **4**(1): 53-5; **4**(2): 36; **4**(4): 41;
6(3): 49-50; **6**(4): 59
electrical resistance, **6**(1): 74
electrical resistivity, **6**(1): 75; **6**(3): 49
fission-fragment stopping, **4**(4): 41
fission tracks, **4**(2): 13; **5**(3): 45; **5**(4): 63-4
focused collisions, **6**(1): 77
helium release, **4**(1): 52
ion range, **5**(2): 48; **5**(4): 64-5
mechanical properties, **5**(1): 49
oxygen-ion energy loss and ranges, **4**(3): 32
X-ray lattice parameter and line breadth, **4**(4): 38
- Aluminum (molten), reactions, with steam, **5**(2): 47
with water, **4**(1): 17; **4**(3): 30; **4**(4): 36;
5(3): 43-4; **6**(3): 49
with water vapor, **5**(1): 44
- Aluminum (neptunium-coated), preparation, **4**(4): 55
- Aluminum (SAP), stability and welding, **6**(3): 71
- Aluminum (sintered), friction welding, **5**(2): 70
magnetic-force welding, **5**(4): 85-6
technology, **5**(2): 65-6
- Aluminum (thorium-coated), preparation, **4**(4): 55
- Aluminum (titanium-coated), chemical plating, **4**(3): 57
- Aluminum alloy (18) cladding, extrusion, **4**(2): 56
- Aluminum alloy dispersions, corrosion and tensile strength, **4**(3): 38
- Aluminum alloys, corrosion, **4**(1): 41; **4**(4): 33-4; **5**(2): 43; **6**(1): 69; **6**(3): 43-4;
6(4): 55
diffusion bonding, **5**(2): 67-8
explosive forming, **5**(2): 71
extrusion, **4**(3): 38-9
grain refinement, **5**(3): 56

- Aluminum alloys (Continued)
- nondestructive metallography, 4(3): 22
 - roll cladding, 5(4): 80-1
 - strength, 4(1): 41, 49
 - stress-corrosion cracking, 6(1): 69
 - ultrasonic roll bonding, 4(3): 53
 - Aluminum alloys (irradiated), effects, 4(4): 41
 - vacancy trapping, 5(1): 46
 - Aluminum alloys (356) (irradiated), tensile properties, 4(3): 36
 - Aluminum alloys (1000 A) (irradiated), damage, 4(4): 39
 - Aluminum alloys (1100), corrosion, 4(1): 44-5; 5(1): 39; 5(2): 43
 - tensile strength, 4(2): 10
 - Aluminum alloys (1100) (irradiated), mechanical properties, 5(1): 49
 - Aluminum alloys (1100)-uranium oxide-fueled glass dispersions (irradiated), stability, 5(4): 26-7
 - Aluminum alloys (2024), powder metallurgy, 4(3): 38-9
 - Aluminum alloys (2024) (irradiated), tensile properties, 4(3): 36
 - Aluminum alloys (2024-T3), overaging, 5(4): 70-1
 - Aluminum alloys (3003), powder metallurgy, 4(3): 38-9
 - Aluminum alloys (5083), powder metallurgy, 4(3): 38-9
 - Aluminum alloys (5154), corrosion, 5(1): 39
 - Aluminum alloys (6061), corrosion, 5(1): 39; 5(2): 43
 - Aluminum alloys (6061) (irradiated), tensile properties, 4(3): 36
 - Aluminum alloys (6061-T-6), explosive joining to mild steel, 6(1): 103, 105
 - Aluminum alloys (6063) (irradiated), mechanical properties, 5(1): 49
 - Aluminum alloys (6068), corrosion, 5(3): 38
 - Aluminum alloys (7075), powder metallurgy, 4(3): 38-9
 - Aluminum alloys (A-288), corrosion, 4(4): 33
 - Aluminum alloys (M-257 and M-388) (irradiated), tensile properties, 4(4): 43
 - Aluminum alloys (X2219) (irradiated), mechanical properties, 5(1): 49
 - Aluminum alloys (X8001), corrosion, 4(2): 32; 4(4): 33; 5(1): 39; 5(2): 43; 6(1): 69
 - welding, 5(1): 72
 - Aluminum alloys (X8001) (irradiated), mechanical properties, 5(1): 49
 - Aluminum alloys (X8001)-dysprosium oxide dispersions, development, 4(2): 30
 - Aluminum-aluminum oxide dispersions, tensile properties, 5(2): 52
 - Aluminum-beryllium alloys, melting, 6(3): 34
 - phase studies, 6(2): 57
 - preparation, 6(3): 34
 - quenching, 6(1): 55
 - tensile properties, 6(3): 35
 - Aluminum-beryllium-germanium-silver alloys, density, 4(3): 20
 - ductility, 4(2): 18
 - elasticity, 4(3): 20
 - plastic deformation, 4(3): 20
 - strength, 4(3): 20
 - Aluminum-beryllium-iron alloys, phase studies, 6(3): 35
 - Aluminum-boride dispersions, compatibility, 4(3): 26
 - Aluminum-B¹⁰ dispersions, fabrication, 6(1): 66
 - Aluminum-boron carbide dispersions, corrosion, 4(2): 30
 - Aluminum-boron-gadolinium-oxygen-uranium system (irradiated), effects, 4(1): 6-7
 - Aluminum-boron-uranium alloys (irradiated), effects, 4(1): 6-7
 - Aluminum-boron-uranium oxide dispersions, development, 4(1): 11
 - Aluminum-calcium-plutonium alloys, corrosion, 5(4): 23
 - Aluminum-carbon-uranium system, phase studies, 4(2): 8
 - Aluminum-chromium-iron alloys, corrosion, 4(1): 41; 5(1): 40
 - explosive forming, 5(2): 72
 - Aluminum-chromium-iron-molybdenum-nickel-titanium-tungsten alloys (D-979), creep properties, 4(1): 48
 - Aluminum-chromium-iron-thorium alloys, oxidation, 5(4): 60; 6(1): 70-1
 - Aluminum-chromium-iron-yttrium alloys, aluminum-UO₂ reaction, 6(1): 42
 - corrosion, 5(1): 40; 5(4): 60
 - oxidation, 5(2): 44; 5(4): 60; 6(1): 70-1
 - rupture, 5(1): 53
 - stress oxidation, 5(1): 53
 - tensile strength, 5(1): 53
 - Aluminum-chromium-niobium-titanium alloys, oxidation, 5(3): 40
 - welding using, 6(3): 71
 - Aluminum-chromium-rhenium-yttrium alloys, corrosion, 5(4): 60
 - yield strength, 5(4): 72
 - Aluminum-chromium-silicon mixtures, diffusion coating with, 5(3): 70
 - Aluminum-chromium-tantalum-titanium alloys, oxidation, 4(1): 43
 - Aluminum-chromium-titanium alloys (nitrided), corrosion, 6(1): 72
 - Aluminum-chromium-titanium-vanadium alloys, brazing using, 6(3): 72
 - Aluminum-copper alloys, stacking faults, 6(1): 87
 - Aluminum-copper alloys (irradiated), atomic mobility, 4(3): 33
 - Aluminum-copper-magnesium-zirconium alloys, extrusion and recrystallization, 4(3): 38-9
 - Aluminum-copper-plutonium alloys, corrosion, 5(4): 23
 - Aluminum extrusions, corrosion, 6(1): 69
 - Aluminum-Fiberglas dispersions, fabrication, 4(1): 10
 - tensile strength, 4(1): 10; 4(2): 10
 - Aluminum-Fiberglas-uranium dispersions, fabrication, 4(2): 10
 - Aluminum-Fiberglas-uranium oxide dispersions, development, fabrication, and tensile strength, 4(3): 6-7
 - Aluminum foils (irradiated), lattice constants, 4(4): 39
 - Aluminum-gadolinium-oxygen-uranium system (irradiated), effects, 4(1): 6-7
 - Aluminum-hafnium alloys, crystal structure, 6(2): 67
 - Aluminum-iron alloys, ductility, 4(2): 43; 5(4): 72-3
 - Aluminum-iron alloys (irradiated), annealing, 4(3): 33
 - electrical resistance, 6(1): 81
 - magnetic properties, 4(3): 33
 - Aluminum-iron dispersions, corrosion, 4(2): 32-3
 - Aluminum-iron-nickel alloys, corrosion, 4(2): 32; 4(4): 34; 5(2): 43; 6(3): 43
 - Aluminum-iron-nickel dispersions, corrosion, 4(2): 32-3
 - Aluminum-iron-nitrogen systems, cubic nitrides, 5(3): 57
 - Aluminum-iron-titanium alloys, corrosion and mechanical properties, 4(2): 33
 - Aluminum-iron-uranium alloys, hardness, 6(3): 12
 - phase studies, 6(4): 12
 - Aluminum-iron-zirconium alloys, corrosion and mechanical properties, 4(2): 33
 - Aluminum-lithium alloys, phase studies, 6(3): 41
 - Aluminum-lithium alloys (irradiated), helium precipitation, 4(4): 39-40
 - Aluminum-magnesium alloys, stacking faults, 6(1): 87
 - Aluminum-magnesium alloys (irradiated), internal friction, 4(4): 39
 - Aluminum-magnesium alloys (A-3XA-O) (irradiated), mechanical properties, 5(4): 71
 - Aluminum-magnesium couples, ignition, 4(3): 29
 - Aluminum-magnesium-manganese-zinc alloys (AZ31), corrosion, 4(1): 44
 - Aluminum-magnesium-oxygen system (irradiated), damage bibliography, 5(1): 48
 - Aluminum-magnesium-plutonium alloys, corrosion, 5(4): 23
 - Aluminum-magnesium-zinc alloys, stacking faults, 6(1): 87
 - Aluminum-molybdenum-nickel alloys, phase studies, 4(1): 50
 - Aluminum-molybdenum-silicon-uranium system, creep and tensile properties, 5(1): 3
 - Aluminum-molybdenum-tin-zirconium alloys, compatibility with carbon-uranium system, 6(1): 44
 - corrosion, 5(2): 46; 6(3): 46
 - electrical resistivity, 5(4): 73
 - fabrication, 4(1): 47; 5(3): 65
 - mechanical properties, 5(3): 65; 6(3): 57
 - tensile properties, 4(1): 47
 - thermal conductivity, 5(4): 73
 - welding, 5(3): 65, 70-1
 - Aluminum-molybdenum-uranium alloys, 4(1): 3-4
 - casting, 5(2): 65
 - creep properties, 5(1): 3
 - tensile properties, 5(1): 3
 - Aluminum-molybdenum-uranium alloys (aluminum-clad), pressure bonding, 4(2): 54
 - Aluminum-molybdenum-zirconium alloys, aging, 5(2): 53
 - creep, 4(2): 46
 - electrical resistivity, 6(3): 59
 - impact properties, 4(2): 46
 - properties, 5(2): 53
 - thermal conductivity, 6(3): 59
 - Aluminum-nickel alloys, corrosion, 4(1): 41; 5(4): 58; 6(1): 68
 - diffusion bonding, 4(1): 65
 - dispersion hardening, 6(3): 58
 - Aluminum-nickel alloys (M-388) (irradiated), corrosion, 4(1): 41
 - Aluminum-nickel cladding, xenon diffusion, 4(2): 45-6
 - Aluminum-nickel compounds, solubility in molybdenum-nickel-silicon alloys, 4(1): 50
 - Aluminum-nickel diffusion couple, analysis, 4(3): 44
 - Aluminum-nickel dispersions, corrosion, 4(2): 32-3
 - Aluminum-nickel-nitrogen system, cubic nitrides, 5(3): 56
 - Aluminum-nickel-plutonium alloys, corrosion, 4(1): 8; 4(3): 5-6; 5(4): 23
 - Aluminum-nickel-plutonium alloys (Zircaloy-clad) (irradiated), 6(2): 21
 - Aluminum-nickel-plutonium alloys (Zircaloy-2-clad) (irradiated), effects, 5(2): 8
 - Aluminum-nickel-plutonium-silicon system, corrosion, 4(1): 8; 4(3): 5-6
 - fabrication, 6(2): 21
 - Aluminum-nickel-plutonium-silicon system (irradiated), 6(2): 21
 - Aluminum-nickel-plutonium-titanium alloys, corrosion, 4(3): 5-6
 - Aluminum-nickel-silicon system, corrosion, 4(2): 32
 - Aluminum-nickel-titanium alloys, corrosion, 5(1): 39-40

- Aluminum-nickel-uranium alloys [aluminum alloy (X8001)-clad] (irradiated), failure, 6(2): 21
- Aluminum-nickel-uranium bonds, metallography and quality, 5(4): 81
- Aluminum-niobium alloys, phase studies, 4(1): 50
- tensile properties, 4(1): 48
- Aluminum-niobium-tin-zirconium alloys, creep properties, 5(2): 53
- Aluminum-niobium-titanium alloys, diffusion into niobium, 6(1): 72
- oxidation, 4(3): 28; 5(1): 38; 5(3): 40; 6(1): 71
- Aluminum-niobium-vanadium alloys, compatibility with UC, 5(1): 17
- corrosion, 4(1): 43
- Aluminum-niobium-zirconium alloys, creep properties, 5(2): 53
- Aluminum oxide, chemical plating with, 5(1): 69
- chromium diffusion, 4(2): 45
- coating, with fissionable oxide, 5(1): 11
- with Nb₃Sn, 6(1): 101
- with PyC, 6(4): 73-4
- with tungsten, 6(1): 101
- corrosion, 5(1): 41; 5(4): 62
- creep deformation, 6(4): 66
- forming with ultrasonic energy, 5(2): 74
- fracture analysis, 5(3): 59-60
- hot pressing, 5(2): 74
- iron diffusion, 4(2): 45
- reaction with PuO₂, 4(1): 15
- sodium vapor effects on, 6(1): 90
- vapor coating with, 5(3): 69
- Aluminum oxide (irradiated), annealing, 5(1): 48
- catalytic activity, 5(4): 9
- effects, 4(1): 55-6; 5(4): 3, 5, 7
- fission-gas release, 6(4): 7-8
- gas absorption, 5(4): 9
- gas diffusion, 5(4): 10
- surface heterogeneity, 4(2): 37
- Aluminum oxide-beryllium oxide coatings (irradiated), performance, 6(4): 24-5
- Aluminum oxide-boron carbide dispersions, fabrication, 6(1): 66
- Aluminum oxide-boron carbide dispersions (irradiated), dimensional changes, 6(4): 52
- Aluminum oxide coatings, compatibility with gaseous coolants, 5(1): 10
- crushing strength, 5(1): 10
- failure, 6(3): 21
- flame spraying, 6(1): 101
- overcoating with carbon, 5(1): 11
- oxidation, 5(1): 10
- reaction with carbon overcoating, 5(1): 10-11
- thermal expansion, 5(1): 10
- on UO₂, 4(1): 67-8; 4(2): 59; 4(3): 57-8
- volatility, 6(4): 28
- Aluminum oxide coatings (irradiated), performance, 6(4): 24
- Aluminum oxide crucibles, reaction with manganese-plutonium-uranium alloys, 5(3): 5
- Aluminum oxide-gadolinium oxide control rods, fabrication, 6(2): 69
- Aluminum oxide-gadolinium oxide cylinders, fabrication, 6(4): 52
- Aluminum oxide-magnesium oxide crystals (irradiated), thermal conductivity, 5(4): 7
- Aluminum oxide powder, explosive compaction, 4(4): 58; 5(2): 72
- hot pressing, 6(4): 66
- production, 6(1): 2
- Aluminum oxide powder (nickel-coated), preparation, 4(2): 58
- production, 6(1): 3
- Aluminum oxide-pyrolytic carbon coatings (irradiated), performance, 6(4): 24-5
- Aluminum oxide-rhenium couples, reactions, 5(3): 59
- Aluminum oxide-thorium dioxide powder, explosive compaction, 4(4): 58
- Aluminum oxide-uranium dioxide dispersions, phase studies, 4(2): 7
- properties, 6(2): 40
- UO₂ migration, 4(2): 7
- Aluminum oxide-uranium dioxide system, phase studies, 4(1): 14
- Aluminum oxide whiskers, vapor deposition, 5(4): 84
- Aluminum oxide-yttrium oxide system, corrosion, 6(1): 27-8
- Aluminum-oxygen-uranium system, phase studies, 4(3): 11; 4(4): 3
- Aluminum-oxygen-uranium system (molten), reaction with water, 5(4): 21-2
- Aluminum-plutonium alloys, corrosion, 4(1): 8; 4(3): 5-6; 5(1): 5-6; 6(1): 24
- deformation, 5(1): 6
- density, 4(2): 4
- expansion, 4(2): 4; 4(3): 5
- extrusion, 4(3): 53
- hardness, 4(2): 4; 5(2): 7-8, 10
- heat-treatment effects, 4(4): 3; 5(1): 6; 5(2): 8, 10
- injection casting, 4(3): 52
- load capacity, 4(4): 3; 5(1): 6
- phase studies, 6(1): 24
- reaction with Zircaloy-2, 4(3): 5
- recrystallization, 5(2): 7
- structure, 6(1): 24
- Aluminum-plutonium alloys (aluminum-canned), preparation, 5(4): 63
- Aluminum-plutonium alloys [aluminum alloy (X8001)-clad], coextrusion, 4(3): 55-6
- Aluminum-plutonium alloys (irradiated), deformation, 5(3): 4
- effects, 4(1): 8; 4(4): 3
- spheroidization, 5(1): 6
- Aluminum-plutonium alloys (stainless-steel-clad) (irradiated), effects, 5(4): 23
- Aluminum-plutonium alloys (Zircaloy-2-clad) (irradiated), 6(2): 21-2
- Aluminum-plutonium-oxygen compounds, crystallography, 4(3): 13
- melting point, 4(1): 15
- Aluminum-plutonium-silicon system, corrosion, 4(1): 8; 4(3): 5-6; 5(4): 23
- Aluminum-plutonium-silicon system (irradiated), deformation, 5(3): 4
- Aluminum-plutonium slugs, loading, 6(1): 100
- Aluminum-plutonium-uranium alloys, corrosion, 4(1): 8; 5(4): 23
- Aluminum-plutonium-zirconium alloys, corrosion, 4(1): 8; 4(3): 5-6; 5(4): 23
- Aluminum powder, explosive compaction, 4(4): 56-7; 6(1): 10, 13
- production, 6(1): 2
- Aluminum powder (nickel-coated), production, 6(1): 3
- Aluminum powder (sintered), canning applications, 4(4): 54
- Aluminum powder (sintered) (irradiated), mechanical and stress-rupture properties, 5(3): 54
- Aluminum powder alloys (M-583) (sintered), friction bonding, 5(3): 71
- Aluminum-rare-earth oxide dispersions, preparation, 6(1): 31
- Aluminum-rhodium alloys, corrosion, 6(1): 69
- Aluminum-silicon system, corrosion, 5(2): 43
- Aluminum-silicon system cladding, extrusion, 4(2): 56
- Aluminum-silicon-tantalum-titanium system, oxidation, 4(1): 43
- Aluminum-silicon-uranium system, corrosion, 5(1): 5-6
- phase studies, 5(4): 18; 6(2): 16
- Aluminum-tantalum alloys, corrosion, 5(2): 47
- phase studies, 6(3): 58
- Aluminum-tantalum-titanium alloys, oxidation, 4(1): 43
- Aluminum-thorium alloys, diffusion bonding, 4(1): 66
- Aluminum-thorium compounds, corrosion, 4(2): 5; 4(3): 13
- density, 4(2): 5
- hardness, 4(4): 5
- Aluminum-thorium-uranium alloys, hot hardness, 4(1): 10
- Aluminum-thorium-uranium alloys (molten), containment, 5(4): 21
- Aluminum-thorium-uranium compounds, corrosion, 4(2): 5
- density, 4(2): 5
- hardness, 4(4): 5
- Aluminum-tin-uranium alloys, 4(1): 7
- Aluminum-tin-zirconium alloys, aging, 5(2): 53
- fabricability, 4(1): 47
- tensile properties, 5(2): 53
- Aluminum-titanium-vanadium alloys, explosive extrusion, 5(1): 71
- Aluminum-titanium-vanadium alloys (nitrided), corrosion, 6(1): 72
- Aluminum-titanium-zirconium alloys (nitrided), corrosion, 6(1): 72
- Aluminum tubing, nondestructive testing, 4(1): 73
- Aluminum-uranium alloys, corrosion, 5(1): 5-6
- diffusion, 4(2): 45; 4(4): 3
- diffusion bonding, 4(1): 65
- fabrication, 4(1): 11; 5(1): 5
- phase studies, 5(4): 20-1; 6(2): 20
- preparation, 5(3): 3; 6(1): 97
- properties, 4(4): 3
- reaction with steam, 6(2): 21; 6(3): 13
- rolling, 6(3): 13
- thermal conductivity, 5(4): 20; 6(2): 20
- work hardening, 5(4): 20
- Aluminum-uranium alloys (aluminum-clad), fabrication, 5(2): 67
- rolling, 4(1): 65
- U²³⁵ contamination, 5(4): 20-1
- Aluminum-uranium alloys (aluminum alloy-clad), coextrusion, 5(4): 82
- Aluminum-uranium alloys (aluminum alloy-clad) (irradiated), effects, 5(4): 21
- tensile properties, 6(1): 30
- Aluminum-uranium alloys (clad) (irradiated), failure, 6(2): 20-1
- Aluminum-uranium alloys (irradiated), effects, 4(1): 6-7
- swelling, 5(3): 3
- UAl₃ transformation, 6(2): 21
- Aluminum-uranium alloys (molten), reaction with water, 4(3): 30; 5(2): 47; 6(3): 49
- Aluminum-uranium alloys (2S aluminum-clad) (molten), reaction with water, 6(3): 49
- Aluminum-uranium carbide dispersions, development, 4(2): 10
- Aluminum-uranium compounds, aluminum diffusion, 4(1): 52; 5(2): 4
- Aluminum-uranium dicarbide dispersions, corrosion, 4(1): 11
- Aluminum-uranium diffusion couples, annealing and phase-boundary behavior, 5(3): 3
- Aluminum-uranium dioxide cermets (aluminum alloy-clad) (irradiated), tensile properties, 6(1): 30
- Aluminum-uranium dioxide cermets (irradiated), phase studies, 6(2): 26
- Aluminum-uranium dioxide dispersions (irradiated), effects, 5(4): 26; 6(2): 26
- Aluminum-uranium oxide cermets (aluminum alloy-clad) (irradiated), tensile properties, 6(1): 30

Aluminum-uranium oxide dispersions, development, 4(1): 11
 reactions, 4(1): 11
 ultrasonic roll bonding to aluminum, 4(3): 53
 welding, 5(1): 72
 Aluminum-uranium oxide dispersions [aluminum alloy (1100)-clad] (irradiated), swelling, 6(1): 30-1
 Aluminum-uranium oxide dispersions (aluminum-clad), development, 4(2): 9-10
 rolling, 4(1): 65
 Aluminum-uranium oxide dispersions (aluminum-clad) (irradiated), annealing, 6(1): 30
 Aluminum-uranium oxide dispersions (irradiated), effects, 4(1): 11
 swelling, 6(1): 31
 Aluminum-uranium oxide (U_3O_8) dispersions, fabrication, 6(2): 25-6
 interactions, 6(3): 18-19
 Aluminum-uranium oxide (U_3O_8) dispersions (irradiated), effects, 5(3): 3; 5(4): 26
 Aluminum-uranium sulfide dispersions, development, 4(2): 10
 Aluminum-uranium trialuminide dispersions (aluminum-clad), preparation and tensile properties, 6(3): 16
 Aluminum-uranium-zirconium alloys, 4(1): 7
 phase studies, 5(2): 4
 Aluminum-zinc alloys, stacking faults, 6(1): 87
 Aluminum-zirconium alloys, creep properties, 5(2): 53
 mechanical properties, 5(2): 53
 oxidation, 5(3): 41
 Aluminum-zirconium compounds, corrosion, 5(2): 42
 Aluminum (6061)-boron carbide-uranium aluminide dispersions (irradiated), swelling, 6(4): 20-1
 Aluminum (X8001)-boron carbide-uranium aluminide dispersions (irradiated), swelling, 6(4): 20-1
 corrosion, 6(3): 47
 Antimony-zirconium alloys, corrosion, 6(1): 68; 6(3): 43
 Arc-melting process, development, 5(4): 79
 Argon, diffusion in graphite, 4(2): 46
 Argon isotopes, release from crystals, 6(4): 8
 Argonne Fast Source Reactor, fuel-core jacketing, 6(4): 72
 AS-517, brazing with, 6(4): 77
 AS-540, brazing with, 6(4): 76-7
 AS-541, brazing with, 6(4): 76-7
 AS-546, brazing with, 6(4): 76-7
 AS-547, brazing with, 6(4): 76-7
 Atoms, focusing collisions in chains, 5(2): 49-50
 AZ31, corrosion, 4(1): 44
 Azides (irradiated), property changes, 5(4): 68

B

B-66, welding, 6(4): 75
 B-66 foil, joining, 6(3): 72
 Barium, diffusion in graphite, 5(1): 21
 Barium (irradiated), vacancy relaxation, 4(1): 56
 Barium oxide, diffusion in graphite, 4(2): 46
 Barium oxide-uranium dioxide system, phase studies, 4(4): 12; 6(2): 39-40
 Barium-oxygen-uranium system, phase studies, 5(1): 15; 5(3): 14
 Barium plutonium oxide, crystallography, 4(3): 13
 Barium sulfate (irradiated), lattice strains, 4(3): 33

Barium titanate (irradiated), phase transformation, 5(4): 7
 Barium-zirconium alloys, corrosion, 6(1): 68
 Beryllides, fabrication effects, 6(2): 60
 processing effects, 6(2): 60
 properties, 6(2): 60
 Beryllium, 6(4): 40-5
 aging, 4(3): 22; 4(4): 25; 5(1): 28-9; 5(2): 30; 6(4): 43
 alloying, 4(1): 22
 analysis, 4(1): 22-3, 30; 6(1): 54-6
 annealing, 4(4): 24-5; 5(1): 28; 5(2): 29
 anodizing, 6(2): 59
 applications, 4(1): 22; 6(2): 53, 59
 beta-phase stabilization, 4(1): 26
 bibliographies, 4(1): 30; 4(4): 27; 5(1): 26; 5(2): 33-4; 6(4): 44-5
 brazing, 4(1): 24-5, 30; 4(3): 60; 4(4): 23; 5(1): 27; 5(4): 46; 6(2): 55-6; 6(3): 34; 6(4): 41-2, 43-4
 brittleness, 4(1): 27-8; 5(2): 29; 6(4): 43
 burnup hazards in SNAP systems, 6(4): 44
 carbon diffusion, 4(4): 24
 carburization, 4(2): 23
 casting, 4(1): 22-3, 30, 63; 4(4): 22; 5(3): 22-3; 5(4): 44; 6(1): 53; 6(2): 53-4; 6(4): 40
 chemical properties, 4(1): 29-30; 4(3): 20; 6(4): 44
 chip processing, 5(2): 33
 cladding, 4(1): 28-30
 coating, 4(2): 21; 4(3): 60; 6(4): 44
 commercial, 6(4): 40
 compatibility, with metals, 5(3): 25
 with refractories, 5(3): 25
 with stainless steel, 4(1): 30
 with UO_2 , 4(4): 23-4, 26
 composite structures, 4(2): 19
 compression properties, 4(3): 23
 constitution, 4(2): 22
 corrosion, 4(1): 22, 29; 4(2): 23-4; 4(3): 24; 4(4): 26; 5(1): 29; 5(2): 32, 46; 5(3): 25-6; 5(4): 49-50; 6(1): 57-8, 71; 6(2): 58-9; 6(3): 36, 46, 48; 6(4): 44
 crack propagation, 4(2): 22, 24; 4(3): 23
 creep properties, 4(3): 23, 48
 creep rupture, 5(3): 25
 cross sections, 4(1): 22
 crystal deformation, 4(1): 27
 crystal properties, 5(1): 28-9
 cup testing of sheet, 6(3): 33-4
 deformation, 5(1): 26
 deoxidation, 5(1): 64
 design data, 4(3): 22
 D_2O effects, 5(4): 49
 diffusion, in BeO , 4(4): 26
 in niobium, 5(4): 47
 with uranium, 6(1): 89
 diffusion bonding, 4(1): 24-5; 5(4): 46-7, 81; 6(1): 98-9; 6(3): 34, 68; 6(4): 77
 dimensional stability, 4(2): 22
 dislocations, 5(2): 31; 6(2): 57; 6(4): 42-3
 drawing, 5(1): 27
 drilling, 4(4): 23
 ductile-brittle transition, 5(2): 30; 5(3): 24
 ductility, 4(1): 27; 4(2): 21-3; 4(3): 22-3; 4(4): 24-5; 5(1): 28-9; 5(2): 30; 5(3): 24; 6(2): 54, 59; 6(4): 40-1, 43
 dynamic properties, 4(3): 22; 5(1): 28
 economics, 4(3): 20; 6(2): 59
 elastic limit, 4(2): 22
 electrical conductivity, 4(1): 28; 6(2): 56
 electrical resistivity, 4(1): 22, 28; 4(2): 22; 4(3): 23-4; 5(1): 28-9; 5(2): 31; 5(4): 45
 electrolytic polarization, 5(3): 25-6
 electron-beam melting, 6(2): 53
 electron microscopy, 6(3): 35; 6(4): 42
 electronic structure, 4(1): 28; 4(2): 22
 electroplating with, 5(1): 68
 electrorefining, 6(2): 54

elongation, 5(1): 28
 enthalpy, 5(3): 24
 etching, 4(3): 22; 6(3): 35
 explosive welding, 4(1): 70
 extrusion, 4(1): 24, 30; 4(3): 21; 4(4): 22; 5(1): 27; 5(3): 23; 5(4): 46
 fabrication, 4(1): 22-5, 30; 4(2): 18-20; 4(3): 22; 4(4): 22-3; 5(1): 26-7; 5(2): 28-9; 5(3): 22-4; 5(4): 45; 6(1): 53-4; 6(2): 54-6; 6(3): 33-4; 6(4): 42
 fastener properties, 4(3): 22; 5(1): 28
 fatigue properties, 4(3): 22-3; 5(1): 28
 flight structures, 4(1): 22
 forging, 4(2): 24; 5(3): 23
 forming, 4(2): 18; 4(3): 21; 4(4): 23
 fracture, 4(2): 22; 4(3): 22; 4(4): 25-6; 5(1): 26; 6(1): 55, 57
 fusion welding, 4(2): 19-20; 4(3): 60
 gas diffusion and solubility in, 6(4): 42
 glide elements, 5(3): 24
 grain size, 5(4): 44
 grinding effects, 6(4): 43
 hardness, 4(1): 26-7; 4(3): 21; 4(4): 25; 5(1): 29
 health hazards, 4(1): 22
 heat of fusion, 5(3): 24
 heat-treatment, 4(2): 20-1; 4(4): 25; 5(1): 28-9
 high-temperature properties, 4(3): 23; 5(3): 24
 hot hardness, 4(4): 25
 hot working, 5(1): 26-7
 hydrogen behavior in, 5(2): 31-2; 6(1): 54
 impact properties, 4(3): 22
 impact testing, 4(3): 23
 impurity precipitation, 4(1): 27-8
 impurity segregation, 6(2): 57
 inclusions in, 6(2): 56; 6(3): 34
 induction melting, 6(2): 53-4
 iron, addition effects, 6(4): 43
 diffusion in, 6(2): 58
 isostatic forming, 5(3): 23
 joining, 4(1): 22, 24-5; 4(2): 18-20; 4(3): 21-2; 4(4): 23-4; 5(1): 27-8
 lattice parameters, 4(2): 22
 lattice reorientation, 4(1): 26-7
 literature survey, 4(2): 24
 Lorentz ratio, 5(1): 28; 5(2): 31
 low-temperature properties, 5(1): 28
 lug properties, 5(1): 28
 machining, 4(2): 18-19; 5(1): 27; 6(4): 43
 effects, 6(4): 43
 magnetic properties, 4(2): 24; 5(1): 28
 mechanical properties, 4(1): 22, 28-9; 4(2): 22-3; 4(3): 20, 22; 4(4): 24; 5(1): 28-9; 5(2): 29; 5(4): 50; 6(2): 52-4; 6(3): 35-6
 melting, 4(1): 22; 5(1): 63-4; 5(3): 24; 6(2): 53-4; 6(4): 40
 metallography, 4(2): 24; 4(3): 22
 metallurgy, 4(1): 22, 25-8; 4(2): 20-1; 4(3): 20; 4(4): 24-5; 5(1): 27-8
 microcracks, 6(1): 55
 microscopy, 4(3): 22; 4(4): 24; 5(2): 33
 microstrain, 6(4): 42-3
 multiple yielding, 4(4): 25
 nitrogen solubility in, 6(1): 54
 notch sensitivity, 4(3): 22-3; 4(4): 25; 5(1): 28
 nuclear properties, 4(1): 22; 6(4): 44
 occurrence, 4(3): 20
 oxidation, 4(1): 29; 4(2): 23; 4(3): 22; 4(4): 24-7; 5(1): 29; 6(2): 58-9; 6(3): 36; 6(4): 44
 oxygen determination, 4(1): 22, 30
 phase transformation, 5(2): 30-1
 physical metallurgy, 5(2): 29-31; 5(3): 24; 5(4): 47-9; 6(1): 55, 57; 6(2): 56-9; 6(3): 34-5; 6(4): 42-4
 physical properties, 4(1): 22, 28-9; 4(2): 22; 4(3): 20, 22; 5(1): 28-9; 5(4): 50

Beryllium
 plastic a
 6(4):
 plating,
 polishing,
 precipita
 preferre
 preparat
 pressur
 prestrai
 producti
 6(3):
 properti
 protecti
 purity,
 5(3):
 radiatio
 radiogr
 reaction
 with
 with
 5(3):
 with
 with
 with
 with
 with
 remain
 recryst
 reducti
 resour
 4(2):
 resour
 rolling
 ruptur
 self-be
 shear
 shrink
 slip ca
 solder
 specif
 strain
 streng
 6(3)
 stress
 stress
 struct
 super
 surfac
 temp
 tensile
 4(4)
 48-
 testin
 im
 textu
 therm
 therm
 therm
 therm
 toxic
 6(1)
 twin
 uran
 vapo
 vapo
 weld
 60
 5(1)
 6(1)
 wette
 whic
 yield
 Beryll
 4(4)
 Beryll
 Beryll
 19
 Beryll

Beryllium (Continued)

plastic anisotropy, 4(3): 22
 plastic deformation, 4(2): 21; 5(2): 33;
 6(4): 42
 plating, 4(4): 27
 polishing, 4(1): 30; 4(2): 24; 6(1): 55
 precipitation reaction, 5(2): 29
 preferred orientation, 4(1): 26-7
 preparation, 4(2): 24; 4(4): 22
 pressure bonding, 4(2): 54; 4(4): 23, 53
 pressure welding, 5(2): 70
 prestraining effects, 4(2): 22
 production, 4(1): 22; 4(3): 20; 5(3): 22;
 6(3): 33; 6(4): 40-1
 properties, 6(2): 59
 protective coatings for, 5(2): 33; 6(2): 55
 purity, 4(1): 23; 4(3): 20-1; 5(1): 26;
 5(3): 22; 5(4): 44; 6(2): 53-4; 6(3): 36
 radiation-activation analysis, 4(1): 22
 radiography, 6(1): 55
 reaction, with air, 4(1): 29
 with CO, 4(1): 29; 5(1): 29
 with CO₂, 4(1): 29; 4(3): 55; 4(4): 26-7;
 5(1): 29; 5(2): 31-2
 with ThO₂, 6(1): 89
 with UC, 5(1): 59
 with UO₂, 6(2): 59
 with uranium oxides, 6(1): 89
 with water vapor, 4(4): 27; 5(1): 29
 reaming, 4(4): 23
 recrystallization, 6(2): 56
 reduction, 4(1): 22
 research and development, 4(1): 22;
 4(2): 18
 resources, 4(1): 22
 rolling, 4(2): 19; 4(4): 24
 rupture, 5(1): 28
 self-bonding, 4(3): 55
 shear properties, 4(3): 23; 6(2): 56-7
 shrink fitting, 4(3): 21
 slip casting, 5(3): 23
 soldering, 4(1): 24-5
 specific heat, 5(3): 24
 strain-rate effects, 4(4): 25
 strength, 4(2): 18, 21; 4(3): 23; 4(4): 24-5;
 6(3): 35
 stress corrosion, 4(1): 29
 stress rupture, 4(3): 23; 5(3): 25
 structure, 4(1): 25-8; 4(2): 20-2
 superconductivity, 4(4): 25
 surface effects, 4(2): 22; 4(3): 23; 6(2): 56
 temperature effects, 4(4): 24-5
 tensile properties, 4(1): 28; 4(3): 22-3;
 4(4): 25; 5(1): 26, 28; 5(2): 29-31; 5(4):
 48-9; 6(1): 55; 6(3): 33, 35-6; 6(4): 41, 43
 testing, 4(1): 28-9
 impact, 4(3): 23
 texture of precipitates, 6(1): 55
 thermal conductivity, 5(1): 28; 5(2): 31
 thermal expansion, 5(2): 31; 5(4): 47
 thermal properties, 4(1): 28-30; 4(3): 23-4
 thermoelectric power, 5(1): 28; 5(2): 31
 toxicity, 5(1): 26; 5(2): 33; 5(4): 50;
 6(1): 58
 twinning, 4(2): 21; 5(1): 28
 uranium diffusion into, 5(2): 21
 vapor deposition, 5(4): 84
 vapor pressure, 5(3): 28
 welding, 4(1): 24-5, 30, 70; 4(2): 19-20,
 60-1; 4(3): 21, 60; 4(4): 23; 5(1): 27;
 5(2): 29, 70; 5(3): 23-4; 6(1): 53-4;
 6(4): 41-2
 wetting of, 6(4): 42
 whiskers, 6(3): 34-5
 yield, 4(2): 22; 5(1): 28
 Beryllium (beryllium-coated), preparation,
 4(4): 23
 Beryllium (coated), corrosion, 5(3): 25
 Beryllium (forged), tensile properties, 4(2):
 19
 Beryllium (gold-plated), strength, 5(4): 49

Beryllium (high-porosity), production, 4(4): 23
 Beryllium (irradiated), anisotropic growth,
 4(4): 38
 annealing, 4(2): 24; 4(4): 26; 5(1): 45
 bubble formation, 5(1): 45
 damage, 5(1): 44-5
 ductility, 4(4): 26
 effects, 4(1): 22, 30, 56; 6(3): 35-7
 embrittlement, 4(3): 38; 6(2): 59
 hardness, 4(2): 23
 heavy-ion range, 5(4): 64-5
 helium formation, 6(4): 44
 hydrogen agglomeration, 5(1): 49
 mechanical properties, 4(4): 26; 5(2): 31;
 6(3): 36-7; 6(4): 44, 61-2
 porosity, 4(3): 38
 strength, 5(3): 27
 stress rupture, 4(4): 26; 6(1): 77
 swelling, 4(2): 23-4; 5(1): 29; 5(3): 26;
 6(1): 58, 77
 thermal conductivity, 5(4): 49
 Beryllium (plasma-arc sprayed), properties,
 6(1): 9
 Beryllium (sintered), properties, 6(2): 54
 Beryllium alloys, 6(4): 40-5
 high-temperature stability of beta phase,
 5(3): 24
 mechanical properties, 4(4): 51
 melting, 4(4): 51
 production, 5(3): 22
 Beryllium borides, carburization and oxida-
 tion, 5(1): 31
 Beryllium-boron system, electrical resistivity,
 5(1): 28
 phase studies, 5(1): 28; 5(2): 35
 Beryllium-cadmium alloys, mechanical
 properties, 4(2): 20
 microstructure, 4(1): 27
 phase studies, 4(2): 20
 tensile properties, 4(1): 27
 Beryllium-calcium alloys, mechanical
 properties, 6(2): 53
 oxidation, 6(2): 58-9
 Beryllium-calcium-titanium alloys, phase
 studies, 5(1): 27
 Beryllium carbide-graphite dispersions
 (irradiated), effects, 6(2): 50
 Beryllium carbides, formation, 4(1): 29
 Beryllium-cerium alloys, transformation,
 4(2): 20
 Beryllium-chromium alloys, beta-phase
 stability, 4(3): 22
 mechanical properties, 4(2): 20
 microstructure, 4(1): 27
 phase studies, 4(2): 20
 tensile properties, 4(1): 27
 transformation, 4(2): 20
 Beryllium cladding, failure, 6(1): 57
 Beryllium-cobalt alloys, phase studies,
 solidus line, and transformation, 4(2): 20
 Beryllium-cobalt-iron-nickel alloys, beta-
 phase stability, 4(3): 22
 Beryllium compounds, 4(1): 22; 4(2): 24
 bibliography, 6(4): 44-5
 with silicon and tantalum, 5(1): 30
 toxicity, 6(1): 58
 Beryllium-copper alloys, 4(1): 27; 4(2): 20;
 4(4): 24
 quenching, 6(1): 55
 tensile and yield strength, 5(1): 28
 Beryllium-copper alloys (irradiated),
 annealing, 5(1): 45-6; 5(2): 49
 electrical resistivity, 5(2): 49
 Beryllium crystals, ductility, 4(3): 20
 mechanical properties, 4(2): 22-3
 microhardness, 4(3): 21
 tensile properties, 4(4): 22; 5(4): 45, 48
 Beryllium diboride crystals, preparation,
 4(4): 24
 Beryllium dichloride, electrorefining,
 6(4): 40-1

Beryllium difluoride-lithium fluoride-
 uranium tetrafluoride (molten), compatibility
 with graphite and INOR-8, 4(4): 35-6
 Beryllium disease, 5(2): 33
 Beryllium dust, collection, 4(2): 24
 Beryllium extrusions, properties, 6(3): 36
 textures, 4(2): 21
 Beryllium films, properties, 5(4): 47-8
 Beryllium foil, preparation and properties,
 4(2): 20; 5(4): 44
 Beryllium-germanium alloys, 4(1): 27;
 4(2): 20
 Beryllium-hafnium alloys, phase studies,
 4(2): 20
 properties, 5(3): 34
 Beryllium hexaboride crystals, preparation,
 4(4): 24
 Beryllium honeycomb, compression tests,
 4(3): 23
 development, 4(2): 19
 tensile strength, 4(2): 19
 Beryllium-hydrogen system, quenching,
 6(1): 55
 Beryllium hydroxide, purification, 5(2): 34-5
 Beryllium ingots, properties, 5(2): 30
 Beryllium iodide, preparation, 4(3): 21
 Beryllium-iron alloys, aging, 6(2): 58
 beta-phase stability, 4(3): 22
 fracture, 6(1): 55, 57
 mechanical properties, 4(2): 22
 phase studies, 6(2): 58; 6(3): 35
 solidus line, 4(2): 20
 transformation, 4(2): 20
 Beryllium-iron-nickel alloys, beta-phase
 stability, 4(3): 22
 Beryllium-lanthanum alloys, casting, 4(2): 18
 grain refinement, 4(2): 18
 transformation, 4(2): 20
 Beryllium-lithium alloys, 4(1): 27; 4(2): 20
 Beryllium-magnesium alloys, 4(4): 22
 Beryllium-manganese alloys, 4(1): 27;
 4(2): 20
 Beryllium-molybdenum-nickel alloys, phase
 studies, 5(1): 28
 Beryllium-molybdenum-uranium alloys,
 tensile properties, 5(1): 3
 Beryllium-nickel alloys, 4(2): 20; 4(3): 22;
 4(4): 24
 high-temperature stability of beta phase,
 5(3): 24
 oxidation, 6(3): 36
 phase studies, 5(1): 28
 quenching, 6(1): 55
 tensile properties, 6(3): 35
 transformation, 6(3): 35
 Beryllium-nickel-palladium alloys, trans-
 formation, 4(2): 20
 Beryllium-nickel-tungsten alloys, phase
 studies, 5(1): 28
 Beryllium-niobium alloys, intermetallics,
 4(4): 24
 transformation, 4(2): 20
 Beryllium oxide, 4(1): 22
 applications, 6(2): 59
 beryllium diffusion in, 4(4): 46
 bibliographies, 5(1): 26, 30; 6(4): 44-5
 chemical plating using, 5(1): 69
 chemical plating with tungsten, 5(1): 68
 coating with fissionable oxide, 5(1): 11
 compatibility, with molybdenum, niobium,
 and tungsten, 5(3): 40
 with tungsten, 5(3): 28, 40
 corrosion, 5(4): 62; 6(1): 27-8
 creep, 5(2): 34
 crystal properties, 5(1): 30; 5(3): 27;
 6(2): 59-60
 decrepitation, 5(2): 34
 D₂O effects, 5(4): 49
 diffusion in graphite, 5(1): 21
 elasticity, 5(1): 30; 6(3): 37
 electrical properties, 6(1): 59

- Boron (irradiated), heavy-ion range, 5(4): 64-5
- Boron carbide, applications, 4(4): 31
- compatibility, 4(4): 31; 6(2): 69; 6(4): 51
- helium diffusion, 4(3): 26
- production of spherical particles, 4(2): 30
- properties, 4(4): 31
- Boron carbide (irradiated), effects, 4(2): 30-1, 40; 4(4): 31; 5(3): 34; 6(3): 51
- helium diffusion, 4(1): 36
- helium release, 5(3): 34; 5(4): 55-6
- hydrogen release, 4(4): 31
- Boron carbide (sintered) (zirconium-clad), radiographic testing, 5(2): 76
- Boron carbide burnable-poison plates (irradiated), dimensional changes, 5(1): 36
- effects, 4(1): 36
- Boron carbide-copper cermet (stainless-steel-clad) (irradiated), effects, 4(2): 40
- Boron carbide-copper dispersions (stainless-steel-clad) (irradiated), density, 6(1): 65-6
- Boron carbide dispersions [stainless-steel (347)-clad] (irradiated), effects, 5(1): 10
- Boron carbide-graphite compacts (irradiated), dimensional changes and strength, 5(3): 36
- Boron carbide-graphite dispersions, control applications, 4(4): 31
- Boron carbide-graphite dispersions (irradiated), dimensional changes, 4(4): 31
- Boron carbide-metal dispersions, compatibility, 4(3): 26
- Boron carbide-nickel dispersions, electro-deposition, 6(1): 12
- properties, 5(4): 55
- Boron carbide-nickel dispersions (irradiated), stability, 5(4): 55
- Boron carbide powder, plasma-arc spraying, 6(1): 8
- production, 6(1): 2
- vibratory compaction, 6(1): 5
- Boron carbide-silicon carbide burnable-poison plates (irradiated), effects, 4(1): 36
- Boron carbide-silicon carbide compacts (irradiated), helium release, 5(4): 55-6
- Boron carbide-silicon carbide dispersions (irradiated), effects, 4(2): 30-1
- Boron carbide-silicon carbide plates (irradiated), dimensional changes, 5(1): 36
- helium release, 5(3): 34
- Boron carbide-stainless-steel dispersions (clad) (irradiated), density, 6(1): 65-6
- Boron carbide-stainless-steel dispersions (irradiated), density, 6(1): 65-6
- Boron carbide-stainless-steel-uranium dioxide dispersion fuels (stainless-steel-clad), production, 4(2): 53
- Boron carbide-uranium oxide dispersion [aluminum alloy (6061)-clad], fabrication 6(4): 71
- Boron carbide-Zircaloy-2 dispersions, fabrication, 6(1): 66
- Boron carbide-Zircaloy-2 dispersions (irradiated), dimensional changes, 6(4): 52
- Boron-carbon-lithium system, 5(3): 35
- phase studies, 6(1): 66
- Boron-carbon-molybdenum system, equilibria, 6(4): 51
- Boron-carbon-niobium-titanium-vanadium system, tensile properties, 5(2): 53
- Boron-carbon system, melting, 5(1): 64
- phase studies, 4(3): 26; 4(4): 31; 5(2): 40
- Boron-carbon-thorium system, equilibria, 6(4): 51
- Boron-carbon-uranium system, equilibria, 6(4): 51
- Boron-chromium-nickel system, corrosion, 4(1): 41-2
- Boron-chromium-silicon mixtures, diffusion coating with, 5(3): 70
- Boron-chromium-titanium system, phase studies, 6(4): 63
- Boron compounds, 6(2): 67, 69
- Boron-copper system (irradiated), dimensional changes and stored energy, 5(2): 50
- Boron-graphite system, chemical deposition, 5(4): 85
- Boron-iron absorber sections (clad) (irradiated), burnup, 4(1): 36
- Boron-iron absorber sections (irradiated), swelling, 5(1): 36
- Boron-iron system, poison applications, 4(1): 37, 39
- Boron-iron system (irradiated), density, 6(1): 65-6
- effects, 5(3): 34-5
- Boron-lithium-oxygen system, glass formation, 5(2): 19
- Boron-metal systems, 6(4): 51
- Boron-nickel cermets, production, 4(3): 26
- Boron-niobium system, brazing with, 6(4): 77
- poison applications, 4(1): 37, 39
- Boron-niobium-titanium-vanadium system, stress-rupture and tensile properties, 5(2): 53
- Boron nitride, applications, 5(3): 69
- chemical deposition, 5(2): 69
- sodium vapor effects on, 6(1): 90
- Boron nitride ceramics and cermets (irradiated), effects, 4(2): 40
- Boron oxide-stainless-steel-uranium dioxide dispersions, poison-containing fuel-plate applications, 5(3): 36
- Boron-oxygen-uranium system, glass formation, 5(2): 19
- Boron powder, electrodeposition, 6(1): 13
- Boron Pyralloy, oxidation, 6(1): 100
- Boron silicide, properties, 5(2): 40
- Boron-silicon system, melting, 5(1): 64
- Boron-stainless-steel alloys, corrosion, 4(2): 30
- poison applications, 4(1): 37, 39
- properties, 4(1): 39
- Boron-stainless-steel alloys (irradiated), behavior, 6(1): 63
- dimensional changes, 5(1): 36
- effects, 5(3): 34-5
- Boron-stainless-steel control rods, Pathfinder Reactor, 6(4): 51
- Boron-stainless-steel dispersions, boron loss, 5(1): 36
- Boron-stainless-steel dispersions (irradiated), density, 6(1): 65-6
- Boron-stainless-steel-uranium dioxide dispersions, fabrication, 4(1): 12
- Boron-steel dispersions (irradiated), swelling, 6(1): 65
- Boron systems, 6(2): 67, 69
- Boron-thorium compounds (ThB₄), corrosion, 4(3): 13
- hardness, 4(4): 5
- Boron-thorium-tungsten alloys, X-ray diffraction, 4(2): 5
- Boron-thorium-uranium compounds, hardness, 4(4): 5
- Boron-thorium-uranium system, equilibria, 6(4): 51
- Boron-titanium dispersions (irradiated), density, 6(1): 65-6
- Boron-titanium-uranium system, equilibria, 6(4): 51
- Boron-tungsten coatings, preparation, 5(3): 70
- Boron-uranium-zirconium system, equilibria, 6(4): 51
- Brass, diffusion bonding, 5(1): 66-7
- Brass (70/30), extrusion, 5(1): 64
- Brass (alpha) (irradiated), diffusion, 5(4): 9
- Brass (irradiated), effects, 4(1): 55
- sputtering, 4(4): 38
- Brass (silicon), corrosion, 4(1): 42
- Brass-magnesium couples, ignition, 4(3): 29
- Brazing, 5(2): 69-70
- Bronze, corrosion, 4(1): 42

C

- C-129 alloy, welding, 6(4): 75
- Cadmium, neutron absorption, 6(3): 41
- rare-earth metal solubility in molten, 6(3): 41
- Cadmium (irradiated), anisotropic growth, 4(4): 38
- dislocation loops, 4(4): 41
- effects, 6(3): 27, 49
- electrical resistivity, 6(3): 49
- Cadmium-copper alloys (irradiated), annealing, 5(1): 45-6; 5(2): 49
- electrical resistivity, 5(2): 49
- Cadmium-europium-silver alloys, reactor-control properties, 5(2): 40
- Cadmium-indium alloys, thermodynamic properties, 6(3): 41
- Cadmium-indium-silver alloys, control rods, 6(2): 67
- corrosion, 4(2): 30
- neutron absorption, 6(3): 41
- Cadmium-indium-silver alloys (nickel-coated), properties, 6(2): 67
- Cadmium-indium-silver-tin alloys, corrosion, 4(2): 30
- Cadmium-plutonium alloys, density and stabilization, 5(2): 6-7
- Cadmium-silver-zinc alloys, phase studies and welding effects, 6(2): 67
- Cadmium-uranium alloys, phase studies, 5(2): 3
- Calcium (irradiated), vacancy relaxation, 4(1): 56
- Calcium (molten), reaction with UC, 6(2): 42
- Calcium beryllide, crystallography, 6(2): 61
- Calcium chloride-magnesium sulfate catalyst, activation, 6(3): 23
- Calcium-erbium alloys, phase studies, 4(3): 41
- Calcium fluoride crystals (irradiated), argon release from, 6(4): 8
- Calcium fluorides, densification, 5(2): 75
- sintering, 5(3): 59
- Calcium fluorides (irradiated), effects bibliography, 5(1): 48
- Calcium hexaboride-iron cermet (stainless-steel-clad) (irradiated), effects, 4(2): 40
- Calcium hydride, creep, 5(2): 36
- density, 5(2): 36
- hydrogen content, 5(3): 28
- Calcium oxide, corrosion, 6(1): 27-8
- reaction, with manganese-plutonium-uranium alloy, 5(3): 5
- with UO₂, 6(1): 42
- with U₃O₈, 5(4): 35
- Calcium oxide coatings, volatility, 6(4): 28
- Calcium oxide-lanthanum oxide-uranium dioxide solid solutions, stability, 4(2): 6
- Calcium oxide-uranium dioxide-yttrium oxide solid solutions, stability, 4(2): 6
- Calcium oxide-uranium dioxide-zirconium dioxide ceramics, fabrication, 4(4): 12
- Calcium oxide-uranium dioxide-zirconium dioxide dispersions (irradiated), dimensional changes, 5(4): 5
- Calcium oxide-uranium dioxide-zirconium dioxide system, phase studies, 4(2): 7
- Calcium oxide-uranium dioxide-zirconium dioxide system (irradiated), corrosion and effects, 4(2): 7
- Calcium oxide-zirconium dioxide ceramics, preparation, 6(3): 59-60
- Calcium-oxygen-uranium-zirconium system, 5(1): 15-16

- Calcium vanadate, reaction with U_3O_8 , 5(4): 35
- Calcium-yttrium alloys, phase studies, 4(3): 41
- Carbide cathodes, redeposition, 6(4): 73
- Carbide fibers, coating with pyrolytic graphite, 6(1): 101
- Carbide-oxide powders, electrodeposition, 6(1): 13
- Carbide particles (carbon-coated), incorporation into graphite matrices, 6(2): 29
- Carbide particles (carbon-coated) (irradiated), development, 6(2): 39
- Xe¹³³ release, 6(2): 33, 35, 37
- Carbide particles (coated), preparation, 6(1): 34-5
- Carbide particles (PyC-coated), dispersion in graphite, 6(2): 32
- preparation, 6(2): 30, 32
- Carbide powders, electrodeposition, 6(1): 13
- Carbides, diffusion in, 6(1): 90; 6(3): 59
- emittance, 5(4): 75
- review, 5(4): 74-5
- thermal properties, 6(4): 64
- Carbides (carbon-coated), testing, 6(3): 23-4
- Carbides (cemented), emittance, 5(4): 75
- Carbides (refractory), joining to metals, 5(4): 75; 6(1): 99
- systems with UC, 4(3): 13
- Carbon
- See also Graphite
- chemical plating graphite with, 5(1): 68
- coatings, 4(1): 67-8; 4(2): 59; 4(3): 57-8; 4(4): 9
- deposition kinetics, 5(2): 15
- diffusion, in beryllium, 4(4): 24
- in niobium and niobium carbides, 6(1): 89
- in stainless steel (304), 5(2): 20-1
- in UC, 6(4): 30
- permeability, 5(4): 43
- physical properties, 5(4): 43-4
- tensile strength, 5(4): 43
- Carbon (irradiated), carbon-ion energy loss and ranges, 4(3): 32
- effects, 6(2): 52
- heavy-ion range, 5(4): 64-5
- oxygen-ion energy loss and ranges, 4(3): 32
- Carbon (molybdenum carbide-coated), protective properties, 5(4): 85
- Carbon (pyrolytic)
- See also Graphite (pyrolytic)
- deposition, 5(2): 69; 5(3): 69; 6(4): 73
- development, 6(2): 50-1
- Carbon (pyrolytic) (irradiated), Xe¹³³ release from, 6(4): 8
- Carbon-chromium-titanium-yttrium-zirconium system, corrosion, 5(4): 60
- Carbon-chromium-uranium system, behavior, 5(3): 17
- phase studies, 5(2): 20; 6(4): 30
- Carbon coatings, on Al_2O_3 , 5(1): 10-11
- density, 5(1): 12
- development, 6(3): 21
- Carbon (pyrolytic) coatings, corrosion, 6(4): 27
- density, 5(2): 15
- development, 6(3): 20-1
- failure, 6(3): 21
- microstructure, 6(4): 24
- preparation, 6(4): 73-4
- thorium diffusion in, 6(4): 26
- uranium diffusion in, 6(4): 27
- uranium solubility in, 6(4): 27
- Carbon (pyrolytic) coatings (irradiated), failure, 6(4): 25
- Carbon-cobalt-uranium system, phase studies, 5(2): 20
- Carbon-copper-uranium system, behavior, 5(3): 17
- phase studies, 5(2): 20
- Carbon dioxide, compatibility with reactor materials, 5(2): 46
- corrosive effects, 6(1): 71
- Carbon fibers, coating, 6(1): 101
- Carbon-hafnium-iron system, phase studies, 6(4): 51
- Carbon-hafnium system, phase studies, 5(2): 40
- Carbon-hafnium-uranium system, phase studies, 5(2): 20
- Carbon-hydrogen-thorium system, compounds, 6(2): 63
- Carbon-iron-silicon system, diffusion, 4(3): 44
- Carbon-iron-uranium system, behavior, 5(3): 17
- eutectic, 5(3): 17
- phase studies, 5(2): 20
- ternary compound, 6(2): 42
- Carbon-metal-uranium systems, properties, 5(3): 17
- Carbon-metal (transition)-uranium systems, phase studies, 5(2): 20
- Carbon-molybdenum-niobium-titanium-zirconium system, strength, 5(3): 56
- Carbon-molybdenum-tungsten-zirconium system, forgeability, 5(3): 65
- recrystallization, 5(3): 65
- strength, 5(3): 56
- Carbon-molybdenum-uranium system, phase studies, 5(4): 35
- Carbon monoxide (irradiated), radiation chemistry, 6(4): 38-9
- Carbon-nickel-uranium system, phase studies, 5(2): 20
- Carbon-niobium-titanium-vanadium system, brazing with, 6(4): 76-7
- stress-rupture and tensile properties, 5(2): 53
- Carbon-niobium-uranium system, melting-point curve, 5(1): 17
- phase studies, 5(2): 20
- Carbon-oxygen-uranium system, lattice parameters, 4(3): 13
- phase studies, 4(3): 13; 6(3): 26; 6(4): 29-30
- Carbon-plutonium system, phase studies, 5(4): 24-5; 6(2): 24; 6(3): 14
- Carbon-plutonium-uranium system, phase studies, 5(2): 10; 6(1): 28
- Carbon (pyrolytic)-silicon coatings, strength, 5(2): 15
- Carbon-tantalum system, corrosion, 5(2): 47
- Carbon-tantalum-tungsten system, tensile properties, 5(2): 53
- Carbon-tantalum-uranium system, phase studies, 5(2): 20
- Carbon-thorium-titanium system, corrosion, 4(2): 5
- Carbon-thorium-uranium system, oxidation, 5(2): 11
- phase studies, 6(2): 43
- Carbon-uranium carbide dispersions, preparation, 6(4): 73
- Carbon-uranium system, carbon diffusion into stainless steel (304), 5(2): 20-1
- cladding applications, 4(4): 3
- compatibility with aluminum-molybdenum-tin-zirconium and indium-zirconium alloys, 6(1): 44
- electrical resistivity, 5(4): 36
- extrusion, 5(4): 82
- high-temperature properties, 5(2): 21
- linear thermal expansion, 6(1): 45
- oxidation, 5(3): 16
- phase studies, 5(2): 21
- thermal expansion, 5(2): 21
- uranium diffusion into metals and alloys, 5(2): 21
- vapor pressure, 5(2): 21
- vaporization, 6(3): 26
- Carbon-uranium system (irradiated), cracking, 5(4): 36
- effects, 6(3): 26
- Kr⁸⁵ release, 5(4): 36
- swelling, 4(3): 3
- Carbon-uranium system (nickel-clad) (irradiated), damage, 6(1): 45
- Carbon-uranium-zirconium system, casting, 5(1): 19
- electrical resistivity, 5(3): 16
- lattice parameters, 5(1): 17
- melting-point curve, 5(1): 17
- phase studies, 5(2): 20
- physical properties, 5(4): 36
- reaction with metals, 5(4): 36
- thermionic emission, 5(3): 16
- Carpenter-20Nb, corrosion, 5(1): 41
- Catalysts, activation of, 6(3): 23
- Cb-752, welding, 6(4): 75
- Ceramic coatings, 4(3): 57; 4(4): 58-9
- applications, 5(2): 75
- physical properties of flame-sprayed, 5(3): 70
- preparation, 6(4): 74
- ultrasonic testing, 6(1): 108
- Ceramic oxides, hot-pressing, 5(2): 74
- pressure bonding, 4(4): 53
- Ceramic oxides (irradiated), fission-gas release, 6(4): 6-8
- Ceramic powders, compaction, 6(1): 8, 10, 13, 100
- Ceramic powders (coated), production, 6(1): 2-4
- Ceramic powders (metal-coated), preparation, 6(2): 3
- Ceramics, bonding to metals, 5(2): 75
- chemical plating with, 5(4): 83-4
- chemical plating with titanium and zirconium, 5(1): 68
- coating, of graphite, 6(3): 70
- of molybdenum, 6(3): 71
- of molybdenum alloys, 6(3): 71
- with PyC, 6(4): 73-4
- of yttrium, 5(1): 69-70
- compatibility with PuO_2 , 4(3): 13
- corrosion by molten manganese-plutonium-uranium alloys, 5(4): 23
- diffusion, 6(1): 90; 6(3): 59
- emittance, 5(4): 75
- physical properties, 6(4): 66
- sealing to metals, 5(3): 70
- sodium vapor effects on, 6(1): 90
- technology, 6(4): 66
- vapor coating with Al_2O_3 , 5(3): 69
- Ceramics (irradiated), annealing, 5(4): 69
- effects, 5(2): 50; 5(4): 1-10, 68; 6(1): 82; 6(3): 55
- fission-gas behavior in, 6(4): 1-8
- H_2 diffusion, 5(1): 58
- Ceramics (Zircaloy-4-clad), gas-pressure bonding, 6(4): 71
- Cerium, diffusion in graphite, 5(1): 21
- Cerium-cobalt-plutonium alloys, corrosive effects, 4(1): 44
- density, 6(3): 14
- linear thermal expansion, 6(1): 27
- preparation, 6(4): 70
- Ta_2Co_7 reaction layer, 6(4): 15
- Cerium-cobalt-plutonium alloys (molten), corrosive effects, 5(4): 22-3; 6(1): 24, 27
- fuel applications, 4(4): 4
- reactions with crucibles, 5(3): 4-5
- viscosity, 5(3): 5
- Cerium-copper-plutonium alloys, phase studies, 6(3): 14; 6(4): 15
- viscosity, 6(3): 14
- Cerium dioxide, densification, 5(2): 75
- Cerium dioxide-uranium dioxide solid solutions, phase studies, 4(4): 12

Cerium hydride, heat of dissociation, 5(4): 52
hydrogen content, 5(3): 28
structure, 5(4): 52
Cerium-nickel-plutonium alloys, phase studies, 6(4): 15
Cerium-oxygen-uranium system, thermal shock, 5(1): 16
Cerium-plutonium alloys, phase studies, 6(2): 21, 23
Cerium sulfide, corrosion, 6(1): 27-8
Cerium-thorium alloys, phase studies, 5(4): 25
Cerium-uranium alloys (irradiated), swelling, 4(1): 3-4
Cerium-zirconium alloys, corrosion, 6(1): 68
Cermets, electrodeposition, 6(1): 13
technology, 6(1): 4
Cermets, electroplating with, 5(1): 67-8
Cerium, corrosive effects on container metals and alloys, 6(4): 58
diffusion in graphite, 5(1): 21
Cerium (molten), corrosive effects, 5(4): 63
Cerium alloys, corrosion, 6(3): 48-9
Cerium alloys (molten), corrosive effects, 6(3): 48-9
Chlorides (alkali)
See Alkali halides (irradiated)
Chromalloy W-2, analysis, 5(2): 45
Chromalloy W-3, corrosion, 6(1): 72
Chromium, activation energy, 4(1): 43
annealing, 5(2): 52
carbon solubility, 4(1): 52
chemical plating with, 5(1): 69
chemical plating with oxides and silicides, 5(2): 69
coating, 4(1): 67; 4(2): 58-9; 4(4): 35
compatibility with US, 6(2): 43
corrosion, 5(1): 41
diffusion, 4(1): 52; 4(2): 45; 5(1): 59; 6(1): 19, 89
ductility, 6(3): 56
electron-beam zone refining, 5(4): 79
electroplating with, 5(1): 67
fabrication, 6(3): 66
of iodide, 6(3): 66
high-temperature applications and properties, 4(1): 51-2
hydrogen solubility, 4(1): 52
nitrogen solubility, 4(1): 52
nitrogenation, 6(1): 72
oxidation, 4(1): 43; 6(1): 72
oxygen solubility, 4(1): 52
plating, 4(1): 67-8; 4(2): 60; 4(3): 58; 4(4): 55, 59; 6(4): 73
reactions with UC, UC₂, and UN, 6(2): 42
review, 6(3): 56
self-diffusion, 4(3): 44; 5(1): 59
solubility in lithium, 5(1): 42
tensile properties, 5(2): 52; 6(3): 56
thermal radiative properties, 6(4): 65
transition, 6(1): 87
vapor deposition, 5(3): 9; 6(3): 70
Chromium alloys, ductility, 4(2): 42; 6(3): 56
hardness, 4(2): 42
review, 6(3): 56
thermal radiative properties, 6(4): 65
twinning, 4(2): 42
Chromium borides, deposition, 5(2): 69
Chromium cermets, deposition, 5(2): 68-9
Chromium coatings, deposition on uranium carbide pellets, 6(1): 101
Chromium-copper alloys, transition temperature, 6(3): 56
Chromium crystals, preparation, 5(4): 79
Chromium-dysprosium alloys, transition temperature, 6(3): 56
Chromium-gadolinium alloys, transition temperature, 6(3): 56
Chromium-hydrogen-yttrium system (aluminum-chromium-iron-clad), hydrogen loss in air, 5(3): 30
thermal-mechanical stability, 5(3): 30-1

Chromium-iridium-molybdenum combinations, interdiffusion, 5(2): 61
Chromium-iron alloys, iron diffusion, 4(2): 45
oxidation, 4(2): 34
stress-corrosion cracking, 5(2): 43
Chromium-iron-manganese-molybdenum-nickel-titanium alloys (W-545), creep properties, 4(1): 48
Chromium-iron-molybdenum alloys, oxidation, 5(3): 38
Chromium-iron-molybdenum-nickel alloys, mechanical properties, 5(3): 54-5
stress corrosion, 5(2): 43; 5(3): 41; 6(3): 45
Chromium-iron-molybdenum-niobium-titanium alloys, 4(1): 47
Chromium-iron-nickel alloys, electroplating with chromium, 5(1): 67
oxidation, 5(3): 38
stress-corrosion cracking, 5(2): 43
Chromium-iron-nickel-niobium alloys (irradiated), mechanical properties, 6(4): 61
Chromium-iron-nickel-tungsten-vanadium-zirconium alloys, corrosion, 6(1): 68
Chromium-iron-plutonium alloys, hardness and heat-treatment, 5(3): 5
Chromium-iron-titanium alloys, hardness and phase studies, 4(1): 50
Chromium-iron-zirconium alloys, corrosion, 6(1): 68; 6(3): 43
Chromium-molybdenum-nickel alloys, oxidation, 5(3): 38
Chromium-molybdenum-niobium alloys, phase studies, 4(4): 43-4; 5(1): 56
Chromium-molybdenum-rhenium combinations, interdiffusion, 5(2): 61
Chromium-molybdenum-uranium alloys, grain size, 5(2): 3
phase studies, 5(4): 18; 6(2): 16
Chromium-molybdenum-uranium alloys (irradiated), effects, 4(1): 2; 4(3): 3; 6(4): 12
Chromium-neodymium alloys, transition temperature, 6(3): 56
Chromium-nickel alloy powders, brazing using, 6(3): 71
Chromium-nickel alloy-uranium dioxide dispersions (chromium-nickel alloy-clad) (irradiated), effects, 6(4): 18-19
Chromium-nickel alloys, stress-corrosion cracking, 5(2): 43
transformation, 4(3): 39
Chromium-nickel-niobium alloys, phase studies, 4(3): 39; 6(1): 87
Chromium-nickel-tungsten alloys, electrical resistance and hardness, 4(2): 44-5
Chromium-nickel-vanadium-zirconium alloys, corrosion, 6(1): 68
Chromium-nickel-zirconium alloys, corrosion, 6(1): 68
Chromium-niobium alloys, creep properties, 4(2): 47; 5(1): 53, 55
oxidation, 4(1): 43; 6(4): 57
tensile properties, 4(1): 48; 4(2): 47
Chromium-niobium-titanium alloys, oxidation, 5(3): 40
Chromium-niobium-titanium solid solutions, decomposition, 6(4): 64
Chromium-niobium-uranium alloys (irradiated), effects, 4(1): 2
Chromium-niobium-zirconium alloys, properties, 4(2): 47
Chromium oxide, chromium and iron diffusion, 4(2): 45
Chromium oxide-oxygen-uranium dioxide system, phase studies, 6(1): 42
Chromium oxide powder (nickel-coated), production, 6(1): 3
Chromium-oxygen-plutonium compounds, crystallography, 4(3): 13

Chromium-palladium alloys, brazing using, 6(3): 71
Chromium plating (silicided), formation on refractory metals, 6(1): 101
Chromium powder (nickel-coated), production, 6(1): 3
Chromium-rhenium alloys, 4(2): 42
Chromium-rhenium couples, interdiffusion, 5(2): 61
Chromium-rhenium-yttrium alloys, oxidation, 5(2): 46
Chromium-ruthenium alloys, phase studies, 5(3): 57
Chromium silicides, deposition, 5(2): 69
Chromium-silicon-titanium mixtures, diffusion coating with, 5(3): 70
Chromium systems, diffusion, 5(1): 56
Chromium-tantalum alloys, brazing with, 6(4): 76
Chromium-tantalum-titanium alloys, oxidation, 4(1): 43
Chromium-tin alloys, transition temperature, 6(3): 56
Chromium-TZC alloy, yield strength, 5(4): 72
Chromium-uranium alloys, grain growth, 6(4): 12
grain refinement, 6(4): 12
grain size, 5(2): 3; 5(4): 17-18
heat-treatment, 5(2): 3; 5(3): 2
phase studies, 6(3): 13
phase transformation, 6(4): 12
substructure, 5(3): 2
Chromium-uranium alloys (irradiated), effects, 4(1): 2; 6(4): 12
Chromium-uranium dioxide cermets, modulus of rupture, 4(1): 12
preparation, 4(3): 7
structure, 6(3): 7
thermal conductivity, 4(3): 8
Chromium-uranium dioxide cermets (clad), pressure bonding, 4(2): 54
Chromium-uranium dioxide cermets (stainless-steel-clad) (irradiated), effects, 6(3): 18
Chromium-uranium dioxide dispersions (clad), fabrication, 4(2): 10
Chromium-uranium dioxide dispersions (clad) (irradiated), effects, 4(2): 10
Chromium-uranium dioxide-Zircaloy-2 dispersions (Zircaloy-2-clad), development, 4(1): 11-21
Chromium-uranium mononitride system, phase studies, 6(4): 31
Chromium-uranium nitride cermets (clad), pressure bonding, 4(2): 54
Chromium-uranium-zirconium alloys, grain size, 5(2): 3
vapor deposition, 5(4): 84
Chromium-vanadium alloys (irradiated), effects, 4(1): 3-4
Chromium-vanadium-zirconium alloys, corrosion, 6(1): 68
Chromium-yttrium alloys, corrosion, 5(4): 60
ductility, 4(3): 29
oxidation, 4(3): 29
preparation, 5(4): 79
tensile strength, 5(4): 72
Chromium-zirconium alloys, corrosion, 6(1): 68; 6(3): 43
hydrogen absorption, 5(2): 42
Chromium-zirconium intermetallic compounds, corrosion, 5(2): 42; 5(4): 52-3
hydriding, 4(4): 28
Coatings, 6(3): 70-1
See also specific coatings
oxidation of refractory, 5(4): 61
Cobalt, 4(3): 44; 4(4): 51
deoxidation, 5(1): 64
diffusion in uranium, 6(1): 19, 89
internal friction, 6(3): 58
melting, 5(1): 64

- Cobalt (irradiated), effects, 4(1): 56
- Cobalt-60, diffusion in molybdenum-nickel alloys, 4(2): 45
- Cobalt alloys, corrosion, 5(1): 40; 6(1): 61; 6(3): 48-9
- diffusion, 4(2): 45
- diffusion bonding, 5(4): 46-7, 81; 6(1): 98-9; 6(3): 68
- melting, 4(4): 51
- Cobalt alloys (molten), corrosive effects, 6(3): 48-9
- Cobalt-copper alloys, dispersion hardening, 6(3): 58
- Cobalt-copper alloys (irradiated), displacement spike detection, 5(4): 65-6
- Cobalt-dysprosium oxide dispersions, properties, 6(2): 69
- Cobalt-europium oxide-gadolinium-samarium dispersions, development, 4(2): 30
- Cobalt-gadolinium alloys, phase studies, 6(3): 41
- Cobalt-hafnium intermetallic compounds, hydriding, 5(4): 52-3
- Cobalt-iridium-nickel-niobium alloys, phase studies, 4(4): 44
- Cobalt-iron alloys (irradiated), magnetic properties, 4(3): 33
- Cobalt-molybdenum alloys, extrusion and mechanical properties, 4(2): 51
- Cobalt-niobium alloys, diffusion, 4(4): 45-6
- recrystallization, 4(1): 50
- Cobalt-nitrogen-zinc system, cubic nitrides, 5(3): 56
- Cobalt-samarium oxide dispersions, development, 4(2): 30
- Cobalt superalloys, thermal radiative properties, 6(4): 65
- Cobalt-thorium intermetallic compounds, hydriding, 5(4): 52-3
- Cobalt-tungsten carbide dies and punches, explosive forming using, 6(3): 72
- Cobalt-zirconium alloys, corrosion, 6(1): 68
- Colmonoy 5 and 6, corrosion, 4(1): 42
- Compounds (metallic), chemical plating of refractory, 5(1): 68
- mechanical properties and temperature effects, 6(4): 63
- Consil 995, corrosion, 5(1): 40
- Control materials, dispersion, 6(4): 51-2
- Control rods, fabrication, 6(4): 51
- Coolants, corrosive effects of organic, 6(3): 46-7
- Copper, bonding, 4(1): 73; 4(4): 53
- brazing, 4(4): 58
- cladding, of copper by coextrusion, 6(3): 69
- with Zircaloy-2 by coextrusion, 6(3): 69
- coating with tungsten, 6(1): 101
- compatibility with boron carbides, 6(2): 69; 6(4): 51
- diffusion bonding, 6(1): 98-9
- to gold, 5(1): 67
- to niobium-zirconium alloys, 6(3): 68; 6(4): 77
- to stainless steel, 6(3): 68
- to stainless steel (316), 6(4): 77
- diffusion in Zircaloy, 4(1): 53
- electroplating uranium oxide with, 5(1): 68
- extrusion, 5(1): 64
- internal friction, 6(3): 58
- lattice deformations, 4(2): 38
- plating, 4(1): 68; 4(2): 60; 4(3): 58; 5(3): 68
- pressure bonding, 4(2): 54-5; 5(1): 66
- stable equilibrium configuration, 5(2): 49
- thermal diffusion, 5(2): 60
- uranium diffusion, 4(1): 52-3
- vacancy-vacancy interaction, 4(2): 37
- Copper (irradiated), annealing, 4(3): 31, 34; 4(4): 38; 5(1): 45-6; 5(2): 49; 5(4): 64; 6(1): 76, 80
- atom displacement, 6(1): 77
- catalytic properties, 6(1): 77
- characteristic temperature, 5(2): 48
- damage recovery, 4(2): 35, 37
- defect clusters, 5(4): 66-7
- density, 4(4): 38
- diffusion, 4(3): 31; 5(4): 9
- dislocation loops, 4(4): 39; 5(2): 48, 50; 5(3): 45
- effects, 4(1): 53-4, 56; 4(2): 35-6, 38; 5(2): 49; 6(1): 75, 77; 6(3): 49-51, 54; 6(4): 59, 60
- electrical resistance, 6(1): 75
- electrical resistivity, 4(3): 32; 5(2): 48-9; 5(4): 64; 6(1): 75; 6(3): 49
- energy release, 4(3): 31
- etching, 5(3): 45
- focused-deposit patterns, 6(1): 77
- focusing collisions in atom chains, 5(2): 50
- hardness, 4(3): 31; 4(4): 39; 5(2): 48; 6(1): 76
- helium diffusion, 4(4): 46-7
- helium precipitation, 4(3): 31
- H₂ diffusion, 4(1): 54
- interstitial configuration, 6(1): 80
- interstitials, 4(3): 34
- multiple thermal points, 5(2): 50
- oxidation, 6(4): 57
- plastic deformation, 4(4): 39
- primary atom energy distribution, 6(1): 80-1
- quenching, 5(2): 50
- recoil-atom ranges, 4(3): 32
- sputtering, 4(4): 38
- threshold energy, 5(2): 48
- vacancy formation energy, 5(3): 47
- vacancy relaxation, 4(1): 56
- X-ray lattice parameter and line breadth, 4(4): 38-40
- Copper [stainless-steel (304)-clad], reactor radiation-damage monitor, 5(1): 48
- ultrasonic testing, 4(3): 64
- Copper (tungsten-coated), preparation, 4(2): 58
- Copper alloys (molten), fuel applications, 4(4): 4
- Copper crucibles, failure, 6(1): 97
- Copper crystals (irradiated), atomic collisions, 4(3): 30-1
- Copper-erbium alloys, phase studies, 4(3): 41
- Copper-gold intermetallic compounds (irradiated), effects, 4(3): 32-3; 6(3): 51
- Copper hexaboride-metal dispersions, compatibility, 4(3): 26
- Copper-iron-zirconium alloys, hydrogen absorption, 6(4): 54
- Copper-molybdenum alloys (17-14), properties, 6(1): 86
- Copper-molybdenum-zirconium alloys, corrosion, 4(1): 46-7; 6(1): 68
- oxidation and oxygen diffusion in, 5(4): 57
- strength, 4(1): 46-7
- Copper-nickel alloys, graphitization, 4(2): 43; 4(4): 21-2
- Copper-niobium-zirconium alloys, 4(3): 46
- corrosion, 6(1): 68
- Copper particles (tin-coated), preparation, 6(2): 3
- Copper-plutonium-tin alloys (irradiated), phase transformation, 6(1): 78
- Copper powder, explosive compaction, 4(4): 56-7; 6(1): 10, 13
- Copper powder (nickel-coated), production, 6(1): 3
- Copper-silver alloys, brazing with, 5(2): 75
- Copper-silver alloys (irradiated), annealing, 5(1): 45-6; 5(2): 49
- electrical resistivity, 5(2): 49
- Copper-tin alloys (irradiated), phase transformation, 6(1): 78
- Copper tubing, ultrasonic drawing, 5(3): 65
- Copper-tungsten-zirconium alloys, corrosion, 6(1): 68
- hydrogen absorption, 5(2): 42
- Copper-uranium alloys, diffusion, 4(2): 45
- oxidation, 5(2): 3
- Copper-uranium mononitride system, phase studies, 6(4): 31
- Copper whiskers, vapor deposition, 5(4): 84
- Copper-yttrium alloys, phase studies, 4(3): 41
- Copper-zinc alloys, diffusion bonding, 4(1): 66
- Copper-zinc alloys (irradiated), zinc diffusion in, 5(1): 46; 6(1): 78
- Copper-zirconium alloys, corrosion, 6(1): 68
- hardening, 4(2): 41
- hydrogen absorption, 5(2): 42
- phase studies, 6(4): 65
- phase transmission, 4(2): 41
- Copper-zirconium intermetallic compounds, corrosion, 5(2): 42
- Cores, channel inspection, 4(4): 59
- ultrasonic testing of vessels, 5(4): 88
- Corrosion, radiation effects, 6(3): 55
- Corundum, preparation, 6(1): 100
- Croloy 16-1, corrosion, 6(1): 70
- Croloy-titanium alloys, corrosion, 5(4): 63
- Croloys, corrosion, 4(1): 41-2; 5(4): 59, 63
- Crucibles, coating for graphite, 5(2): 65
- Crud deposition, 5(2): 43
- Crystals
- See also Solids
- elastic constants, 4(1): 72
- Crystals (ionic) (irradiated), effects, 5(1): 48
- fission-gas release, 6(4): 6-8
- vacancy-pair mobility, 5(3): 47
- Crystals (irradiated), atomic collisions, 4(3): 34
- defects, 4(3): 34; 5(1): 48
- diffusion coefficients, 4(1): 57
- distortion, 6(1): 80
- effects, 4(1): 56-7; 4(2): 38; 4(3): 35; 5(4): 67-8; 6(3): 53-4; 6(4): 60-1
- lattice damage, 6(1): 78
- Crystals (nonmetallic) (irradiated), chemical physics, 5(3): 47

D

- D-14, coating with ceramics, 6(4): 74
- D-31, welding, 6(4): 74-5
- D-36, brazing, 6(3): 72
- welding, 6(3): 72; 6(4): 75
- D-36 foil, joining, 6(3): 72
- D-979, creep properties, 4(1): 48
- Deuterium-zirconium compounds, thermal properties, 4(4): 27-8
- Diamond (irradiated), displacement threshold energy, 5(4): 66
- Discoloy, properties, 6(1): 86
- Disilicide coatings, corrosion, 5(4): 61-2
- Dispersions, explosive compaction, 6(1): 10, 13
- fabrication, 6(1): 13-16
- properties, 6(1): 13-16
- Dispersions (irradiated), effects, 5(2): 12
- Dragon Reactor, coated particle fuel, 6(2): 29-30
- Dynapak machine, 4(4): 58
- Dysprosium, corrosion, 5(4): 55; 6(4): 51
- fabrication, 4(4): 31; 5(1): 64
- Dysprosium alloys, corrosion and phase studies, 6(4): 51
- Dysprosium borate, properties, 6(3): 60
- Dysprosium-hafnium alloys, oxidation, 6(2): 67
- Dysprosium oxide, properties, 6(3): 60
- Dysprosium oxide-uranium dioxide dispersions, stability, 6(3): 42

Dysprosium powder, electrodeposition, 6(1): 13
 Dysprosium-zirconium alloys, phase studies, 4(3): 40

E

Eddy-current testing, development, 5(1): 73-4
 techniques, 6(3): 73-4
 thickness of materials, 5(2): 76
 Electromagnetic testing, development, 5(1): 73
 evaluation, 4(4): 59
 Electron microscopy, 6(1): 82
 ion damage to metal films, 5(2): 49
 Engineering materials (irradiated), effects, 4(1): 57
 Enrico Fermi Atomic Power Plant, fuel development, 5(1): 4
 Erbium, corrosion, 5(4): 55
 fabrication, 4(4): 31; 5(1): 64
 properties, 6(2): 67
 Erbium alloys, phase studies, 4(3): 41; 6(4): 51
 Erbium borate, properties, 6(3): 60
 Erbium oxide, properties, 6(3): 60
 Europium, fabrication, 4(4): 31; 5(1): 64
 reactor-control properties, 5(2): 40
 Europium alloys, reactor-control properties, 5(2): 40
 Europium borate, properties, 6(3): 60
 Europium hexaboride (irradiated), effects, 6(3): 51
 Europium hexaboride-metal dispersions, compatibility, 4(3): 26
 Europium oxide, compatibility with metals and alloys, 6(3): 60
 corrosion, 6(1): 63
 crystallography, 6(1): 65
 preparation, 5(4): 56; 6(1): 65
 properties, 6(3): 60
 reaction with silicon in steels, 4(1): 36
 stability, 6(3): 41-2
 swelling, 6(1): 63
 Europium oxide (irradiated), effects, 6(3): 60
 Europium oxide control-rod plates (aluminum-clad), fabrication, 6(2): 69
 Europium oxide dispersions, development, 5(3): 35
 neutron absorption, 6(3): 41
 Europium oxide-iridium dispersions, development, 5(4): 56
 Europium oxide-molybdenum dispersions, hydriding, 5(4): 56
 Europium oxide-niobium dispersions, hydriding, 5(4): 56
 Europium oxide-palladium dispersions, development, 5(4): 56
 Europium oxide-platinum dispersions, development, 5(4): 56
 Europium oxide powder, sintering, 6(1): 63
 Europium oxide-rhenium dispersions, hydriding, 5(4): 56
 Europium oxide-rhodium dispersions, development, 5(4): 56
 Europium oxide-stainless-steel dispersions, corrosion, 5(3): 36; 6(1): 65
 poison applications, 5(3): 35
 Europium oxide-stainless-steel dispersions (irradiated), corrosion, 6(1): 63, 65
 effects, 5(1): 36; 6(1): 63
 Europium oxide-stainless-steel dispersions (nickel-plated), corrosion, 6(1): 65
 Europium oxide-tantalum dispersions, hydriding, 5(4): 56
 Europium oxide-tungsten dispersions, hydriding, 5(4): 56
 Europium oxide-uranium dioxide dispersions, stability, 6(3): 42

Europium-plutonium alloys, phase studies, 6(4): 13
 Europium titanate-stainless-steel dispersions fabrication, 5(2): 40
 Experimental Breeder Reactor II, fuel-element sodium bonding, 5(2): 68; 5(4): 83
 Explosive forming, stereophotographic study, 6(3): 73
 Explosives, characteristics, 4(3): 62

F

F-48, brazing, 6(4): 76-7
 diffusion bonding, 6(1): 99; 6(4): 77
 notch sensitivity, 6(3): 57
 preparation of sheet, 6(3): 66
 welding, 6(3): 71-2; 6(4): 74-5
 Fansteel 26, corrosion, 4(1): 42
 Fansteel 80, reaction, with UC, 4(4): 45
 with UO_2 , 4(4): 11, 45
 Fansteel 82, reaction, with UC, 4(4): 45
 with UO_2 , 4(4): 11, 45
 welding, 6(3): 71; 6(4): 74
 Fansteel 82HS, welding, 6(4): 74, 75
 Fansteel 85, coating with ceramics, 6(4): 74
 welding, 6(4): 75
 Fecral, oxidation, 4(1): 43
 Fecral (irradiated), tensile properties, 5(4): 68-9
 Ferral, corrosion, 4(1): 41
 Ferral (modified) (irradiated), tensile properties, 4(4): 42
 Ferrochromium, coating with tungsten, 6(1): 101
 Fertile materials, 6(4): 29-31
 Fiberglass (U_3O_8 -bearing), development, 5(2): 11-12
 Fiberglass dispersions (clad), fabrication and tensile strength, 4(1): 10
 Fiberglass-uranium dispersions (aluminum alloy-clad), rolling, 4(1): 65
 Fibers, coating, 6(1): 101
 Fission products, release of gaseous, 6(4): 1-8, 30, 33
 Fissium-molybdenum-plutonium-uranium alloys (irradiated), swelling, 6(1): 26
 Fissium-plutonium-uranium alloys, 4(2): 5; 4(3): 5; 4(4): 3-4, 53-4
 hardness, 6(3): 15
 impact testing, 6(3): 15
 thermal conductivity, 6(1): 24, 27; 6(3): 15
 Fissium-plutonium-uranium alloys (clad) (irradiated), swelling, 6(1): 24
 Fissium-plutonium-uranium alloys (irradiated), swelling, 6(1): 24-6
 Fissium-plutonium-uranium-zirconium alloys (irradiated), swelling, 6(1): 26
 Fissium-uranium alloys, heat content, 6(1): 19
 phase studies, 5(1): 2
 technetium effects, 6(3): 12
 thermal properties, 5(1): 2
 Fissium-uranium alloys (irradiated), swelling, 6(1): 21, 23
 Fissium-uranium alloys (molten), penetration of stainless steel, 6(2): 16
 Fissium-uranium alloys [stainless-steel (304)-clad] (irradiated), effects, 4(2): 1-2; 6(1): 23
 Fissium-uranium dioxide system, oxidation, 4(2): 11-12; 4(3): 9
 Fizzium-plutonium-uranium alloys, compatibility with niobium, 6(4): 16
 hardness, 6(3): 15
 impact testing, 6(3): 15
 mechanical properties, 6(4): 16
 rolling, 6(4): 16
 thermal-cycling effects, 6(3): 15
 Fluoride coatings, 4(3): 60

Fluoride salts (molten), chemistry, 4(4): 36
 compatibility with graphite and INOR-8, 4(4): 35-6
 corrosive effects, 4(1): 45; 4(3): 29; 6(3): 46
 permeation of graphite, 4(1): 45-6
 Fluorides (molten), corrosive effects, 6(1): 72
 Fluorophlogopite (irradiated), fission tracks, 5(1): 46
 Foils, joining of refractory, 6(3): 72
 preparation by vapor deposition, 6(4): 73
 Formvar (irradiated), ionization, 5(4): 66
 Forsterite (irradiated), mechanical properties, 5(4): 5
 Fuel alloys, corrosion, 6(4): 31-2
 Fuel-cladding fins, cold swaging, 4(1): 65
 Fuel-cladding materials, 6(4): 54-66
 bonding, 5(1): 66
 compatibility with UO_2 , 5(1): 15
 high-temperature applications, 6(4): 31
 Fuel-cladding materials (irradiated), effects, 4(3): 34; 5(2): 50
 mechanical properties, 4(3): 34
 Fuel materials (irradiated), effects, 6(4): 32-3
 Fuel particles (Al_2O_3 -coated), development, 6(2): 4
 evaluation, 6(4): 23
 properties, 6(2): 9-10
 Fuel particles (BeO-coated), properties, 6(2): 10
 Fuel particles (carbide-coated), development, 6(2): 5
 Fuel particles (carbon-coated), preparation, 6(2): 4-8
 properties, 5(4): 29
 Fuel particles (ceramic-coated), costs, 5(4): 28
 Fuel particles (coated), 6(4): 21-9
 development, 6(2): 1-14
 preparation, 5(3): 8-14; 6(1): 31
 reprocessing, 6(1): 34
 Fuel particles (coated) (irradiated), fission-gas release, 6(4): 25-6
 Fuel particles (metal-coated), preparation, 6(2): 6-9
 Fuel particles (metal oxide-coated), development, 6(4): 23
 preparation, 6(2): 7
 Fuel particles (oxide-coated), preparation, 6(2): 9-10
 Fuel particles (PyC-coated), development, 6(4): 23
 preparation, 4(2): 59; 4(3): 58
 Fuel particles (tungsten-coated), development, 6(2): 4
 Fuel plates, measurement, 4(2): 62; 4(3): 65
 Fuel powders, magnetic testing of iron contamination, 5(3): 75
 metallurgy, 6(1): 4-5
 Fuel slugs, canning, 5(3): 66
 Fuel slugs (canned), heat transfer, 4(3): 56
 Fuel tubes, coextrusion, 4(2): 55-6
 ultrasonic testing, 4(2): 60
 Fuel wafers, carbon-coating thickness gauge, 5(3): 75
 Fuels, bonding, 4(1): 66; 4(2): 62; 4(4): 52-3; 5(1): 65; 6(1): 98
 canning, 4(2): 56-7; 4(3): 56-7; 4(4): 53; 5(3): 66; 6(3): 70
 cladding, 4(1): 64; 4(2): 54-5; 4(3): 64; 5(2): 67; 6(1): 98; 6(4): 70-4
 development, 4(3): 13; 6(3): 1-10; 6(4): 70
 diffusion reactions, 6(1): 89
 high-temperature applications and properties, 6(2): 39-40
 metal spraying, 5(2): 70
 nondestructive testing, 4(1): 73; 4(2): 61; 4(3): 64-5; 5(2): 75; 5(3): 75
 pelletizing, 5(2): 15
 solid-state reactions, 6(1): 89

Fuels (Continued)

- swaging, 4(1): 64-5
- welding, 4(1): 71; 4(2): 60; 5(2): 67, 70
- Fuels (aluminum alloy-clad), extrusion, 4(2): 56
- Fuels (aluminum-clad), plating with nickel, 4(3): 59
- Fuels (Al_2O_3 -coated), preparation, 5(3): 9-10
- Fuels (aluminum-silicon system-clad), extrusion, 4(2): 56
- Fuels (BeO-coated), preparation, 5(3): 9
- Fuels (ceramic) (irradiated), effects, 6(4): 33
- Fuels (ceramic-coated), 5(2): 13
- Fuels (ceramic-metal), 6(4): 18-21
- Fuels (irradiated), bubble formation, 4(3): 15
- effects, 6(3): 13; 6(4): 32-3
- fission-product release, 6(1): 48
- materials compatibility, 6(1): 89
- nondestructive testing, 4(1): 73
- Fuels (MgO-coated), preparation, 5(3): 9
- Fuels (metal-coated), 5(2): 13
- Fuels (molten fluoride), corrosive effects, 6(4): 59
- Fuels (niobium-plated, aluminum-clad), bonding, 4(3): 55
- fabrication, 4(3): 56
- Fuels (plutonium-bearing), compaction, 6(1): 99-100
- Fuels (PyC-coated), development, 6(3): 21
- Fuels (refractory), 6(4): 29-31
- Fuels (refractory) (irradiated), effects, 6(1): 82
- Fuels (ribbon-candy), fabrication, 4(4): 52
- Fuels (spiral), fabrication, 4(4): 52
- Fuels (stainless-steel-clad), bonding, 4(4): 53; 5(2): 68
- swaging, 6(4): 71
- Fuels (steel-plated, zirconium-clad), canning, 4(2): 57
- Fuels (thermoelectric), development, 4(2): 9
- swaging, 4(1): 65
- Fuels (thorium) (Zircaloy-2-clad), bonding, 6(4): 76
- Fuels (wire), swaging, 4(4): 52

G

- G-157, corrosion, 6(4): 57
- Gadolinium, corrosion, 5(4): 55; 6(4): 51
- fabrication, 4(4): 31; 5(1): 64
- hardness, 4(1): 39
- Gadolinium alloys, corrosion and phase studies, 6(4): 51
- Gadolinium borate, properties, 6(3): 60
- Gadolinium-iron alloys, phase studies, 4(2): 28
- Gadolinium-lanthanum alloys, phase studies, 6(3): 41
- Gadolinium-nickel alloys, phase studies, 4(2): 28
- Gadolinium-stainless-steel (304) alloys, phase studies, 5(1): 35
- Gadolinium-titanium alloys, hardness and phase studies, 4(1): 39
- Gadolinium-yttrium alloys, phase studies, 6(3): 41
- Gadolinium-zirconium alloys, hardness, 4(1): 39
- phase studies, 4(1): 39; 4(3): 41-2
- Gadolinium oxide, properties, 6(3): 60
- Gadolinium oxide (irradiated), effects, 6(3): 60
- stability, 6(2): 69
- Gadolinium oxide (tungsten-coated), preparation, 6(3): 19
- Gadolinium oxide-molybdenum system, corrosion, 6(4): 57
- Gadolinium oxide-niobium dispersions, production, 5(2): 40

- Gadolinium oxide-samarium oxide, compatibility with alloys, 4(3): 26-7
- Gadolinium oxide-samarium oxide (irradiated), stability, 6(2): 69
- Gadolinium oxide-uranium dioxide dispersions, stability, 6(3): 42
- Gaseous dispersions, ultrasonic particle measurement, 5(4): 88
- Gases
- See Fission products
- Gases (irradiated), ionization, 6(1): 81
- Gases (rare), diffusion in solids, 6(4): 8
- Germanium (irradiated), effects, 4(1): 55; 5(3): 46
- sputtering, 4(4): 38
- vacancy-interstitial pairs, 4(3): 33-4
- Germanium films (irradiated), damage, 4(4): 39
- Glass
- See also Pyrex, Vycor (UO_2 -bearing) (irradiated), and specific glasses
- coating on graphite, 4(2): 60
- coating with Al_2O_3 , 6(1): 101
- diffusion, 6(1): 90; 6(3): 59
- sodium vapor effects on, 6(1): 90
- Glass (borated), preparation, 5(1): 36
- stability in stainless steel, 4(1): 36
- strength, 5(1): 36
- Glass (borosilicate), poison applications, 5(1): 35-6
- Glass (fuel-bearing), development, 4(2): 7; 6(2): 41
- Glass (inorganic) (irradiated), effects
- bibliography, 5(1): 48
- Glass (irradiated), corrosion by chlorides, 5(4): 60
- Glass (plutonium-bearing), development, 6(2): 22
- properties, 6(2): 22
- strength, 5(2): 10
- Glass (poisoned), fabrication, 5(2): 40
- Glass (rare-earth oxide), devitrification, 5(1): 36
- Glass (silicate), leaching of plutonium, 6(3): 16
- Glass (silicate) (irradiated), damage, 5(1): 47
- Glass-plutonium dioxide fibers, 5(1): 7
- Glass-zircon mixtures, coatings on tungsten, 4(2): 60
- Gold, diffusion bonding to copper, 5(1): 67
- diffusion in uranium, 4(3): 2
- electroplating uranium oxide with, 5(1): 68
- thermal diffusion, 5(2): 60
- Gold (irradiated), annealing, 4(4): 38-9; 6(1): 80
- atomic collisions, 4(3): 30-1
- carbon-ion energy loss and ranges, 4(3): 32
- damage recovery, 4(2): 35
- density, 4(4): 38
- effects, 4(1): 54, 56; 4(2): 35-6; 5(1): 44; 5(2): 49; 5(3): 45; 5(4): 64-6; 6(1): 77; 6(3): 49-51; 6(4): 59
- electrical resistance, 6(1): 74
- electrical resistivity, 4(4): 38; 6(3): 49
- fission-fragment stopping, 4(4): 41
- oxygen-ion energy loss and ranges, 4(3): 32
- recoil-atom ranges, 4(3): 32
- sputtering, 4(4): 38
- trivacancy structure energy, 4(3): 34
- X-ray lattice parameter and line breadth, 4(4): 38-9
- Gold films (irradiated), effects, 5(2): 49; 5(3): 45
- fission-fragment tracks, 6(1): 81
- structure, 5(4): 65
- Gold-nickel alloys, corrosion, 4(1): 41-2
- Gold-niobium alloys, intermetallics, 4(4): 44
- Gold-palladium alloys, brazing using, 6(3): 72
- Gold-plutonium alloys, phase studies, 5(1): 6; 5(2): 8

- Gold powder, electrodeposition, 6(1): 13
- Gold whiskers, vapor deposition, 5(4): 74
- Gold-zirconium alloys, corrosion, 6(1): 68
- Graphite

- See also Carbon
- absorption of sodium, 6(3): 32
- argon diffusion, 4(2): 46
- barium oxide diffusion, 4(2): 46
- beryllium impregnation, 6(2): 52
- bibliography, 6(1): 53
- brazing to tungsten, 6(3): 71
- carbon transport, 5(4): 43
- chemical plating of, 5(1): 68; 5(2): 69
- chemical plating with, 5(1): 68-9
- cladding, 4(1): 47
- coating, with ceramics, 6(3): 71
- with silicon carbide, 6(4): 74
- with tungsten, 6(1): 101
- coating of, 4(3): 59; 4(4): 35; 5(3): 70; 6(4): 74
- compatibility, with INOR-8, 4(4): 35-6
- with molten fluorides, 4(4): 35-6
- with oxide coatings, 4(4): 28
- with stainless steel (304L), 6(2): 51
- corrosion, 5(1): 41; 6(4): 59
- diffusion, 5(1): 21; 6(1): 90; 6(3): 59
- elastic modulus, 4(2): 17
- electrical resistivity, 4(2): 17
- electroplating with chromium cermet, 5(2): 68-9
- emittance, 5(4): 75
- fission-product diffusion, 4(2): 46
- fission-product release, 5(1): 21
- flexural strength, 4(2): 17
- furfuryl alcohol impregnation, 4(2): 17
- helium diffusion, 4(2): 46
- helium purging, 6(4): 37
- impregnation, 5(1): 25; 5(2): 37
- manufacture, 6(3): 33
- moisture removal, 6(4): 37
- molten-fluoride-salt permeation, 4(1): 45-6
- oxidation, 4(2): 17; 4(3): 19; 5(1): 25; 5(3): 31
- permeability reduction, 4(4): 21; 6(4): 37
- pore structure, 6(2): 52
- production of impermeable, 4(2): 17
- properties, 6(3): 33
- reaction, with BeO, 6(1): 59
- with metals and alloys, 4(4): 21-2, 35
- with steam, 5(4): 43
- with UO_2 , 4(2): 17-18
- strength, 4(2): 17; 5(3): 31
- SrO diffusion, 4(2): 46
- technology, 6(3): 33
- thermal expansion, 4(2): 17; 6(1): 52-3
- thermal properties, 6(4): 64
- ultimate tensile strength, 4(2): 17
- uranium diffusive in, 4(4): 46; 6(4): 27-8
- uses, 6(3): 33
- vapor deposition of TiN coating, 4(3): 57
- Xe^{135} diffusion, 4(2): 46
- Y_2O_3 diffusion, 4(2): 46
- ZrO_2 diffusion, 4(2): 46
- Graphite (boronated), degassing, 6(1): 52
- Graphite (carbide-coated), preparation, 4(4): 54
- Graphite (copper-nickel alloy-clad), graphitization, 4(2): 43
- Graphite (glass-coated), preparation, 4(2): 60
- Graphite (irradiated), annealing, 4(4): 40; 5(1): 47; 5(2): 50; 5(4): 8, 10; 6(3): 52; 6(4): 60
- carbon sputtering, 6(1): 79
- cavities, 5(1): 48
- chemical reactivity, 5(4): 8-9
- contraction, 6(3): 32-3
- defect clusters, 6(1): 79
- dimensional changes, 5(1): 25-6; 5(2): 36-7; 5(3): 45-6; 5(4): 3-4; 6(2): 51-2; 6(4): 39-40

Graphite
effects
33-5
6(3):
electri
electro
fission
focusing
growth
helium
interla
lattice
lattice
mecha
micro
oxidat
reacti
spin r
store
5(3)
struct
therm
Graphite
60
Graphite
effect
Graphite
See
annea
depos
devel
prop
rocke
5(3)
sodium
stren
struc
Graphit
perm
Graphit
6(1):
Graphit
"allo
5(3):
Graphit
(pyro
5(4):
Graphit
effec
Graphit
5(1):
Graphit
ox
reac
Graphit
(irra
Graphit
5(1):
Graphit
4
prep
Graphit
Graph
then
Graph
Graph
5(3)
Graph
dep
Graph
4(3)
Graph
6(1)
Graph
inte
Graph
5(3)
Graph
car
4(4)

Graphite (irradiated) (Continued)

effects, 4(1): 22, 55-7; 4(2): 18; 4(3): 19, 33-5; 5(2): 36-7; 5(3): 46; 6(2): 52; 6(3): 32-3, 52, 55; 6(4): 37-8, 60
 electrical resistivity, 5(1): 47
 electron microscopy, 5(4): 43
 fission-gas release from, 6(4): 8
 focusing collisions, 6(1): 80
 growth, 6(1): 52
 helium permeability, 5(2): 36
 interlayer spacing, 6(1): 79
 internal energy, 5(1): 48
 lattice constants, 5(1): 48
 lattice defects, 4(4): 40; 5(1): 47; 5(3): 45
 mechanical properties, 5(4): 5-6
 microstructure, 5(4): 43
 oxidation, 5(1): 25; 6(1): 52
 reaction with water vapor, 6(4): 38
 spin resonance, 5(1): 47
 stored energy, 4(4): 40; 5(1): 47; 5(2): 37; 5(3): 45-6; 5(4): 68; 6(1): 79
 structure, 4(4): 40; 5(4): 43
 thermal conductivity, 5(4): 8
 Graphite (nickel-coated), preparation, 4(2): 60

Graphite (PuO₂-impregnated) (irradiated), effects, 5(3): 6

Graphite (pyrolytic)

See also Carbon (pyrolytic)

annealing, 5(1): 25
 deposition, 4(4): 54; 5(3): 69; 5(4): 85
 development, 4(1): 67
 properties, 5(2): 69
 rocket-nozzle component fabrication, 5(3): 69
 sodium vapor effects on, 6(1): 90
 strength, 5(4): 85
 structure, 5(1): 25

Graphite (pyrolytic carbon-coated), impermeability and preparation, 4(2): 57

Graphite (pyrolytic) coatings, formation, 6(1): 101

Graphite (pyrolytic)-metal (refractory) "alloys," chemical plating and preparation, 5(3): 69

Graphite (pyrolytic)-zirconium carbide (pyrolytic) laminates, flexural strength, 5(4): 85

Graphite (silicon carbide-coated) (irradiated), effects, 6(3): 32

Graphite (silicon-impregnated), permeability, 5(1): 25

Graphite (silicon-silicon carbide coated), oxidation, 4(3): 59
 reactions, 4(2): 43

Graphite (silicon-silicon carbide coated) (irradiated), oxidation, 5(1): 25

Graphite (titanium-impregnated), permeability, 5(1): 25

Graphite (tungsten-coated), development, 4(1): 67
 preparation, 4(2): 58

Graphite fibers, coating, 6(1): 101

Graphite-matrix fuels, preparation, 6(1): 35
 thermal conductivity, 4(4): 7

Graphite molds, 4(1): 63

Graphite-molybdenum couples, reactions, 5(3): 59

Graphite-molybdenum system, chemical deposition, 5(4): 85

Graphite powder, explosive compaction, 4(3): 62; 4(4): 57; 5(2): 73; 6(1): 10, 13

Graphite powder (nickel-coated), production, 6(1): 3

Graphite-stainless-steel (304L) couples, interdiffusion, 5(3): 58

Graphite-tantalum couples, reactions, 5(3): 59

Graphite-thorium dicarbide-uranium dicarbide system (irradiated), effects, 4(4): 12-13

Graphite-thorium dioxide-uranium dioxide compacts, thermal diffusion, 4(4): 46

Graphite-tungsten system, chemical deposition, 5(4): 85

Graphite-uranium dicarbide dispersions, properties, 6(2): 40

Graphite-uranium dicarbide dispersions (irradiated), dimensional changes, 4(1): 15; 4(4): 21

Graphite-uranium dicarbide (PyC-coated) dispersions, development, 6(3): 21

Graphite-uranium dioxide, casting and melting, 4(3): 14

Graphite-uranium dioxide (Al₂O₃-coated) mixtures, fabrication, 4(4): 6-7

Graphite-uranium dioxide (Al₂O₃-coated) mixtures (irradiated), evaluation, 4(4): 9

Graphite-uranium dioxide dispersions, properties, 6(2): 40

Graphite-uranium mixtures, cold-compacting and sintering, 5(3): 17

H

Hafnium, annealing effects, 6(4): 51

anodizing, 6(4): 73

casting, 4(1): 63

cold-work effects, 6(4): 51

corrosion, 4(2): 30; 5(2): 40; 6(2): 67;

6(4): 58

density, 4(2): 30

diffusion barrier for molybdenum and

tungsten, 4(4): 45

electrolytic recovery, 4(3): 59

electron-beam melting, 6(1): 96

electron-beam welding, 4(4): 51

forging, 4(2): 30

hardness, 5(2): 65; 6(2): 67; 6(4): 51

heat-treatment effects, 6(2): 67; 6(4): 51

heat of vaporization, 5(4): 55

interstitial contents, 4(4): 51

melting, 5(1): 64; 5(2): 65; 5(3): 64; 5(4):

79; 6(1): 96

neutron absorption, 6(3): 41

oxidation, 6(2): 67

production, 5(1): 63

purification, 5(2): 65; 5(4): 79; 6(1): 96

rolling, 4(2): 30

scaling, 5(2): 40-1

separation from zirconium, 4(3): 59

structure, 6(3): 41

tensile properties, 4(2): 30; 6(2): 67;

6(3): 41; 6(4): 51

welding, 4(2): 30; 4(4): 51

Hafnium (phosphorus-coated), oxidation,

6(2): 67

Hafnium alloys, corrosion, 5(3): 34

mechanical properties, 4(4): 51

melting, 4(4): 51

Hafnium alloys (phosphorus-coated),

oxidation, 6(2): 67

Hafnium boride, kinetic behavior, 6(1): 90

oxidation, 6(2): 67

thermodynamic behavior, 6(1): 90

Hafnium carbide, coatings, 4(2): 57-8;

4(3): 57; 4(4): 54

compatibility, 5(1): 58; 5(3): 40

diffusion bonding to tantalum, 6(1): 99

hardness, 4(4): 54

kinetic behavior, 6(1): 90

physical properties, 6(4): 52

preparation, 6(1): 96

properties, 6(1): 96

pyrolytic deposition, 5(3): 69

thermodynamic behavior, 6(1): 90

UC behavior with, 5(1): 17

Hafnium control rods (irradiated), mechanical

properties, 6(2): 67

Hafnium diboride, compatibility with H₂ and

tungsten, 5(1): 58

vaporization, 5(4): 55

Hafnium diboride (irradiated), effects, 6(3): 51

structure, 4(4): 31

Hafnium diboride-metal dispersions, compatibility, 4(3): 26

Hafnium-hafnium monocarbide system, phase studies, 6(4): 51

Hafnium-iridium alloys, phase studies, 5(4): 55; 6(1): 63-4

Hafnium-iron-tantalum alloys, corrosion, 5(3): 34

Hafnium-lutetium alloys, corrosion, 5(3): 34

Hafnium-manganese intermetallic compounds, hydriding, 5(4): 52-3

Hafnium-molybdenum alloys, phase studies, 4(1): 51; 4(2): 43

Hafnium-molybdenum-niobium alloys, tensile properties, 4(1): 48

Hafnium-molybdenum-rhenium alloys, phase studies, 6(4): 51

Hafnium monocarbide, compatibility with molten UO₂, 6(4): 29

preparation, 5(3): 64

reaction with cerium-cobalt-plutonium alloy, 5(3): 4-5

Hafnium monocarbide-molybdenum couples, reactions, 5(3): 59

Hafnium-niobium alloys, phase studies and recrystallization, 4(1): 50

welding, 4(4): 75

Hafnium-niobium-tantalum-vanadium alloys,

mechanical properties, 6(4): 62

Hafnium-niobium-tungsten alloys, weld

strength, 5(2): 70

Hafnium-niobium-vanadium alloys, tensile

properties, 5(2): 53

Hafnium-niobium-zirconium alloys, weld

strength, 5(2): 70

Hafnium nitride, compatibility with H₂ and

tungsten, 5(1): 58

Hafnium-oxygen-tungsten system, tensile

properties, 5(2): 53

Hafnium-plutonium alloys, density and

stabilization, 5(2): 6-7

Hafnium-rhenium alloys, oxidation, 6(2): 67

phase studies, 4(1): 51; 4(2): 43; 6(3): 41;

6(4): 51

Hafnium systems, diffusion, 5(1): 58

Hafnium-tantalum alloys, brazing with,

6(4): 76

corrosion, 5(2): 47; 5(3): 34

Hafnium-tungsten alloys, corrosion, 5(3): 34

hardness, 6(1): 87-8

phase studies, 4(2): 43

Hafnium-vanadium alloys, hydriding, 4(4): 28

phase studies, 5(4): 55; 6(1): 63-4

Hafnium-zirconium alloys, ductility, 6(2): 67

strength, 6(2): 67

thermal expansion, 6(4): 51

Halides, chemical plating with, 5(1): 69

foil preparation from, 6(4): 73

Halides (alkali) (irradiated), effects, 5(1):

48; 5(4): 68

fission-fragment tracks, 4(3): 33

fission-gas release, 6(4): 8

Frenkel defects, 4(2): 37

Halides (metal), chemical plating with,

5(1): 69

Hastelloy B, compatibility with rare-earth

oxides, 6(3): 60

hydrogen diffusion, 4(1): 52

Hastelloy B (irradiated), corrosion, 5(4): 60

Hastelloy C, corrosion, 5(1): 40; 6(4): 57

stress-corrosion cracking, 6(3): 45

Hastelloy C (irradiated), corrosion, 5(4): 60

Hastelloy F, reactions with UC and UO₂,

4(4): 45

Hastelloy N, brazing, 6(4): 76

corrosion, 6(4): 55

oxidation, 6(3): 46

- Hastelloy N (Continued)
properties, 6(1): 86
welding, 6(4): 76
- Hastelloy R-235, corrosion, 6(4): 57
- Hastelloy R-235 (irradiated), tensile properties, 4(4): 42
- Hastelloy X, compatibility with $Gd_2O_3-Sm_2O_3$, 4(3): 26-7
corrosion, 4(1): 42; 4(3): 28-9; 4(4): 34-5; 5(1): 40; 5(3): 39; 5(4): 60, 62; 6(3): 45-6; 6(4): 55-7
creep properties, 4(1): 48; 4(4): 43
ductility, 4(1): 48; 4(3): 29; 4(4): 34-5
fatigue properties, 4(4): 43
mechanical properties, 5(3): 54-5
nitriding effects, 4(3): 29
oxidation, 5(4): 60
properties, 6(1): 86
rupture, 4(4): 43
stress-corrosion cracking, 6(3): 45
stress-rupture properties, 5(3): 55
tensile properties, 4(3): 47; 4(4): 42
- Hastelloy X (irradiated), ductility, 5(4): 69
mechanical properties, 6(1): 82; 6(4): 61
- Hastelloy X tubing, fatigue properties, 4(2): 47
- Hastelloy X-280, stress-corrosion cracking, 6(3): 45
- Hastelloys, corrosion, 4(1): 41
- Hastelloys (irradiated), stress-rupture properties, 5(4): 69
- Haynes 25, compatibility with $Gd_2O_3-Sm_2O_3$, 4(3): 26-7
corrosion, 4(1): 42; 4(3): 29; 5(1): 41-2; 5(3): 41; 5(4): 62-3; 6(1): 61; 6(3): 48; 6(4): 59
creep strength, 4(3): 29
oxidation, 4(3): 29; 6(3): 45-6
- Haynes 25 (coated), corrosion, 4(3): 29
- Haynes 40, 41, 90, and 8589, corrosion, 4(1): 42
- Haynes Stellite powders, explosive compaction, 4(3): 62; 5(2): 73; 6(1): 13
- Helium, diffusion, in B_4C , 4(1): 36; 4(3): 26
in graphite, 4(2): 46
- High-Flux Isotope Reactor, control-rod plates, 6(2): 69
- Holmium, corrosion, 5(4): 55
- Holmium-thorium alloys, mechanical properties, 6(2): 25
phase studies, 5(4): 26
properties, 5(3): 7
- Hydrides, internuclear distances, 4(3): 24
metal, 4(1): 30
monograph on transition metal, 6(3): 38
- Hydrogen-magnesium system, decomposition pressures and thermodynamic properties, 4(4): 28
- Hydrogen-niobium system, mechanical properties, 6(4): 62
- Hydrogen-niobium-vanadium system, tensile properties, 5(2): 53
- Hydrogen-oxygen-zirconium system, phase studies, 4(2): 24-5
- Hydrogen-uranium-zirconium system, 4(3): 4; 4(4): 28
phase studies, 6(4): 49
theory, 6(2): 63
- Hydrogen-zirconium system, phase studies, 5(2): 35-6; 6(4): 46-7
- INCO-625, corrosion, 6(4): 56
- Incoloy, corrosion, 6(4): 55, 56
properties, 6(1): 86
scaling, 6(1): 69
- Incoloy (irradiated), effects, 6(3): 55
- Incoloy 901, corrosion, 6(1): 70
- Inconel, brazing, 5(3): 71
carburation, 5(1): 40
chromium self-diffusion in, 5(1): 59
compatibility, with fluoride salts, 5(3): 41
with LiH, 5(2): 36
corrosion, 4(1): 41-2, 45; 4(3): 28-9; 5(1): 40-3; 5(4): 59; 6(1): 70; 6(3): 45-6; 6(4): 55-6
creep properties, 4(3): 47
ductility, 4(3): 47; 5(1): 53
elasticity, 5(1): 53
electroplating with chromium, 5(1): 67
fatigue properties, 4(1): 48
nondestructive testing, 4(4): 59-60
oxidation, 5(4): 60; 6(3): 46
properties, 6(1): 86
reaction, with silicon-silicon carbide, 4(2): 43
with UC, 4(4): 45
with UO_2 , 4(4): 45
rupture properties, 4(3): 47
scaling, 6(1): 69
stress corrosion, 4(1): 41; 4(4): 35; 5(3): 39; 6(3): 45
tensile properties, 5(1): 53
thermal cycling, 5(1): 52-3
- Inconel (chromium-plated), corrosion, 4(1): 41
- Inconel (irradiated), effects, 4(4): 43
properties, 5(1): 49; 5(2): 50-1; 5(3): 50; 5(4): 69
rupture life, 4(2): 40
tensile properties, 4(4): 42
- Inconel 600, corrosion, 6(4): 57
- Inconel 604, corrosion, 6(4): 57
- Inconel 625, oxidation, 6(3): 46
- Inconel 702, brazing, 6(3): 72
corrosion, 4(4): 34-5; 6(4): 57
creep properties, 4(1): 48; 4(3): 29, 47
ductility, 4(4): 34-5
oxidation, 4(3): 29; 5(4): 60
rupture strength, 4(3): 47
- Inconel 702 (coated), corrosion, 4(3): 29
- Inconel 702 (irradiated), tensile properties, 4(3): 36; 4(4): 42
- Inconel 713C, corrosion, 6(1): 70
creep properties, 4(1): 48
creep-rupture properties, 4(2): 47
ductility, 4(2): 47
fatigue properties, 4(3): 47
- Inconel X, cladding applications, 4(4): 53
compatibility with rare-earth oxides, 6(3): 60
corrosion, 5(4): 60; 6(3): 46; 6(4): 58
creep-rupture properties, 4(1): 48
heat-treatment effects, 4(3): 47
mechanical properties, 5(3): 54-5
oxidation effects, 4(3): 29
properties, 4(3): 47
uranium diffusion into, 5(2): 21
- Inconel X (coated), corrosion, 4(3): 29
- Inconel X (irradiated), stress-rupture and tensile properties, 5(3): 49-50
- Inconel X DA and X SA (irradiated), tensile properties, 4(3): 36
- Indium, applications in neutron radiography, 4(1): 73
- Indium-plutonium system, phase studies, 6(3): 14
- Indium-thorium alloys, fabrication, 5(1): 9
hardness, 4(4): 5; 5(1): 8
recrystallization, 4(4): 5
- INOR-8, brazing, 6(4): 76
carburation, 5(1): 40
chromium self-diffusion in, 5(1): 59
compatibility, with fluoride salts, 4(4): 35-6; 5(3): 41
with graphite, 4(4): 35-6
corrosion, 4(1): 45; 4(3): 29; 6(1): 72; 6(3): 46; 6(4): 59
specific heat, 5(3): 57
- strain-fatigue properties, 5(3): 55
welding, 4(3): 60; 6(4): 76
- Insulators (irradiated), effects, 4(1): 58; 4(4): 41
- Intermetallic compounds, hydriding, 4(4): 28; 5(1): 32; 5(2): 36; 5(4): 52-3
- Intermetallic powders, explosive compaction, 6(1): 10, 13
- Intermetallic powders (coated), production, 6(1): 2-4
- Invar (irradiated), dimensional changes, 5(1): 49
- Iodine, diffusion, 5(1): 21; 5(3): 18
- Ion bombardment, symposium, 5(4): 68
- Iridium, compatibility with UO_2 , 5(4): 34
corrosion, 5(3): 39
diffusion barrier for molybdenum, tantalum, and tungsten, 4(4): 45
dimensional changes, 5(1): 40
oxidation, 5(1): 40; 5(2): 46
- Iridium-molybdenum-nickel alloys, phase studies, 4(4): 44
- Iridium-nickel-niobium alloys, phase studies, 4(4): 44
- Iridium-nickel-tantalum alloys, phase studies, 4(4): 44
- Iridium-niobium-palladium alloys, phase studies, 4(4): 44
- Iridium-palladium alloys, structure and X-ray diffraction analysis, 5(4): 74
- Iridium-platinum alloys, brazing with, 4(4): 56
- Iridium-thorium alloys, intermetallics, 4(4): 44
- Iridium-titanium alloys, phase studies, 4(2): 28, 30
- Iridium-tungsten base-barrier combination, properties, 5(3): 58
- Iron, compatibility, with rare-earth oxides, 6(3): 60
with UN, 4(2): 10
corrosion, 4(2): 34; 5(1): 39-40, 42-3
detection in fuel powders, 4(4): 59
diffusion, 4(1): 52; 4(2): 45; 4(3): 44
internal friction, 6(3): 58
plating on uranium, 4(1): 68
reactions with UC, UC_2 , and UN, 6(2): 42
self-diffusion in iron-nickel alloys, 5(1): 59
solubility, in lithium, 5(1): 42
in mercury, 6(4): 59
vapor deposition, 5(2): 69
- Iron (Armco), corrosion, 6(1): 71
- Iron (irradiated), annealing, 4(3): 32; 4(4): 42; 5(1): 46; 5(2): 48
carbon precipitation, 4(4): 39; 6(3): 51-2
characteristic temperature, 5(2): 48
coercive force, 5(1): 46
cold-working damage recovery, 6(1): 77
damage recovery, 4(2): 36-8; 6(1): 77
density, 4(4): 38
effects, 4(1): 54-6; 4(2): 36, 38; 5(1): 46; 5(2): 49; 6(3): 50-2, 54-5; 6(4): 60
electrical resistance, 6(1): 75
electrical resistivity, 4(3): 32; 5(2): 48; 5(4): 68; 6(1): 75
hardness, 4(4): 39; 5(2): 48
magnetic properties, 5(1): 46
mechanical properties, 4(2): 39; 5(2): 48; 6(4): 61
sputtering, 4(4): 38
tensile properties, 6(1): 84-5
threshold energy, 5(2): 48
vacancy relaxation, 4(1): 56
X-ray lattice parameter and line breadth, 4(4): 38, 40
- Iron (tungsten-coated), preparation, 4(2): 58
- Iron (Zircaloy-2-clad), coextrusion, 6(3): 69
- Iron alloys, carburation, 4(1): 42
corrosion, 6(1): 61; 6(3): 46, 48-9; 6(4): 56-7

Iron alloys (Continued)
 cracking, 5(1): 53
 diffusion bonding, 5(4): 46-7, 81
 melting, 4(4): 51
 Iron alloys (irradiated), tensile properties, 4(4): 42
 X-ray line half-width, 4(4): 40
 Iron alloys (molten), corrosive effects, 6(3): 48-9
 Iron carbonyl, pyrolysis, 6(2): 2-3
 Iron-molybdenum alloys, diffusion, 4(4): 45-6
 phase studies, 5(1): 56
 Iron-molybdenum-nickel alloys, stress-corrosion cracking, 6(3): 45
 Iron-molybdenum-nickel-ruthenium-tungsten alloys, mechanical properties, 5(3): 56
 oxidation, 5(2): 45
 Iron-molybdenum-plutonium alloys, hardness and heat-treatment, 5(3): 5
 Iron-molybdenum-titanium alloys, beta-phase stability, 4(2): 44
 Iron-nickel alloys, iron self-diffusion in, 5(1): 59
 stress-corrosion cracking, 6(3): 45
 Iron-nickel alloys (irradiated), annealing, 5(1): 46
 coercive force, 5(1): 46
 effects, 4(1): 55; 6(4): 60
 magnetic properties, 4(3): 33
 ordering, 5(1): 46; 6(1): 78
 Iron-nickel-tungsten alloys, creep-rupture strength, 5(2): 52
 mechanical properties, 5(3): 56
 Iron-nickel-zinc alloys, cubic nitrides, 5(3): 57
 Iron-nickel-zirconium alloys, hydrogen absorption, 6(4): 54
 Iron-niobium alloys, phase studies, 5(1): 56
 recrystallization, 4(1): 50
 Iron-niobium-titanium-tungsten alloys, oxidation, 4(1): 43
 Iron oxide powder, production, 6(1): 2
 Iron oxides (Fe_2O_3) (irradiated), dissolution, 5(4): 9
 Iron oxides (Fe_3O_4), deposition, 5(2): 43
 Iron-oxygen-plutonium system, phase studies, 5(2): 10
 Iron-plutonium alloys, hardness, 5(2): 6; 5(3): 5
 heat-treatment, 5(2): 6; 5(3): 5
 impact properties, 5(2): 5-6
 microcracking, 5(2): 6
 microstructure, 5(2): 6
 oxidation, 6(2): 21
 preparation, 6(4): 70
 rolling, 5(4): 23
 tensile properties, 5(2): 6
 Iron-plutonium alloys (molten), corrosive effects, 4(1): 44; 5(2): 46-7; 6(1): 24, 27; 6(3): 46
 Iron-plutonium-silicon system (molten), corrosive effects, 4(4): 4
 Iron powder, explosive compaction, 4(4): 56-7; 6(1): 10, 13
 Iron-silicon system (irradiated), magnetic properties, 4(3): 33
 Iron-silicon-uranium system, grain size, 5(2): 3
 Iron superalloys, thermal radiative properties, 6(4): 65
 Iron-tungsten-zirconium alloys, corrosion, 6(1): 68
 Iron-uranium alloys (irradiated), swelling, 6(2): 17
 Iron-uranium dioxide dispersions, preparation, 6(3): 25-6
 Iron-uranium intermetallic compounds (U_6Fe) (irradiated), effects, 6(2): 44
 Iron-uranium mononitride system, phase studies, 6(4): 31

Iron-vanadium-zirconium alloys, corrosion, 6(3): 43
 Iron whiskers, vapor deposition, 5(4): 84
 Iron-yttrium alloys, phase studies, 4(3): 41
 Iron-zirconium alloys, corrosion, 6(1): 68
 hydrogen absorption, 5(2): 42
 phase studies, 6(3): 57-8; 6(4): 65
 Iron-zirconium intermetallic compounds, corrosion, 5(2): 42

K

Kennametal 94, corrosion by potassium, 5(4): 62
 Kennametal 3047, corrosion, 4(1): 42
 Kennametal K163B1, corrosion, 4(1): 42
 Kovar, corrosion, 5(1): 41
 Krypton-85, diffusion, 5(3): 18
 Krypton-85m, diffusion, 4(4): 10-11
 release from UO_2 , 6(4): 33
 Krypton-88, diffusion, 4(3): 10; 4(4): 10-11
 release from UO_2 , 6(4): 3

L

L-605, diffusion bonding, 6(1): 99; 6(4): 77
 Lanthanons, neutron absorption, 6(3): 41
 Lanthanum, diffusion, in graphite, 5(1): 21
 in uranium, 4(2): 45
 superconductivity, 6(4): 63
 Lanthanum oxide-uranium dioxide solid solutions, stability, 4(2): 6
 volatility, 6(1): 42
 Lanthanum-thorium alloys, solubility, 4(1): 9
 Lanthanum-yttrium alloys, phase studies, 6(3): 41
 Lead, extrusion, 5(1): 64
 reaction with UC, 5(4): 36
 Lead (irradiated), annealing, 5(2): 50
 vacancy relaxation, 4(1): 56
 Lead iodide crystals (irradiated), dislocation loops, 6(1): 78-9
 Lead oxide-silicon dioxide-uranium dioxide glass, development, 4(2): 7
 Lead-thorium alloys, phase studies, 5(4): 25
 Lead-zirconium alloys, corrosion, 6(1): 68
 Liquids, gamma-ray spectroscopic testing, 4(1): 73
 Lithium, solid solubility in aluminum, 6(3): 58
 Lithium-6, neutron absorption, 6(3): 41
 Lithium (molten), corrosive effects, 4(2): 34; 4(4): 36; 5(4): 63; 6(1): 61, 72-3; 6(4): 58
 solubility of metals in, 5(1): 42
 Lithium aluminide, composition, 6(3): 58
 Lithium deuteride, literature survey, 4(2): 25
 Lithium fluoride (irradiated), annealing, 5(2): 49
 dislocations, 5(2): 49
 effects, 4(4): 40; 5(4): 66; 6(3): 53-4
 lithium precipitation, 4(3): 33
 Lithium hydride, 4(1): 33; 4(2): 25
 compatibility with Inconel, 5(2): 36
 corrosion of stainless steel, 5(1): 31-2
 diffraction analysis, 6(2): 63
 fabrication, 6(3): 39
 handling, 6(3): 39
 manufacture, 6(3): 39
 phase studies, 6(4): 47
 polymorphic transition, 6(2): 63
 properties, 6(1): 60; 6(3): 39; 6(4): 47-8
 thermal conductivity, 5(1): 32
 viscosity, 5(1): 31
 Lithium hydride (irradiated), effects, 5(4): 52
 interstitial defects, 4(4): 40
 Lithium hydride (molten), corrosive effects, 4(4): 28; 6(1): 61
 titanium hydride and zirconium hydride solubility, 4(1): 33

Lithium hydride vapor, literature survey, 4(2): 25
 Lithium-lithium hydride system (molten), corrosive effects, 6(1): 61
 Lithium-niobium-oxygen system, reactions, 5(3): 41, 43
 Lithium-refractory metal alloys, corrosion, 6(3): 46
 Los Alamos Molten-Plutonium Reactor Experiment, cerium-cobalt-plutonium fuels, 6(4): 15

M

M252, oxidation effects on creep strength, 4(3): 29
 M252 (coated), corrosion, 4(3): 29
 M257, tensile properties, 5(2): 52
 M-388 (irradiated), corrosion, 4(1): 41
 M-583 powder (sintered), friction bonding, 5(3): 71
 Magnesium, corrosion, 4(1): 44-5; 4(3): 29; 6(1): 71
 ignition, 4(3): 29
 internal friction, 6(3): 58
 mechanical properties, 4(3): 48
 nondestructive metallography, 4(3): 22
 oxidation, 4(4): 35
 physical properties, 4(3): 48
 plating on, 4(4): 27
 welding to nickel, 6(3): 71
 Magnesium (irradiated), annealing, 5(1): 49
 effects, 4(4): 38, 41
 Magnesium (molten), reaction with carbon-uranium system, 6(2): 42
 Magnesium alloys, canning applications, 4(1): 49
 corrosion, 4(3): 29
 ignition, 4(3): 29
 mechanical properties, 4(3): 48
 nondestructive metallography, 4(3): 22
 physical properties, 4(3): 48
 Magnesium alloys (irradiated), effects, 4(4): 41
 properties, 4(3): 48
 Magnesium beryllide, crystallography, 6(2): 61
 Magnesium hydride, thermodynamic properties, 4(4): 28
 Magnesium-manganese alloys, creep properties, 4(1): 49
 Magnesium-manganese-zirconium alloys, creep properties, 4(1): 49
 Magnesium-nickel couples, ignition, 4(3): 29
 Magnesium oxide, coating with fissionable oxide, 5(1): 11
 compatibility with molybdenum, niobium, and tungsten, 5(3): 40
 corrosion, 6(1): 27-8
 internal friction, 5(4): 75
 reaction with UO_2 , 6(1): 42
 slip casting, 5(2): 74
 sodium vapor effects on, 6(1): 90
 Young's modulus, 5(4): 75
 Magnesium oxide (irradiated), defect clusters, 6(1): 80
 effects, 5(4): 3; 6(3): 53
 lattice parameters, 6(1): 60
 strength, 6(1): 60
 Magnesium oxide coatings, compatibility with graphite, 6(4): 28
 volatility, 6(4): 28-9
 water vapor effects on, 6(4): 28-9
 Magnesium oxide crucibles, reaction with manganese-plutonium-uranium alloy, 5(3): 5
 Magnesium oxide crystals, deformation and fracture of single, 6(1): 89-90
 Magnesium oxide-molybdenum couples, reactions, 5(3): 59

- Magnesium oxide-molybdenum-tungsten couples, reactions, 5(3): 59
- Magnesium oxide-niobium couples, reactions, 5(3): 59
- Magnesium oxide-plutonium dioxide (Zircaloy-clad) (irradiated), evaluation, 6(2): 23
- Magnesium oxide-plutonium dioxide mixtures, miscibility, 6(4): 17
- Magnesium oxide-plutonium dioxide mixtures (irradiated), crystallography, 6(4): 17
- Magnesium oxide-plutonium dioxide pellets, compound formation and solid solubility, 6(2): 22
- Magnesium oxide powder, production, 6(1): 2
- Magnesium oxide-silicon oxide crystals (irradiated), thermal conductivity, 5(4): 7
- Magnesium oxide-uranium dioxide dispersions, properties, 6(2): 40
- Magnesium-plutonium alloys, density and stabilization, 5(2): 6-7
- Manganese-plutonium-uranium alloys, corrosive effects on yttrium, 6(4): 15
- Magnesium-thorium alloys, electrical resistivity and magnesium vapor pressure, 6(2): 25
- Magnesium-thorium alloys (HK-31A-H24) (irradiated), mechanical properties, 5(4): 71
- Manganese-uranium alloys, corrosive effects on yttrium, 6(4): 15
- Magnesium-zinc melt, ultrasonic activation, 5(3): 60
- Magnetic compounds (irradiated), effects, 4(1): 58
- Magnetic testing, 5(1): 74
- Magnox, corrosion, 6(1): 71
- Magnox A.12, ductility and fatigue, 4(1): 49
- Manganese, corrosion, 5(1): 41
- diffusion, in aluminum, 5(1): 58-9
- in uranium, 6(1): 19, 89
- Manganese-54, diffusion in aluminum, 6(1): 89
- Manganese (irradiated), effects, 4(1): 56
- Manganese alloys (molten), fuel application, 4(4): 4
- Manganese-molybdenum-titanium alloys, beta-phase stability, 4(2): 44
- Manganese-nickel alloys, corrosion, 4(1): 41-2
- Manganese-plutonium-uranium alloys, reactions with container, 6(3): 15
- Manganese-plutonium-uranium alloys (molten), corrosive effects, 6(1): 27-8
- reactions with containers, 5(3): 5; 5(4): 23
- Manganese-zirconium alloys, corrosion, 6(1): 68
- Materials, 5(1): 77
- development, 4(3): 13
- mechanical properties, 5(4): 72
- ultrasonic-energy dry coupling, 5(4): 88
- Materials (binary) (irradiated), effects, 5(4): 66; 6(3): 53
- Materials (cladding)
- See Fuel cladding materials
- Materials (engineering) (irradiated), effects, 4(1): 57
- Materials (fissile) (irradiated), swelling, 6(1): 47
- Materials (high-temperature), 5(1): 77
- Materials (irradiated), effects, 4(1): 57-8; 4(3): 34
- ion bombardment, 5(4): 68
- recoil distributions, 5(4): 67
- Materials (polycrystalline), 6(4): 66
- Materials (refractory)
- See Refractory materials
- Materials (shielding), 5(1): 77
- Materials (structural)
- See Metals (structural) (irradiated) and Structural materials
- Matter (irradiated), effects, 5(4): 67
- Mercury, containment by clad steel, 4(2): 34
- corrosive effects, 5(1): 41; 6(1): 72; 6(4): 58-9
- iron solubility in, 6(4): 59
- Mercury-tantalum-tungsten alloys, tensile properties, 5(1): 55
- Metal (alkali)-oxygen-uranium systems, X-ray diffraction, 5(1): 15
- Metal (weld) (irradiated), effects, 6(3): 55
- Metal borides, metallography, 4(4): 31
- Metal borides (irradiated), effects, 6(3): 51
- Metal carbide-uranium carbide systems, evaluation, 4(3): 13
- Metal carbide-uranium monocarbide systems, development, 6(2): 43
- Metal coatings, bibliography, 4(4): 55
- corrosion, 4(1): 68
- Metal compounds, mechanical properties and temperature effects, 6(4): 63
- Metal dispersions, fabrication and properties, 6(1): 13-16
- Metal films (irradiated), effects, 4(4): 17; 5(2): 49
- Metal foils, vapor deposition, 6(3): 70
- Metal halides, chemical plating with, 5(1): 69
- Metal hydrides, 4(1): 30
- Metal-metal boride dispersions, compatibility, 4(3): 26
- Metal oxide films (irradiated), fission-fragment tracks, 6(1): 81
- Metal oxides (bivalent), reactions with UO_2 , 6(1): 42-3
- Metal plates, ultrasonic thickness testing, 4(2): 60-1
- Metal powders, compatibility with PuO_2 , 4(3): 13
- electrodeposition, 6(1): 13
- explosive compaction, 4(3): 61-2; 6(1): 10, 13
- pressure bonding for cladding, 4(2): 54
- rolling, 6(1): 4-5
- Metal powders (coated), production, 6(1): 2-4
- Metal powders (nickel- and tantalum-coated), preparation, 4(2): 58
- Metal (refractory) carbides, joining to tantalum, 6(1): 99
- systems with UO_2 , 4(3): 13
- Metal (refractory) coatings, oxidation, 5(4): 61
- Metal (refractory) compounds, chemical plating, 5(1): 68
- Metal (refractory) powders, hot isostatic compaction, 6(1): 8, 11
- Metal (transition) hydrides, 4(1): 30; 6(3): 38
- Metals
- See also Rare earths
- bearing properties in sodium and NaK, 5(4): 63
- bonding, 4(1): 65-6; 5(1): 66; 5(2): 75
- casting, 4(1): 63; 4(2): 51; 4(3): 52
- corrosion, 5(4): 63
- degassing, 4(2): 51
- diffusion, 4(2): 45; 4(4): 46; 6(3): 59
- diffusion bonding, 4(1): 65-6; 5(1): 66
- drawing, 4(3): 53
- electron-beam applications, 4(2): 51; 4(3): 52
- explosive working, 4(1): 71; 4(3): 60-3; 4(4): 57; 6(3): 73
- extrusion, 4(3): 53; 5(2): 66; 5(3): 65
- fabrication, 5(1): 64
- gas diffusion, 4(1): 52
- H_2 diffusion, 5(1): 58
- mechanical properties, 6(4): 63
- melting, 4(2): 51; 4(3): 52
- nondestructive testing, 4(3): 64
- plating, 5(1): 68-9; 5(4): 84
- purification, 6(3): 70
- reactions with water, 4(1): 17; 5(1): 44
- sealing to ceramics, 5(3): 70
- self-diffusion, 5(2): 59
- surface-degradation prevention, 5(4): 84
- temperature effects, 6(4): 63
- ultrasonic testing, 4(1): 73; 6(1): 108
- vapor deposition, 4(4): 54; 6(4): 73
- welding, 4(3): 60; 4(4): 56
- Metals (alkali) (canned), thermal bonding, 5(2): 68
- Metals (alkali) (irradiated), corrosive effects on refractory metals, 6(4): 57
- effects, 4(1): 56
- Metals (alkali) (molten), corrosive effects, 5(4): 63
- Metals (body-centered) (irradiated), effects, 4(3): 34
- Metals (boride-coated), preparation, 6(2): 67
- Metals (ceramic-coated), H_2 diffusion, 5(1): 58
- Metals (cubic) (irradiated), anisotropic growth, 4(4): 38
- Metals (face-centered cubic) (irradiated), point defects, 6(1): 81
- Metals (fissionable), atomic displacement and impurity effects, 5(3): 45
- Metals (fissionable) (irradiated), effects, 4(4): 17; 5(3): 17-18
- Metals (irradiated), annealing, 4(1): 56; 4(4): 41; 5(1): 48; 6(4): 60
- atomic displacements, 4(1): 57
- bubble formation, 4(3): 35
- color production, 5(4): 65
- conduction-electron redistribution, 6(1): 80
- corrosion, 6(3): 55
- dislocation loops, 6(1): 76-7
- displaced atoms, 4(1): 56
- effects, 4(1): 56-7; 4(2): 35; 4(3): 32, 34-5; 4(4): 40-1; 5(2): 49; 5(3): 46; 5(4): 38, 64, 67-8; 6(1): 74; 6(3): 49-51, 55-5; 6(4): 60
- electrical resistance, 6(1): 81
- fission-product slowing, 4(4): 41
- imperfections, 4(2): 38
- impurity resistance, 4(2): 38
- interstitial atom clusters, 5(3): 46
- lattice effects, 4(1): 57, 4(4): 41; 6(1): 74
- mechanical-property recovery, 4(4): 41
- phase transformations, 4(3): 35
- point-defect annealing, 4(4): 41
- rare-gas location and motion, 4(3): 32
- sputtering, 6(1): 80
- stresses, 4(1): 57
- surface effects, 5(4): 64, 67-8
- vacancies, 4(1): 56; 5(3): 46-7
- Metals (molten), corrosive effects, 5(4): 62-3; 6(3): 46-9
- embrittlement, 4(3): 30
- reactions with water, 4(4): 36-7; 5(2): 47
- technology, 6(4): 59
- Metals (molybdenum-coated), development, 4(1): 67
- Metals (noble) (Al_2O_3 -coated), oxidation, 5(2): 46
- Metals (noble) (irradiated), complexes, 5(3): 46
- damage recovery, 4(3): 34
- effects, 4(1): 58; 4(2): 37; 4(3): 34; 6(4): 60
- interstitial configurations, 6(1): 80
- vacancies, 5(3): 46
- Metals (nonmagnetic), ultrasonic testing, 5(1): 73
- Metals (reactive), consumable-electrode melting and purification, 4(2): 51
- Metals (refractory)
- See also Refractory metals
- brazing, 6(4): 76
- casting, 4(4): 51
- coatings, 4(3): 57; 5(3): 69; 6(4): 74
- consolidation, 5(4): 80

Metals (refractory) (irradiated), corrosion, 4(4): 6(4)

diffusion, 5(3): 56

diffusion, 5(3): 56

electron-impact, explosive fabrication, high-temperature, 4(4): 4

joining, mechanical, melting, plating of properties, review, silicide, superconducting, vapor deposition, work hardening

Metals (refractory) (irradiated), 5(3): 4

ignition, 4(4): 4

Metals (refractory) (irradiated), 4(4): 4

mechanical, 4(4): 4

Metals (refractory) (irradiated), 4(4): 4

Metals (refractory) (irradiated), 4(4): 4

Metals (refractory) (irradiated), 4(4): 4

Mica (irradiated), 4(4): 4

mechanical, 4(4): 4

phase transition, 4(4): 4

Microscopic, 4(4): 4

ion damage, 4(4): 4

Minerals (irradiated), 4(4): 4

mechanical, 4(4): 4

Moderator, 4(4): 4

Molten-Salt, 4(4): 4

6(2): 6

Molybdenum, 4(4): 4

5(1): 4

Molybdenum, 4(4): 4

bibliography, 4(4): 4

boriding, 4(4): 4

brazing, 4(4): 4

carbon, 4(4): 4

casting, 4(4): 4

chemical, 4(4): 4

cladding, 4(4): 4

coating, 4(4): 4

34, 5

6(3): 3

compaction, 4(4): 4

5(1): 4

with, 4(4): 4

with, 4(4): 4

with, 4(4): 4

with, 4(4): 4

with, 4(4): 4

corrosion, 4(4): 4

6(1): 4

deformation, 4(4): 4

deoxidation, 4(4): 4

diffusion, 4(4): 4

diffusion, 4(4): 4

alloy, 4(4): 4

electrical, 4(4): 4

electrical, 4(4): 4

explosion, 4(4): 4

5(1): 4

explosion, 4(4): 4

extrusion, 4(4): 4

fabrication, 4(4): 4

Metals (refractory) (Continued)

- corrosion, 5(4): 60-1; 6(1): 72-3; 6(3): 44; 6(4): 57
 diffusion, 5(1): 58
 diffusion barriers, 4(4): 45; 5(2): 61; 5(3): 58-9
 diffusion bonding, 6(3): 68-9
 electron-beam melting, 6(1): 96
 explosive forming, 4(3): 63; 5(1): 70
 fabrication, 5(4): 80
 high-temperature applications and properties, 4(1): 51-2
 joining, 5(4): 75, 86; 6(3): 72
 mechanical properties, 6(4): 62-3
 melting, 4(1): 63; 4(4): 51; 6(1): 96
 plating of, 5(1): 69; 6(1): 101
 properties, 6(3): 56-7
 review, 5(2): 59
 silicide diffusion coating of, 5(3): 69
 superconductivity, 6(4): 63
 vapor deposition, 5(4): 84
 work hardening, 6(3): 59
- Metals (refractory) (coated), corrosion, 5(3): 40-1; 5(4): 61-2; 6(1): 72
 ignition, 5(3): 40-1
- Metals (structural) (irradiated), effects, 4(4): 41; 5(2): 50; 5(3): 54; 6(3): 55
 mechanical properties, 6(4): 61-2
- Metals (transition), hydrides, 4(1): 30; 6(3): 38
- Metals (transition) (irradiated), vacancy annealing, 4(3): 31-2
- Mica (irradiated), fission tracks, 4(3): 33; 5(3): 45
 mechanical properties, 5(4): 5
 phase transformation, 6(1): 79
- Microscopy (electron), 6(1): 82
 ion damage to metal films, 5(2): 49
- Minerals (irradiated), damage, 4(3): 35
 mechanical properties, 5(4): 5
- Moderators, 6(4): 37-49
- Molten-Salt Reactor Experiment, control rods, 6(2): 69
- Molybdenite (irradiated), fission tracks, 5(1): 47
- Molybdenum, annealing, 4(3): 31-2; 5(1): 52
 bibliography, 4(4): 44
 boriding, 5(3): 69
 brazing, 6(3): 72
 carbon solubility, 4(1): 52
 casting, 4(2): 51; 4(4): 51
 chemical plating of, 5(1): 69; 5(2): 69
 chemical plating with, 5(1): 68
 cladding, 4(2): 54
 coating of, 4(1): 67; 4(2): 58-9; 4(4): 34, 54; 5(1): 38; 5(2): 75; 5(3): 69-70; 6(3): 70-1; 6(4): 74
 compatibility, with carbides, 5(3): 40; 5(4): 36
 with ErBO_3 and EuBO_3 , 6(3): 60
 with oxides, 5(3): 40
 with rare-earth oxides, 6(3): 60
 with UN, 4(2): 10
 with UO_2 , 4(2): 6; 4(4): 11
 with US, 6(2): 43
 corrosion, 5(1): 41; 5(2): 45; 5(4): 62-3; 6(1): 61, 71; 6(4): 58-9
 deformation twinning, 4(2): 42
 deoxidation, 5(1): 64
 diffusion barriers for, 4(4): 45
 diffusion bonding, 6(3): 69
 diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
 electrical resistivity, 5(2): 31
 electroplating with cermets, 5(1): 67; 5(2): 68-9
 explosive forming, 4(1): 68-70; 4(3): 63; 5(1): 70
 explosive welding, 4(1): 70
 extrusion, 5(2): 66
 fabrication, 4(2): 42; 4(4): 51

- forging, 5(2): 66
 fracture, 4(2): 42
 graphitization, 4(4): 21-2
 heat capacity, 4(4): 44
 hydrogen solubility, 4(1): 52
 joining, 4(4): 55
 Lorentz ratios, 5(2): 31
 mechanical properties, 4(3): 48
 melting, 4(2): 51; 4(4): 51; 5(1): 63
 nitrogen solubility, 4(1): 52
 notch sensitivity, 5(1): 55
 oxidation, 4(1): 42-3
 oxygen solubility, 4(1): 52
 plating, 4(1): 68; 5(1): 67; 5(2): 68-9
 powder-rolling, 5(2): 65
 production, 5(3): 68-9
 properties, 6(1): 86
 purification, 4(4): 54
 reactions with uranium compounds, 4(4): 45; 6(2): 42
 review, 6(3): 56
 self-diffusion, 4(2): 45; 4(3): 44
 siliconizing, 6(1): 101
 solubility in lithium, 5(1): 42
 stress-rupture testing, 6(3): 56
 tensile properties, 5(1): 55
 thermal conductivity, 5(2): 31
 thermal radiative properties, 6(4): 65
 thermoelectric power, 5(2): 31
 tungsten diffusion, 4(2): 45
 uranium diffusion, 4(1): 52
 welding, 4(1): 70; 5(4): 87
- Molybdenum (aluminum-chromium-silicon system-coated), properties, 4(3): 59
- Molybdenum (Al_2O_3 -glass-coated), oxidation, 4(3): 59
- Molybdenum (aluminum-tin-coated), oxidation, 5(4): 61
- Molybdenum (Chromalloy W-2-coated), properties, 4(3): 59
- Molybdenum (Chromalloy W-3-coated), corrosion, 5(4): 62
- Molybdenum (chromium-nickel-coated), oxidation, 5(2): 45
- Molybdenum (chromium-nickel, Al_2O_3 -coated), oxidation, 5(2): 45
- Molybdenum (diffusion-coated), preparation, 4(2): 58
- Molybdenum (irradiated), annealing, 4(3): 31-2; 5(1): 52; 5(2): 50; 6(1): 75-6
 damage recovery, 4(3): 34
 density, 4(4): 38
 divacancy migration, 4(3): 32
 effects, 4(1): 54-5; 4(2): 36; 6(1): 75-6; 6(4): 59-60
 electrical resistance, 6(1): 75
 electrical resistivity, 5(1): 52; 5(2): 48; 6(1): 75
 embrittlement, 4(2): 39-40
 hardness, 5(1): 52; 5(2): 48
 lattice constants, 5(1): 45
 lattice interactions, 4(3): 32
 mechanical properties, 4(2): 39
 sputtering, 4(4): 38
 vacancy diffusion, 5(1): 52
 X-ray lattice parameter and line breadth, 4(4): 38-9
- Molybdenum (Linde LM-5-coated), properties, 4(3): 59
- Molybdenum (silicide-coated), chemical plating, 5(4): 84
 corrosion, 5(2): 45
 oxidation, 4(2): 33
- Molybdenum (tungsten-coated), preparation, 4(2): 58
- Molybdenum alloys, arc casting, 4(2): 52
 bibliography, 4(4): 44
 coating, 5(3): 69-70; 6(3): 70-1
 corrosion, 6(3): 48
 diffusion bonding, 6(1): 98-9; 6(3): 68
 ductility, 4(2): 42
 extrusion, 4(2): 52; 5(3): 55-6; 5(4): 80
 fabrication, 4(4): 51; 5(3): 65
 hardness, 4(2): 42
 heat-treatment, 5(3): 65
 joining, 4(4): 55
 mechanical properties, 5(3): 55-6
 melting, 5(3): 64
 pack cementation of, 6(3): 71
 phase studies, 4(4): 45
 powder metallurgy, 4(2): 52
 production, 4(2): 52
 properties, 4(2): 52
 review, 6(3): 56
 strength, 4(1): 48-9
 strength-weight ratios, 4(1): 48-9
 thermal properties, 6(4): 64-5
 twinning, 4(2): 42
- Molybdenum alloys (coated), corrosion, 5(4): 61
- Molybdenum alloys (PH 15-7), corrosion, 5(4): 62
- Molybdenum alloys (TZM), extrusion and microstructure, 5(3): 65
- Molybdenum beryllides, oxidation, 6(2): 61
- Molybdenum carbides, bibliography, 4(4): 44
 compatibility with H_2 and tungsten, 5(1): 58
 oxidation, 4(3): 6
- Molybdenum compounds, bibliography, 4(4): 44
- Molybdenum dicarbide-uranium powder, electrodeposition, 6(1): 13
- Molybdenum disilicide, corrosion, 5(4): 62; 6(1): 72
 oxidation, 5(2): 45; 5(4): 75
- Molybdenum disilicide powder, explosive compaction, 5(2): 73; 6(1): 13
- Molybdenum disilicide-zirconium diboride powder, explosive compaction, 5(2): 73; 6(1): 13
- Molybdenum disulfide (irradiated), displacement spikes, 6(1): 78
- Molybdenum foils (irradiated), point-defect clusters, 5(4): 64
- Molybdenum-nickel alloys
 See also INOR-8
 Co^{60} diffusion, 4(2): 45
 Molybdenum-nickel-niobium alloys, weldment cracking, 4(3): 60
 Molybdenum-nickel-osmium alloys, phase studies, 4(4): 44
 Molybdenum-nickel-silicon system, phase studies and solubility of aluminum-nickel compounds in, 4(1): 50
 Molybdenum-niobium alloys, corrosion, 6(4): 58
 ignition, 5(3): 40
 oxidation, 4(1): 43
 tensile properties, 4(1): 48
 welding, 6(4): 75
 yield strength, 6(4): 62
- Molybdenum-niobium monocarbide couples, reactions, 5(3): 59
- Molybdenum-niobium-tantalum alloys, creep properties, 5(2): 53
 stress-rupture properties, 6(1): 86
 tensile strength, 5(2): 53
- Molybdenum-niobium-tantalum-tungsten alloys, creep properties, 5(2): 53
- Molybdenum-niobium-titanium alloys, canning, 4(4): 51
 corrosion, 6(1): 71
 oxidation, 4(1): 43
- Molybdenum-niobium-titanium-tungsten-zirconium alloys, phase studies and precipitation hardening, 5(1): 56-7
- Molybdenum-niobium-titanium-vanadium alloys, stress-rupture and tensile properties, 5(2): 53
- Molybdenum-niobium-tungsten alloys, creep properties, 5(2): 53
 melting, 6(3): 66
 tensile properties, 5(1): 55

- Molybdenum-niobium-tungsten-zirconium alloys, electron-beam melting, 4(3): 52
 phase studies, 5(1): 56-7
 precipitation hardening, 5(1): 56-7
 weld strength, 5(2): 70
- Molybdenum-niobium-tungsten-zirconium alloys (F-48), extrusion, 5(3): 65
 ignition, 5(3): 40
- Molybdenum-niobium-uranium alloys, cladding applications, 4(4): 3
 hardness, 4(3): 2
 lattice parameters, 4(3): 2
 phase studies, 4(3): 2; 4(4): 2; 6(2): 19-20
 phase transformation, 5(4): 20
- Molybdenum-niobium-uranium-zirconium alloys, phase studies, 5(4): 18, 20; 6(2): 19-20
- Molybdenum-niobium-vanadium alloys, 4(3): 39
- Molybdenum-niobium-vanadium-zirconium alloys, tensile properties, 4(1): 48
- Molybdenum-niobium-zirconium alloys, physical properties, 4(1): 51
- Molybdenum oxide powder, production, 6(1): 2
- Molybdenum-plutonium dioxide cermets, fabrication, 5(3): 6
- Molybdenum-plutonium-uranium alloys, oxidation, 6(2): 21
- Molybdenum-plutonium-uranium alloys (irradiated), effects, 6(1): 24, 26; 6(3): 15
- Molybdenum powder, electrodeposition, 6(1): 13
 hot isostatic compaction, 6(1): 11
 metallurgy, 4(2): 52
 production, 6(1): 2
- Molybdenum powder (tungsten-coated), production, 6(1): 3
- Molybdenum-rhenium alloys, diffusion bonding, 6(3): 69
 ductility, 4(2): 42
 fabricability, 4(2): 42
 hardness, 6(1): 87-8
 twinning, 4(2): 42
- Molybdenum-rhenium base-barrier combination, properties, 5(3): 58
- Molybdenum-rhenium couples, interdiffusion, 5(2): 61
- Molybdenum-rhenium-tungsten alloys, phase studies, 4(4): 43
- Molybdenum-rhodium alloys, phase studies, 4(2): 41-2
- Molybdenum-ruthenium-uranium alloys, gamma-phase decomposition, 4(2): 4
 phase studies, 5(1): 2
- Molybdenum sheet, development, 4(1): 63
- Molybdenum silicide coatings, 4(2): 58; 4(4): 35
- Molybdenum silicide powder, explosive compaction, 4(3): 62
- Molybdenum silicide-zirconium diboride powder, explosive compaction, 4(3): 62
- Molybdenum silicides, oxidation, 5(4): 61; 6(3): 45
- Molybdenum-silicon-uranium system, 4(1): 3-4
 creep and tensile properties, 5(1): 3
- Molybdenum systems, diffusion, 5(1): 58
- Molybdenum-tantalum alloys, creep properties, 5(2): 53
 tensile properties, 5(1): 55; 5(2): 53
- Molybdenum-tantalum monocarbide couples, reactions, 5(3): 59
- Molybdenum-tantalum-tungsten alloys, creep properties and tensile strength, 5(2): 53
- Molybdenum-tantalum-uranium alloys, mechanical properties, 4(2): 4
- Molybdenum-thorium alloys, phase studies, 6(2): 25
- Molybdenum-thorium-uranium alloys, creep strength, 4(1): 9-10
 hot hardness, 4(1): 10
- Molybdenum-tin-uranium alloys, tensile properties, 5(1): 3
- Molybdenum-titanium alloy-rhenium couples, interdiffusion, 5(2): 61
- Molybdenum-titanium alloys, corrosion, 5(4): 62; 6(1): 61; 6(3): 47
 diffusion bonding, 6(1): 99; 6(4): 77
 dispersion strengthening, 5(1): 55
 explosive forming, 4(1): 68-70; 4(3): 63; 5(1): 70; 5(2): 70-1; 5(4): 87; 6(1): 101
 explosive welding, 4(1): 70; 5(3): 71, 73
 extrusion, 4(2): 51
 mechanical properties, 4(2): 51
 notch sensitivity, 5(1): 55
 tensile properties, 5(1): 55
- Molybdenum-titanium alloys (nitrided), corrosion, 6(1): 72
- Molybdenum-titanium nitride dispersions, stability, 4(3): 40
- Molybdenum-titanium-uranium alloys, phase transformation, 6(4): 12
- Molybdenum-titanium-vanadium alloys, beta-phase stability, 4(2): 43-4
- Molybdenum-titanium-zirconium alloys, mechanical properties and strength, 4(3): 48
- Molybdenum-tungsten alloys, corrosion, 6(1): 71
 creep properties, 5(2): 53
 explosive forming, 5(4): 87
 extrusion, 6(3): 66
 melting, 5(3): 64
 tensile properties, 5(2): 53; 5(3): 56
- Molybdenum-tungsten base-barrier combination, properties, 5(3): 58
- Molybdenum-uranium alloy-uranium carbide dispersions, cladding of, 5(1): 9
- Molybdenum-uranium alloy-uranium dioxide dispersions, cladding of, 5(1): 9
 fabrication, 6(4): 19-20
- Molybdenum-uranium alloy-uranium monocarbide dispersions, fabrication, 6(4): 19-20
- Molybdenum-uranium alloys, annealing, 4(4): 2
 bond structure, 4(3): 3
 casting, 4(4): 2; 5(1): 4; 5(2): 65; 5(3): 2
 chemical plating with niobium, 5(1): 68
 cladding applications, 4(4): 3
 corrosion, 4(1): 6; 4(3): 2-3; 5(3): 2
 creep properties, 4(1): 3-4; 5(1): 3-4
 decomposition, 6(1): 23; 6(2): 16
 development, 5(1): 4
 electrical resistivity, 4(3): 3
 fracture, 4(4): 2
 gamma-phase decomposition, 4(2): 4
 Hall effect, 4(3): 3
 magnetic susceptibility, 4(3): 3
 mechanical properties, 4(2): 4
 oxidation, 4(1): 5; 4(2): 2; 4(4): 16; 5(2): 3; 5(3): 2
 oxide film orientation, 6(4): 12-13
 phase studies, 4(1): 1; 5(2): 4; 5(4): 18; 6(2): 16, 19-20
 phase transformation, 4(1): 3; 5(1): 4-5; 5(2): 4; 5(3): 2; 5(4): 20; 6(4): 12
 production, 4(1): 6
 rolling, 5(3): 2; 6(4): 13
 soft X-ray band, 4(3): 3
 specific heat, 4(3): 3
 strength, 4(2): 4
 stress-rupture properties, 4(1): 2-3
 tensile properties, 4(1): 2-3; 5(1): 3
 thermal cycling, 4(1): 2-3; 4(2): 2; 5(3): 2
 thermoelectric power, 4(3): 3
 uranium self-diffusion, 5(3): 2; 6(2): 17
- Molybdenum-uranium alloys (clad), canning, 4(2): 57
 coextrusion, 4(1): 66; 4(2): 56
 fabrication, 4(1): 23
 forging, 4(1): 65
 rolling, 4(1): 65; 4(3): 53
 sodium bonding, 4(1): 66-7; 4(2): 57
- Molybdenum-uranium alloys (clad) (irradiated), effects, 4(2): 2
- Molybdenum-uranium alloys (irradiated), annealing, 6(3): 12
 dimensional changes, 5(1): 4; 5(2): 4
 effects, 4(1): 3, 5; 4(3): 3-4
 phase transformation, 6(2): 44
 swelling, 6(1): 23; 6(2): 20, 44; 6(3): 12
 transformation, 6(1): 47
- Molybdenum-uranium alloys (niobium-clad), roll bonding, 5(1): 65
- Molybdenum-uranium alloys (niobium-coated), development, 5(4): 84
- Molybdenum-uranium alloys (Zircaloy-clad), coextrusion, 6(4): 13
- Molybdenum-uranium carbide dispersions, development, 4(2): 10
- Molybdenum-uranium dicarbide diffusion couples, reactions, 5(3): 16
- Molybdenum-uranium dioxide cermets, electrical resistivity, 6(4): 21
 modulus of rupture, 4(1): 12
 preparation, 4(3): 7
 properties, 6(2): 40
 thermal conductivity, 4(3): 8; 6(4): 21
- Molybdenum-uranium dioxide cermets (clad), pressure bonding, 4(2): 54
- Molybdenum-uranium dioxide cermets (stainless-steel-clad) (irradiated), effects, 6(3): 18
- Molybdenum-uranium dioxide dispersions, densification, 5(1): 9
 preparation, 6(3): 26
- Molybdenum-uranium dioxide dispersions (clad), fabrication, 4(2): 10
- Molybdenum-uranium dioxide dispersions (clad) (irradiated), effects, 4(2): 10
- Molybdenum-uranium dioxide powder, electrodeposition, 6(1): 13
- Molybdenum-uranium monocarbide cermets, properties, 6(2): 40
- Molybdenum-uranium mononitride cermets, properties, 6(2): 40
- Molybdenum-uranium nitride cermet fuels (clad), pressure bonding, 4(2): 54
- Molybdenum-uranium sulfide dispersion fuels, development, 4(2): 10
- Molybdenum-uranium-zirconium alloys, phase studies, 5(4): 18, 20; 6(2): 19-20
- Molybdenum-vanadium base-barrier combination, properties, 5(3): 58
- Molybdenum-zirconium alloys, corrosion, 6(1): 68
 hardening, 4(2): 41
 oxidation, 5(3): 41
 transformation, 4(2): 41
- Molybdenum-zirconium compounds, corrosion, 5(2): 42
- Molybdenum-zirconium couples, reactions, 5(3): 59
- Molybdenum-zirconium dioxide (CaO) couples, reactions, 5(3): 59
- Molybdenum-zirconium monocarbide couples, reactions, 5(3): 59
- Monel, corrosion, 4(1): 42; 6(1): 70
 graphitization, 4(4): 21-2
 reaction with silicon-silicon carbide, 4(2): 43
 stress corrosion, 5(3): 39
- Multimet, compatibility with $Gd_2O_3-Sm_2O_3$, 4(3): 26-7
 corrosion, 6(1): 70
- Muscovite (irradiated), fission tracks, 5(1): 46

N

NaK

See Sodium-potassium alloys

Neodymium oxide-uranium dioxide system, solid solutions, 6(3): 25

Neodymium-thorium alloys, mechanical properties, 6(2): 25

phase studies, 5(4): 26

properties, 5(3): 7

Neptunium-239, electroplating with, 5(1): 68

Neptunium (irradiated), effects, 4(4): 16-17

Neptunium monocarbide powder, electrodeposition, 6(1): 13

Neptunium-uranium alloys, phase studies, 4(1): 1

Neutron absorbers, review, 5(4): 56

Nichrome V, corrosion, 6(4): 57

oxidation, 5(4): 60

Nickel, aluminum diffusion, 4(1): 53

annealing, 5(1): 52

boriding, 5(3): 69

brazing using, 6(3): 71

coatings, 4(2): 58, 60; 4(4): 35; 6(4): 73

compatibility with rare-earth oxides, 6(3): 60

corrosion, 4(1): 42; 5(1): 41; 5(4): 63;

6(1): 70; 6(4): 56

deposition, 5(2): 69

diffusion bonding to aluminum and uranium, 5(1): 67

diffusion in uranium, 4(1): 52

graphitization, 4(4): 21-2

high-temperature applications and properties, 4(1): 51-2

hot hardness of electroless coatings, 6(4): 73

internal friction, 6(3): 58

melting, 5(1): 63

oxidation, 5(2): 44

plating of, 5(1): 69; 5(2): 69

plating with, 4(1): 67-8; 4(2): 59-60; 4(3): 5, 58-9; 4(4): 55; 5(1): 67-8; 5(3): 68

preparation by plating, 6(3): 70

reaction, with silicon-silicon carbide, 4(2): 43

with UC, UC₂, and UN, 6(2): 42

self-diffusion, 4(3): 44

solubility, in lithium, 5(1): 42

in molten sodium, 4(4): 36

stress corrosion, 5(3): 39

uranium diffusion, 4(1): 53

welding to magnesium, 6(3): 71

Nickel (irradiated), annealing, 4(4): 38-9;

5(1): 52; 5(2): 48

carbon-ion energy loss and ranges, 4(3): 32

damage recovery, 4(2): 35

effects, 4(1): 55-7; 5(2): 49; 6(1): 75;

6(3): 49

electrical resistance, 6(1): 75

electrical resistivity, 5(1): 52; 5(2): 48;

6(1): 75; 6(3): 49

ferromagnetic hysteresis, 4(3): 32

hardness, 4(3): 31; 5(1): 52

mechanical properties, 4(2): 39

oxygen-ion energy loss and ranges, 4(3): 32

sputtering, 4(4): 38

threshold energy, 5(2): 48

vacancy diffusion, 5(1): 52

vacancy relaxation, 4(1): 56

X-ray lattice parameter and line breadth, 4(4): 39

Nickel (tungsten-coated), preparation, 4(2): 58

Nickel alloys, carburization, 4(1): 42; 4(4): 21-2

corrosion, 5(1): 40; 6(1): 61; 6(3): 44, 46;

6(4): 55-7

chromium diffusion in, 5(1): 59

diffusion bonding, 5(4): 46-7, 81; 6(1): 98-9;

6(3): 68

melting, 4(4): 51

properties, 4(3): 47

stress-corrosion cracking, 6(3): 45

Nickel alloys (diffusion-coated), preparation, 4(2): 58

Nickel alloys (irradiated), tensile properties, 4(4): 42

Nickel alloys (molten), fuel applications, 4(4): 4

Nickel aluminum oxide, chromium and iron

diffusion, 4(2): 45

Nickel chromium oxide, chromium and iron

diffusion, 4(2): 45

Nickel crystals (irradiated), Kossel line studies, 5(4): 64

Nickel foil, brazing using, 6(3): 71

Nickel foils (irradiated), fission-product vapor

transport, 4(4): 17

Nickel-niobium alloys, iridium-addition effects, 4(4): 44

Nickel-niobium-osmium alloys, phase studies, 4(4): 44

Nickel-niobium-ruthenium alloys, phase

studies, 4(4): 44

Nickel-niobium-titanium-tungsten alloys,

oxidation, 4(1): 43

Nickel-nitrogen-zinc system, cubic nitrides, 5(3): 56-7

Nickel-osmium-tantalum alloys, phase studies, 4(4): 44

Nickel oxide, reaction with UO₂, 6(1): 43

Nickel oxide (irradiated), reduction, 5(4): 9

Nickel-plutonium alloys (Zircaloy-4-clad)

(irradiated), fission-product release, 5(3): 4

Nickel-plutonium couples, interdiffusion, 5(3): 58-9

Nickel powder-water slurries, nondestructive

testing, 4(4): 59

Nickel superalloys, thermal radiative prop-

erties, 6(4): 65

Nickel-tantalum alloys, diffusion, 4(4): 45-6

Nickel-thorium dioxide dispersions, oxidation, 6(3): 45-6

Nickel-tungsten alloys, diffusion, 5(1): 59

Nickel-uranium alloys, diffusion, 4(2): 45

Nickel-uranium dioxide powder, explosive

compaction, 4(3): 62

Nickel whiskers, vapor deposition, 5(4): 84

Nickel-yttrium alloys, phase studies, 4(3): 41

Nickel-zirconium alloy plate, 4(3): 59

Nickel-zirconium alloys, corrosion, 6(1): 68

hydrogen absorption, 5(2): 42

Nickel zirconium hydride, crystal structure, 6(1): 61

Nickel-zirconium intermetallic compounds,

hydriding, 5(2): 42; 5(4): 52-3

Niobium, aluminum diffusion in, 5(4): 47

annealing, 4(3): 31-2; 6(3): 59

beryllium diffusion in, 5(4): 47

bibliography, 4(4): 44-5

bonding, 5(3): 66; 6(1): 98

boriding, 5(3): 69

brazing, 4(4): 56; 6(3): 72

brazing alloys, 5(1): 72; 5(4): 87

carbon diffusion, 4(1): 52; 6(1): 89

carbon solubility, 4(1): 52

carburization, 4(1): 50-1

casting, 4(2): 51; 4(4): 51

chemistry, 4(1): 51

cladding, 4(2): 54; 4(4): 53

CO₂ and CO embrittlement, 4(3): 28

coating, 4(1): 42-3, 67; 4(4): 34; 5(3): 70;

6(1): 101; 6(3): 70; 6(4): 74

cold-work effects, 5(4): 72

compatibility, with carbides, 5(3): 40;

5(4): 35-6

with fission-plutonium-uranium alloys,

6(4): 16

with oxides, 5(3): 40

with rare-earth oxides, 6(3): 60

with UO₂, 4(2): 6

with US, 6(2): 43

containment of molten aluminum-thorium-

uranium alloys, 5(4): 21

corrosion, 4(1): 43; 4(4): 35; 5(1): 41;

5(2): 44-5; 5(3): 57; 5(4): 62-3; 6(1): 71,

73; 6(3): 46-7; 6(4): 58-9

development, 4(3): 48

deformation, 6(3): 58-9

deoxidation, 6(4): 57

diffusion-barrier studies, 4(4): 45

diffusion in, 5(2): 59; 6(1): 89

diffusion of, 4(2): 5; 4(4): 45; 5(1): 58;

5(2): 61; 6(1): 89

ductility, 4(1): 48

explosive forming, 4(1): 68; 4(3): 63

extrusion, 5(2): 66; 5(4): 80

fabrication, 4(3): 48; 5(3): 57

forging, 5(2): 66

gas effects, 4(1): 51

hardness, 4(3): 48

hydrogen, diffusion and solubility, 4(1): 52

effects on mechanical properties, 6(4): 62

ignition, 5(3): 40

internal friction, 5(4): 72

joining, 4(4): 55-6

manual, 5(1): 56

mechanical properties, 5(3): 55, 57; 6(4): 63

melting, 4(2): 51; 4(4): 51

metallurgy, 4(1): 51; 5(3): 57

nitrogen diffusion and solubility, 4(1): 52

notch sensitivity, 5(1): 55; 6(3): 57

oxidation, 4(1): 42-3; 4(2): 33; 4(3): 28;

4(4): 34; 5(1): 38; 5(2): 44; 5(3): 39, 57;

5(4): 60; 6(1): 71

oxygen diffusion and solubility, 4(1): 52

plating of, 5(2): 69

plating with, 4(1): 68; 5(1): 68

preparation by chloride reduction, 6(4): 73

properties, 6(1): 86

reactions, with CO₂ and CO, 4(1): 43

with UC, UC₂, and UN, 6(2): 42

with US, 5(2): 22

review, 6(3): 56

self-diffusion, 4(1): 52; 5(2): 59

silicon diffusion in, 4(4): 46

solubility in sodium, 6(4): 58

stacking faults, 4(3): 39

strengthening by oxygen, 6(1): 87

surface tension, 5(1): 56

tensile properties, 4(3): 48; 5(1): 55;

6(1): 86; 6(3): 59

thermal conductivity, 4(1): 8

thermal radiative properties, 6(4): 65

uranium diffusion, 4(1): 53; 5(2): 21

vapor deposition, 5(3): 9

weld bend ductility, 5(1): 72

welding, 4(1): 70; 4(2): 60; 5(2): 70;

6(3): 71

work hardening, 6(3): 59

Niobium-95, diffusion in UO₂, 6(4): 66

Niobium-97, diffusion in UO₂, 6(1): 43-4

Niobium (aluminum-nickel-zinc alloy-coated),

oxidation, 5(2): 44

Niobium (chromium-silicon-titanium-coated),

oxidation, 4(1): 43

Niobium (chromium-titanium alloy-silicon

coated), preparation and properties,

4(2): 33

Niobium (irradiated), annealing, 6(1): 75

effects, 4(2): 36; 4(4): 43; 6(4): 60

oxidation, 4(3): 28

rupture life, 4(2): 40

thermal conductivity, 4(4): 38

vacancy annealing, 4(3): 31-2

Niobium (MoS₂-coated), preparation and prop-

erties, 4(2): 33

Niobium (silicide-coated), corrosion, 5(2): 45

Niobium (zinc-coated), oxidation, 4(2): 42;

5(2): 44

vapor deposition, 4(3): 57

- Niobium alloy-rhenium couples, interdiffusion, 5(2): 61
- Niobium alloys, bibliography, 4(4): 44-5
- brazing, 4(4): 56; 6(4): 76-7
- coating of, 5(1): 38; 5(3): 70; 6(1): 101; 6(3): 70; 6(4): 74
- corrosion, 6(1): 71; 6(3): 44
- development, 4(3): 48; 4(4): 43
- diffusion bonding, 6(1): 98-9
- explosive forming, 5(1): 70
- extrusion, 5(2): 66; 5(4): 80
- fabrication, 5(3): 65
- forging, 5(2): 66
- heat-treatment, 5(3): 65
- high-temperature applications and properties, 4(1): 51-2
- hot hardness, 5(3): 55
- joining, 4(4): 55
- mechanical properties, 4(4): 51
- melting, 4(4): 51; 5(3): 64
- oxidation, 4(4): 34; 5(3): 55; 6(1): 71
- phase studies, 4(4): 45
- review, 6(3): 56
- strength, 4(1): 48-9
- strength-weight ratios, 4(1): 48-9
- tensile properties, 6(1): 86
- thermal properties, 6(4): 64
- thermal radiative properties, 6(4): 65
- welding, 4(2): 60; 6(3): 71; 6(4): 74-7
- Niobium alloys (coated), corrosion, 5(4): 61
- Niobium alloys (CT-2WZ), explosive forming, 5(1): 70; 5(2): 70-1
- Niobium alloys (D-31), corrosion, 6(1): 71
- Niobium alloys (F-48), corrosion, 4(1): 43
- melting, 5(3): 64
- Niobium alloys (F-50), corrosion, 4(1): 43
- Niobium alloys (MoSi₂-coated), preparation, 4(2): 58
- Niobium alloys (Nb⁷⁴), explosive forming, 5(2): 70-1
- Niobium alloys (silicide-coated), preparation, 4(2): 58
- Niobium aluminides, oxidation, 5(2): 45; 5(3): 41; 5(4): 61
- properties, 6(4): 64
- Niobium beryllides, 5(1): 30; 5(4): 51-2; 6(2): 60-1
- Niobium carbide, bibliography, 4(4): 44-5
- carbon diffusion in, 6(1): 89
- coatings, 4(3): 57; 4(4): 54; 5(3): 70
- compatibility, 5(1): 58; 5(3): 40
- diffusion bonding to tantalum, 6(1): 99
- hardness, 4(4): 54
- niobium diffusion in, 6(1): 89
- plating with, 5(1): 69
- pyrolytic deposition, 5(3): 69
- UC behavior with, 5(1): 17
- Niobium carbide system, oxidation, 4(3): 6
- Niobium chloride, reduction to metal, 6(4): 73
- Niobium compounds, bibliography, 4(4): 44-5
- Niobium crystals, elastic constants, 4(3): 39
- preparation of single, 6(1): 96
- Niobium diboride, compatibility with H₂ and tungsten, 5(1): 58
- Niobium diboride dispersions [stainless-steel (347)-clad] (irradiated), effects, 5(1): 10
- Niobium disilicide coatings, oxidation, 6(3): 44
- Niobium hydride, phase studies, 4(2): 25
- Niobium hydride-titanium hydride mixtures, crystal structure, 6(4): 49
- Niobium monocarbide, lattice parameters, 5(3): 59
- Niobium monocarbide-uranium monocarbide system, thermal conductivity, 6(4): 30
- Niobium monocarbide-uranium monocarbide system (irradiated), effects, 6(4): 30
- Niobium-niobium carbide system, lattice parameters and phase studies, 4(3): 39
- Niobium nitride, compatibility with H₂ and tungsten, 5(1): 58
- Niobium-nitrogen-titanium-tungsten alloys, stress-rupture properties, 5(2): 53
- Niobium-nitrogen-titanium-vanadium alloys, tensile properties, 5(2): 53
- Niobium-osmium alloys, intermetallics, 4(4): 44
- Niobium-osmium base-barrier combination, properties, 5(3): 58
- Niobium oxide, oxygen diffusion, 5(2): 44
- phase studies, 4(2): 33
- production, 4(3): 28
- Niobium oxide powder, production, 6(1): 2
- Niobium oxide-titanium dioxide-uranium dioxide solid solutions, stability, 4(2): 6
- Niobium-oxygen-potassium system, reactions, 5(3): 41
- Niobium-oxygen-potassium-zirconium system, reactions, 5(3): 41
- Niobium-oxygen-titanium system, tensile properties, 5(1): 55
- Niobium-oxygen-titanium-vanadium alloys, stress-rupture and tensile properties, 5(2): 53
- Niobium-oxygen-titanium-zirconium system, phase studies, 6(1): 87
- Niobium-oxygen-uranium system, composition limits, 5(1): 6
- X-ray diffraction, 5(1): 15
- Niobium-oxygen-zirconium system, tensile properties, 5(1): 55
- Niobium-palladium alloys, oxidation, 4(3): 28
- Niobium-platinum alloys, diffusion, 4(4): 45-6
- Niobium-plutonium-silicon system, phase studies, 5(1): 6; 5(2): 8
- Niobium-plutonium-uranium alloys, hardness, 5(1): 7; 5(4): 23
- structure, 5(4): 23
- Niobium-plutonium-uranium-zirconium alloys, hardness, 5(1): 7
- Niobium-plutonium-zirconium alloys, hardness and phase studies, 4(3): 6
- plutonium-zirconium coalescence, 5(1): 6-7
- Niobium powder, electrodeposition, 6(1): 13
- hot isostatic compaction, 6(1): 11
- production, 6(1): 2
- Niobium-rhenium alloys, hardness, 6(1): 87-8
- intermetallics, 4(4): 44
- phase studies, 4(1): 50-1; 4(2): 43
- recrystallization, 4(1): 50
- rolling, 6(4): 70
- Niobium-rhenium base-barrier combination, properties, 5(3): 58
- Niobium-rhenium couples, interdiffusion, 5(2): 61
- Niobium-selenium system, diffusion, 4(4): 45
- Niobium sheet, development, 4(1): 63
- Niobium-silicon system, diffusion, 4(4): 46; 5(3): 58
- Niobium-silicon-tungsten system, phase studies, 6(4): 64
- Niobium-silicon-vanadium-zirconium system, brazing with, 6(4): 76-7
- Niobium-sodium-stainless-steel (316) alloys, mass transfer, 5(1): 42
- Niobium-stainless-steel tubing, through-transmission testing, 4(4): 58
- Niobium stannide, superconductivity, 6(4): 63
- Niobium stannide powder, electrodeposition, 6(1): 13
- Niobium systems, diffusion, 5(1): 58
- Niobium-tantalum alloys, 4(1): 50
- tensile strength, 5(2): 53
- yield strength, 6(4): 62
- Niobium-tantalum-tungsten alloys, creep properties, 5(2): 53
- hot hardness, 5(3): 55
- oxidation, 5(3): 55
- stress-rupture properties, 6(1): 86
- tensile properties, 5(1): 55; 5(2): 53
- Niobium-tantalum-tungsten-zirconium alloys (silicide-coated), properties, 4(2): 58
- Niobium-tantalum-vanadium alloys, brazing with, 6(4): 76
- protective coatings for, 5(1): 38-9
- Niobium-tantalum-zirconium alloys, brazing, 4(4): 56
- coating with ceramics, 6(4): 74
- mechanical properties, 6(1): 86-7
- Niobium-tantalum-zirconium alloys (silicide-coated), properties, 4(2): 58
- Niobium-thorium-uranium alloys, creep strength, 4(1): 9-10
- hot hardness, 4(1): 10
- Niobium-tin alloys, coating with, 6(1): 101
- compounds, 5(2): 55, 58
- hardness, 4(2): 42
- oxidation, 4(2): 42; 4(3): 28
- phase studies, 4(2): 42; 6(4): 63-4
- Niobium-tin intermetallic compounds, properties, 6(4): 63-4
- Niobium-tin-zirconium alloys, hardness, 4(1): 51
- heat-treating, 4(1): 51
- hydrogen uptake, 5(1): 39
- mechanical properties, 6(3): 57
- tensile properties, 5(2): 53
- thermal cycling, 6(1): 88
- Niobium-titanium alloy-uranium carbide dispersions, development, 4(2): 10
- Niobium-titanium alloy-uranium sulfide dispersions, development, 4(2): 10
- Niobium-titanium alloys, carburization, 4(1): 43
- ductility, 4(1): 43
- oxidation, 4(1): 43; 5(3): 40; 6(4): 57
- reactions, with CO₂ and CO, 4(1): 43
- with silicon-silicon carbide, 4(2): 43
- recrystallization, 4(1): 50
- welding, 6(4): 75
- Niobium-titanium-tungsten alloys, oxidation, 4(1): 43
- Niobium-titanium-tungsten-vanadium alloys, oxidation, 4(1): 43
- stress rupture, 5(2): 53
- tensile properties, 5(2): 53
- Niobium-titanium-vanadium alloys, brazing with, 6(4): 76-7
- chemical plating with silicide, 5(1): 69
- oxidation, 4(1): 43
- stress rupture, 5(2): 53
- tensile properties, 5(2): 53; 5(4): 72
- welding using, 6(3): 71
- Niobium-titanium-vanadium alloys (coated), oxidation, 5(2): 45; 5(4): 61
- Niobium-titanium-vanadium alloys (silicon-coated), oxidation, 6(3): 45
- Niobium tubing, spinning, 5(4): 80
- ultrasonic drawing, 5(3): 65
- Niobium-tungsten alloys, creep and tensile properties, 5(2): 53
- fabrication, 4(4): 43
- oxidation, 4(1): 43
- recrystallization, 4(1): 50
- tensile properties, 4(1): 48; 4(4): 43
- welding, 6(4): 75-6
- Niobium-tungsten base-barrier combination, properties, 5(3): 58
- Niobium-tungsten-vanadium alloys, tensile properties, 4(1): 48
- Niobium-tungsten-vanadium-zirconium alloys, tensile properties, 4(1): 48; 6(1): 86
- Niobium-uranium alloys, cladding applications, 4(4): 3
- corrosion, 4(1): 5, 7-8; 4(2): 33; 5(1): 6; 6(3): 8
- creep resistance, 4(1): 8
- decomposition, 6(1): 23
- development, 5(1): 6
- diffusion, 4(4): 45
- fabrication, 4(1): 8; 5(1): 6

Niobium-uranium alloys (Continued)

high-temperature strength, 6(3): 8
 oxidation, 4(2): 33; 5(2): 3
 oxide film orientation, 6(4): 12-13
 phase studies, 4(4): 2-3; 5(4): 18, 20;
 6(2): 16, 19-20
 phase transformation, 6(4): 12
 physical properties, 6(3): 2
 preparation, 5(1): 6
 properties, 5(1): 4, 6; 5(3): 2; 6(2): 40
 recrystallization, 4(1): 8
 stress-rupture properties, 4(1): 8
 structure, 6(1): 23
 thermal conductivity, 4(1): 8; 6(3): 8
 uranium self-diffusion, 5(3): 2; 6(2): 17
 Niobium-uranium alloys (irradiated), annealing,
 6(3): 12-13
 effects, 6(2): 44; 6(3): 8
 swelling, 6(2): 44; 6(3): 12-13
 Niobium-uranium carbide dispersions, develop-
 ment, 4(2): 10
 Niobium-uranium carbide diffusion couples,
 reactions, 5(3): 16
 Niobium-uranium dioxide cermets, micro-
 structure, 4(3): 8
 physical properties, 6(3): 2
 pressure bonding, 4(3): 7-8
 structure, 6(3): 7
 thermal conductivity, 4(1): 12; 4(3): 8
 Niobium-uranium dioxide cermets (clad),
 pressure bonding, 4(2): 54
 Niobium-uranium dioxide cermets (irradiated),
 effects, 6(3): 7
 Niobium-uranium dioxide cermets (niobium-
 clad) (irradiated), effects, 6(3): 18
 Niobium-uranium dioxide couples, niobium
 diffusion, 5(3): 58
 Niobium-uranium dioxide (coated) dispersions,
 evaluation, 6(3): 19-20
 Niobium-uranium dioxide dispersions, develop-
 ment, 4(1): 12
 Niobium-uranium dioxide dispersions (clad),
 fabrication, 4(2): 10
 Niobium-uranium dioxide dispersions (clad)
 (irradiated), effects, 4(2): 10
 Niobium-uranium monocarbide diffusion
 couples, reactions, 5(3): 16
 Niobium-uranium nitride cermets (clad),
 pressure bonding, 4(2): 54
 Niobium-uranium sulfide dispersions,
 development, 4(2): 10
 Niobium-uranium-zirconium alloys, cladding
 applications, 4(4): 3
 corrosion, 4(1): 5
 creep properties, 5(1): 4
 decomposition, 6(1): 23
 phase studies, 5(4): 18; 6(2): 16, 19-20
 Niobium-uranium-zirconium alloys (irradiated),
 corrosion and dimensional stability, 4(3): 3
 Niobium-uranium-zirconium alloys (Zircaloy-
 2-clad) (irradiated), dimensional stability,
 4(3): 3
 effects, 4(1): 4-5
 Niobium-vanadium alloys, brazing with, 6(4):
 76
 compatibility with fission-plutonium-uranium
 alloys, 4(4): 4
 coating with, 4(2): 58
 corrosion, 6(4): 57
 creep properties, 5(1): 53, 55
 fabricability, 5(4): 72
 mechanical properties, 6(4): 62
 oxidation, 5(3): 40; 6(4): 57
 preparation, 4(1): 67
 properties, 4(2): 47
 strength, 5(4): 72
 tensile properties, 4(1): 48
 welding, 6(4): 75
 welding using, 6(3): 71
 Niobium-vanadium alloys (coated), oxidation,
 5(2): 44-5

Niobium-vanadium-zirconium alloys, brazing

with, 6(4): 76-7
 development for dispersion fuel matrix,
 6(3): 18
 hardening, 5(1): 57-8
 mechanical properties, 6(4): 62
 tensile properties, 5(2): 53
 Niobium-zinc alloys, diffusion, 4(4): 45
 phase studies, 4(2): 42-3
 reaction with silicon-silicon carbide, 4(2):
 43
 Niobium-zinc compounds (NbZn₂), crystal
 structure, 5(3): 57
 Niobium-zirconium alloy-plutonium dioxide
 dispersions, preparation, 6(3): 16, 18
 Niobium-zirconium alloy-plutonium monocar-
 bide dispersions, preparation, 6(3): 16, 18
 Niobium-zirconium alloy-uranium dioxide
 dispersions, preparation, 6(3): 16, 18
 Niobium-zirconium alloys, aging, 4(3): 39-40;
 5(2): 53; 6(4): 75
 carburization, 4(1): 43
 cladding applications, 4(4): 53
 CO₂ and CO embrittlement, 4(3): 28
 compatibility with carbon-uranium system,
 5(1): 17; 6(1): 44
 corrosion, 4(2): 34; 4(4): 35; 5(1): 42;
 5(3): 37, 41; 5(4): 62-3; 6(1): 67-8;
 6(3): 43, 46-8; 6(4): 55, 58
 creep properties, 4(2): 47; 4(3): 47;
 5(1): 53, 55; 5(2): 53
 diffusion bonding, 6(3): 68; 6(4): 77
 ductility, 4(1): 43
 Hall coefficient, 6(4): 64
 hardening, 4(2): 41
 heat-treatment effects, 5(3): 37
 hydrogen heat of transport, 4(3): 41
 hydrogen solubility, 4(3): 40-1
 martensite tempering, 4(2): 41
 mechanical properties, 5(2): 53; 6(1):
 86-7
 omega transformation, 6(4): 64-5
 oxidation, 4(1): 43; 5(3): 40
 phase studies, 4(2): 41; 4(3): 40; 6(1): 88
 physical properties, 5(2): 53
 reaction with carbon monoxide, 4(1): 43
 recrystallization, 4(1): 50
 tensile properties, 4(1): 48; 4(2): 46-7;
 5(1): 55; 5(2): 53; 5(3): 55
 thermal cycling, 6(3): 59
 transformation, 4(2): 41
 tube spinning, 5(4): 80
 weld strength, 5(2): 70
 welding, 4(1): 71; 6(4): 75
 zirconium diffusion, 4(2): 45
 Niobium-zirconium alloys (aluminum-
 chromium-silicon coated), corrosion,
 5(2): 45
 Niobium-zirconium alloys (irradiated), creep
 properties, 5(2): 50
 stress-rupture properties, 5(2): 50-1
 tensile properties, 6(1): 84-5
 Niobium-zirconium base-barrier combination,
 properties, 5(3): 58
 Niobium-zirconium dioxide (CaO) couples,
 reactions, 5(3): 59
 Niobium corrosion, 6(4): 55
 properties, 6(1): 86
 Nitrate crystals (irradiated), thermal spikes,
 6(1): 78
 Nitride fibers, coating with pyrolytic graphite,
 6(1): 101
 Nitrides, emittance, 5(4): 75
 in ternary systems, 5(3): 56-7
 thermal properties, 6(4): 64
 Nondestructive testing, systems, 6(3): 73
 Nonmetals, chemical plating, 5(1): 68
 Nuclear particle detector development,
 5(4): 64
 Nuclei (heavy) (irradiated), excitation by fast
 nucleons, 5(1): 48

O

Organic coolants, corrosive effects, 6(3):
 46-7
 Organic-Moderated Reactor Experiment, fuel-
 element cladding, 5(1): 65
 Organics (irradiated), property changes,
 5(4): 68
 Osmium-tantalum alloys, phase studies,
 4(1): 51; 4(2): 43
 Osmium-tantalum base-barrier combination,
 properties, 5(3): 58
 Osmium-thorium alloys, intermetallics,
 4(4): 4
 Osmium-tungsten alloys, phase studies,
 4(1): 51; 4(2): 43
 Oxide coatings, compatibility with coolants,
 6(4): 28
 vapor deposition, 6(2): 4
 Oxide particles (Al₂O₃-MgO-coated), proper-
 ties, 6(2): 29
 Oxide particles (BeO-coated), development,
 6(2): 28
 Oxide particles (ceramic-coated), preparation,
 6(2): 28
 Oxide particles (fuel-coated), preparation,
 6(2): 4
 Oxide particles (molybdenum-coated), develop-
 ment, 6(2): 29
 Oxide particles (zirconium-coated), prepara-
 tion, 6(1): 33
 Oxide-plutonium dioxide mixtures, spheroidi-
 zation, 6(4): 16
 Oxide powders, cladding with stainless steel by
 pressure bonding, 6(3): 68
 electrodeposition, 6(1): 13
 Oxide (refractory) powders, sintering, 6(4):
 66
 Oxides, chemical deposition, 5(2): 69
 diffusion, 6(1): 90; 6(3): 59
 emittance, 5(4): 75
 thermal properties, 6(4): 64
 Oxides (coated), development for fuel, 6(3):
 19-20
 Oxygen-plutonium-sodium-uranium system,
 glass formation, 5(2): 19
 Oxygen-plutonium system, phase studies,
 5(3): 5-6; 6(2): 22
 Oxygen-plutonium-uranium system, phase
 studies, 5(4): 24
 Oxygen-plutonium-zirconium system, phase
 studies, 5(3): 6
 Oxygen-strontium-uranium system, phase
 studies, 5(1): 15
 Oxygen-thorium-uranium system, tensile
 properties, 5(2): 53
 Oxygen-tungsten-uranium system, chemical
 interactions, 5(3): 14
 Oxygen-tungsten-yttrium system, phase
 studies, 6(4): 66
 Oxygen-uranium system, properties, 5(2): 19
 Oxygen-uranium-zirconium system, phase
 studies, 5(4): 35
 Oxygen-uranium-zirconium system (irradiated),
 phase transition, 5(2): 49
 Oxygen-zirconium solid solutions, X-ray
 studies, 5(3): 58
 Oxygen-zirconium system, electrical resistivity,
 5(2): 58-9
 phase studies, 5(2): 59

P

Palladium, brazing, 4(4): 56
 compatibility with UO₂, 5(4): 34
 corrosion, 5(3): 39
 dimensional changes, 5(1): 40
 oxidation, 5(1): 40; 5(2): 46
 Palladium (irradiated), damage recovery,
 4(2): 35

- Palladium (irradiated) (Continued)
 density, 4(4): 38
 effects, 4(2): 36; 4(4): 39
 X-ray lattice parameter and line breadth, 4(4): 38
- Palladium films (irradiated), fission tracks, 5(4): 64
- Palladium-thorium alloys, intermetallics, 4(4): 4
- Palladium-uranium dioxide compacts, sintering, 5(4): 34-5
- Palladium-zirconium alloys, corrosion, 6(1): 68
- Palladium-zirconium intermetallic compounds, corrosion, 5(2): 42
- Particles (coated)
See also Powders
 fabrication, 6(2): 3
- Pathfinder Reactor, boron-stainless-steel control rods, 6(4): 51
- fuel-rod compaction, 6(1): 99
- PDRL-102, corrosion, 6(3): 46; 6(4): 56
- Peach Bottom Atomic Power Station, coated-particle fuel, 6(2): 5
- Plastics (irradiated), property changes, 5(4): 68
- Platinum, brazing with, 4(4): 56
 compatibility with UO_2 , 5(4): 34
 corrosion, 5(1): 41; 5(3): 39
 dimensional changes, 5(1): 40
 oxidation, 5(1): 40; 5(2): 46
- Platinum (irradiated), damage recovery, 4(2): 35
 density, 4(4): 38
 effects, 4(1): 55; 4(2): 36-7; 4(4): 39;
 6(1): 77; 6(3): 49
 electrical resistivity, 6(3): 49
 fission tracks, 5(1): 45; 5(2): 50; 5(4): 63-4
 focusing collisions, 4(4): 36-8; 6(1): 77
 X-ray lattice parameter and line breadth, 4(4): 38-9
- Platinum anodes, chemical transport between uranium carbide cathodes, 6(1): 100
- Platinum phthalocyanine (irradiated), fission tracks, 5(1): 46-7
- Platinum-rhodium alloys, brazing with, 4(4): 56
 corrosion, 5(3): 39
 dimensional changes, 5(1): 40
 oxidation, 5(1): 40; 5(2): 46
- Platinum systems, diffusion, 5(1): 58
- Platinum-thorium alloys, intermetallics, 4(4): 4
- Platinum-uranium dioxide-platinum system, thermoelectric power, 4(4): 9
- Platinum-zirconium compounds, corrosion, 5(2): 42
- Plutonium, aluminum solubility in, 5(4): 23
 book, 5(2): 5
 casting, 4(3): 52
 calorimetric testing of fuels, 4(1): 73
 compression properties, 5(2): 7, 8
 cooling-rate effects, 5(1): 6
 creep properties, 5(1): 6
 electrorefining, 4(4): 73
 formability, 4(3): 5
 Hall effect, 5(3): 4
 hardness, 5(1): 6; 5(2): 6
 heat of transformation, 6(3): 14
 heat-treatment effects, 5(2): 6
 impact properties, 5(2): 5
 mechanical properties, 5(3): 4
 melting, 4(3): 52; 5(3): 64-5; 6(4): 70
 microstructure, 5(1): 6; 5(2): 6
 outgassing, 6(4): 70
 oxidation, 5(2): 6; 6(2): 21
 phase transformation, 5(1): 6; 5(3): 3-4;
 6(1): 108; 6(3): 13; 6(4): 13
 plastic deformation effects, 6(4): 13
 rolling, 6(3): 13
 temperature effects, 4(3): 5
 tensile properties, 4(3): 5; 5(2): 7, 9
 viscosity, 4(4): 3
- Plutonium-238, behavior in sea water, 6(4): 18
- Plutonium (irradiated), effects, 4(4): 16-17;
 6(3): 13
 electrical resistivity, 6(3): 13
- Plutonium (molten), oxidation, 5(2): 6
 self-diffusion, 6(4): 15
- Plutonium (Zircaloy-clad), rolling, 4(3): 53
- Plutonium (Zircaloy-2-clad), rolling, 5(2): 66
- Plutonium alloys, casting, 4(3): 52
 corrosion, 6(3): 48-9
 melting, 4(3): 52
 phase studies, 6(4): 15
- Plutonium alloys (jacketed), pulsed-field reflection bond testing, 5(3): 75
- Plutonium alloys (molten), corrosive effects, 6(3): 46, 48-9
- Plutonium aluminate, crystallography, 4(3): 13
 melting point, 4(1): 15
- Plutonium aluminides, polymorphic transformation, 5(4): 23
- Plutonium beryllide, 5(2): 8
- Plutonium carbide ($PuC_{0.8}$), radiation self-damage, 6(2): 45
- Plutonium carbide (silicon-silicon carbide canned), fabrication, 4(4): 53
- Plutonium carbide-uranium carbide mixtures, properties, 6(4): 18
- Plutonium carbide-uranium carbide solid solutions, sintering, 5(1): 7; 5(4): 25
- Plutonium carbide-uranium carbide system, densification, 6(1): 28
 density, 4(3): 15
 development, 4(2): 9
 evaluation, 4(2): 8
 melting, 4(3): 13
 preparation, 4(3): 15
- Plutonium carbides, casting, 5(1): 7; 5(4): 25
 compatibility with stainless steel and tantalum, 6(1): 28
 density, 4(3): 15
 formation, 4(4): 16
 hydriding, 5(4): 25
 lattice parameter change, 6(4): 17
 melting, 4(4): 15-16
 phase studies, 5(1): 7
 powder metallurgy, 4(3): 15
 preparation, 4(1): 16; 4(2): 9; 6(1): 28
 properties, 4(1): 14; 4(2): 8
 shattering, 4(4): 16
 structure, 6(1): 27
 thermal expansion, 4(2): 8; 4(3): 13;
 5(4): 25; 6(2): 24
 thermodynamic properties, 6(2): 24
 transformation, 4(2): 8
 vaporization, 4(2): 8
- Plutonium chromate, crystallography, 4(3): 13
- Plutonium compounds, fabrication, 4(1): 16
 lattice expansion, 6(4): 17
 literature survey, 5(2): 8
 physical properties, 5(2): 8
 preparation, 4(1): 16; 5(4): 25
 radiation self-damage, 6(2): 45
 technology, 6(3): 16
- Plutonium compounds (irradiated), lattice parameter increase, 6(2): 23
- Plutonium dicarbide, heat capacity, 6(2): 25
 heat of vaporization, 6(2): 25
 vapor pressure, 6(2): 25
- Plutonium dioxide, characteristic temperature, 4(1): 15
 compatibility with ceramics and metal powders, 4(3): 13
 decomposition, 4(3): 13
 dissolution from glass fibers, 4(4): 15
 dry pressing, 4(4): 15
 etching, 5(1): 7
 expansion, 5(4): 24
 lattice parameter change, 6(4): 17-18
 melting, 4(2): 7; 4(3): 13
 moisture pickup, 5(3): 6
 preparation, 6(4): 17
 production, 5(1): 7
 properties, 6(2): 40
 radiation self-damage, 6(2): 45
 reaction, with Al_2O_3 , 4(1): 15
 with carbon, 4(4): 16
 with ZrO_2 , 4(1): 15
 reactions, 5(4): 24
 reduction, 5(1): 8; 5(4): 24; 6(2): 22;
 6(4): 16
 semiconducting properties, 6(3): 16
 sintering, 4(4): 15; 5(1): 7; 5(2): 11;
 5(4): 24; 6(1): 28
 stability, 5(3): 5
 temperature effects on oxygen/plutonium ratio, 4(2): 8
 thermal expansion, 4(3): 12; 5(1): 7; 6(1): 27; 6(2): 22
 vapor pressure, 4(3): 13; 4(4): 13; 5(2): 16;
 5(3): 6; 6(1): 28
 vaporization, 4(2): 8
- Plutonium dioxide (coated), development for fuel, 6(3): 19
- Plutonium dioxide (copper- and nickel-coated), preparation, 5(3): 9
- Plutonium dioxide (Zircaloy-clad), rolling, 5(2): 66
- Plutonium dioxide particles (nickel-coated), preparation, 5(2): 12-13
- Plutonium dioxide-silicon dioxide-sodium dioxide glass fibers, fabrication, 4(4): 15
- Plutonium dioxide-stainless-steel cermets, compatibility and fabrication, 6(3): 16
- Plutonium dioxide-thorium dioxide solid solutions, sintering, 5(3): 6
- Plutonium dioxide-thorium dioxide system, sintering, 4(2): 8
 solid-state reactions, 4(2): 8
 vapor pressure, 4(3): 13
 weight losses, 4(2): 8
- Plutonium dioxide-uranium dioxide dispersions
 hot rolling, 5(3): 6
- Plutonium dioxide-uranium dioxide mixtures, evaluation, 6(3): 15
 fabrication, 5(4): 24
 lattice parameters, 6(4): 16
- Plutonium dioxide-uranium dioxide mixtures (irradiated), 6(2): 23-4; 6(4): 17
- Plutonium dioxide-uranium dioxide particles (nickel-coated), preparation, 5(2): 12-13
- Plutonium dioxide-uranium dioxide paste, viscous flow, 5(4): 23-4
- Plutonium dioxide-uranium dioxide pellets, sintered density, 5(1): 7
- Plutonium dioxide-uranium dioxide powders, compaction, 5(3): 67; 6(1): 99; 6(3): 70
 sintering, 6(1): 27-8
- Plutonium dioxide-uranium dioxide powders (Zircaloy-clad), swage compaction, 6(4): 70-1
- Plutonium dioxide-uranium dioxide solid solutions, liquidus, 5(4): 24
 plasma-arc spraying, 6(1): 28
 reactions with stainless steel, 6(4): 16
- Plutonium dioxide-uranium dioxide solid solutions (irradiated), effects, 5(4): 24
- Plutonium dioxide-uranium dioxide-stainless-steel dispersions, development and properties, 6(2): 27
- Plutonium dioxide-uranium dioxide system, phase studies, 4(2): 7; 4(3): 12; 6(1): 27
 preparation, 5(2): 10
 production of spherulized, 6(3): 16
 reaction with Zircaloy, 6(3): 16
 segregation of PuO_2 , 6(3): 16
- Plutonium dioxide-zirconium cermets, preparation, 6(3): 16

- Plutonium dioxide-zirconium dioxide (Zircaloy-clad) (irradiated), evaluation, 6(2): 23
- Plutonium dioxide-zirconium dioxide solid solutions, 6(4): 16
- Plutonium dioxide-zirconium dioxide system, phase studies, 4(2): 8; 4(3): 13
- Plutonium disilicide, lattice parameters and melting point, 6(2): 25
- Plutonium foil (aluminum-clad), pressure bonding, 6(1): 98
- Plutonium fuels (irradiated), effects, 6(2): 23-4
- Plutonium monocarbide, electrical resistivity, 6(3): 15; 6(4): 18
- fabrication, 6(2): 25
- formation, 6(4): 16
- phase studies, 5(3): 6
- production, 5(2): 10
- properties, 6(2): 40
- reaction with tantalum, 6(3): 15
- thermal conductivity, 6(2): 24-5
- thermodynamic properties, 6(2): 24
- volatility, 6(3): 16; 6(4): 18
- Plutonium monocarbide (irradiated), effects, 6(4): 31
- fission-gas release, 6(2): 23
- fracture, 6(2): 23
- rupture, 6(4): 17
- Plutonium monocarbide-plutonium mononitride system, phase studies, 6(3): 16
- Plutonium monocarbide powder, electrodeposition, 6(1): 13
- sintering, 5(2): 10; 6(4): 18
- Plutonium monocarbide-uranium monocarbide solid solutions (irradiated), fracture, 6(2): 23
- Plutonium monocarbide-uranium monocarbide system, evaluation, 6(3): 15
- fabrication, 6(2): 25
- phase studies, 6(3): 16; 6(4): 29-30
- thermal conductivity, 6(2): 24-5
- Plutonium monocarbide-uranium monocarbide system (irradiated), effects, 6(4): 17, 30-1
- fission-gas release, 6(2): 23
- Plutonium monocarbide-uranium monocarbide system (stainless-steel-clad) (irradiated), xenon release, 6(1): 45
- Plutonium mononitride, composition, 6(4): 18
- corrosion, 6(4): 18
- decomposition pressure, 6(3): 16
- dissolution in acid, 6(4): 18
- hardness, 6(3): 16
- lattice parameters, 6(4): 18
- melting point, 6(3): 16; 6(4): 31
- preparation, 6(2): 23
- properties, 6(3): 16
- reaction, with boiling water, 6(2): 23
- with organic acids, 6(2): 23
- synthesis, 6(3): 16
- temperature effects, 6(2): 22-3; 6(4): 18
- thermal expansion, 6(2): 23; 6(3): 16
- volatility, 6(3): 16; 6(4): 18
- Plutonium mononitride-tungsten cermets, preparation and volatility, 6(4): 18
- Plutonium monophosphide, preparation, 6(3): 16
- Plutonium monosulfide, preparation, 6(4): 18
- Plutonium monoxide, melting point, 6(3): 16
- Plutonium monoxide-plutonium sesquioxide system, eutectic, 6(4): 16-17
- Plutonium nitrides, arc melting, 5(4): 25
- fabrication, 6(4): 31
- preparation, 4(1): 16; 5(3): 6; 6(1): 27
- properties, 6(4): 31
- radiation self-damage, 6(2): 45
- Plutonium oxalate, sintering, 6(4): 17
- Plutonium oxides, electrical properties, 6(2): 22; 6(3): 16
- melting point, 6(2): 22
- properties, 4(2): 8
- thermoelectric properties, 6(3): 16
- Plutonium-oxygen system, phase studies, 6(3): 16
- Plutonium peroxide precipitates, sintering, 6(4): 17
- Plutonium powder, production, 4(1): 8
- Plutonium-praseodymium alloys, phase studies, 6(4): 14
- Plutonium-rare-earth alloys, phase studies, 6(3): 14-15; 6(4): 13-14
- Plutonium Recycle Test Reactor, fuel elements, 6(1): 98, 100; 6(2): 21
- Plutonium-ruthenium alloys, phase diagram, 5(2): 8, 11
- Plutonium-scandium alloys, 6(4): 14-15
- Plutonium-sesquisulfide, aqueous corrosion, 6(4): 18
- melting point, 6(4): 18, 31
- Plutonium silicide, density, 5(4): 25
- melting point, 5(4): 25
- preparation, 5(1): 7-8; 5(2): 10-11; 5(3): 6; 5(4): 25; 6(2): 25
- Plutonium-silicon system, density, 5(2): 6-7
- phase studies, 6(3): 14
- stabilization, 5(2): 6-7
- Plutonium-silicon-titanium system, density and stabilization, 5(2): 6-7
- Plutonium sulfides, fabrication, 6(4): 31
- preparation, 6(1): 27
- properties, 6(4): 31
- Plutonium systems, 6(2): 22
- Plutonium-tantalum alloys, corrosion, 6(1): 24, 27
- Plutonium-tellurium alloys, density and stabilization, 5(2): 6-7
- Plutonium-thorium alloys, oxidation, 6(2): 21
- phase studies, 4(2): 5
- recrystallization, 4(3): 6; 5(2): 8
- strength, 4(2): 5
- Plutonium-thorium alloys (irradiated), stability, 4(4): 5
- Plutonium-thorium-zirconium alloys, phase studies and strength, 4(2): 5
- Plutonium-tin alloys, density and stabilization, 5(2): 6-7
- Plutonium-titanium alloys, phase transformation temperatures, 5(2): 7, 10
- Plutonium-titanium-uranium alloys, density and stabilization, 5(2): 6-7
- Plutonium-uranium alloys, lattice constants, 6(3): 15
- mechanical properties, 6(4): 16
- oxidation, 6(2): 21
- phase studies, 4(1): 9
- strength, 6(3): 15
- thermal-cycling effects, 6(3): 15
- Plutonium-vanadium oxide system, crystallography, 4(3): 13
- Plutonium-yttrium alloys, phase studies, 6(4): 15
- Plutonium-zirconium alloys, aging effects, 5(2): 6-7
- heat-treatment effects, 5(2): 6-9
- mechanical properties, 5(1): 6; 5(3): 4
- oxidation, 6(2): 21
- phase transformation, 5(3): 4
- physical properties, 5(1): 6
- roll cladding with zirconium, 6(3): 67
- tensile properties, 5(2): 6-8
- thermal expansion and contraction, 5(3): 4
- Plutonium-zirconium alloys (Zircaloy-clad), roll bonding, 6(1): 98
- Plutonium-zirconium alloys (Zircaloy-2-clad), roll bonding, 5(4): 80
- Polonium, electroplating with, 5(1): 68
- Polycrystalline materials, 6(4): 66
- Potassium, corrosive effects, 4(2): 34; 4(3): 29; 4(4): 35; 5(1): 41-2, 62-3; 6(3): 47
- Potassium chloride (irradiated), effects, 6(3): 53
- Potassium chloride crystals (irradiated), argon release from, 6(4): 8
- Potassium crystals (irradiated), argon release from, 6(4): 8
- Potassium oxide-silicon dioxide-sodium oxide-uranium dioxide glass, development, 4(2): 7
- Potassium-sodium alloys
- See Sodium-potassium alloys
- Powders
- See also specific powders
- compaction, 6(1): 7-10, 12; 6(3): 69
- electrodeposition, 6(1), 12-13
- plasma-arc spraying, 6(1): 7-8
- technology, 6(1): 1-17
- Powders (coated), production, 6(1): 2-4
- Praseodymium-thorium alloys, mechanical properties, 6(2): 25
- phase studies, 5(4): 26
- properties, 5(3): 7
- Pressure-vessel reinforcing bands, air-gap magnetic testing, 5(3): 75
- Promethium-147, diffusion in UO_2 , 6(1): 44-5
- Protein (irradiated), thermal spikes, 6(1): 78
- Pyrex, sodium vapor effects on, 6(1): 90
- Pyroceram, corrosion, 5(1): 41
- emittance, 5(4): 75
- Pyrolytic carbon
- See Carbon (pyrolytic)
- Pyrolytic graphite
- See Graphite (pyrolytic)
- Quartz (irradiated), effects, 4(4): 40-1; 6(3): 52
- lattice defects, 6(1): 79
- Quartz powder (silver-coated), preparation, 6(2): 3
- R
- R-20, properties, 6(1): 86
- R-41, diffusion bonding to molybdenum-titanium alloys, 6(4): 77
- Radiation, sputtered copper as reactor-damage monitor, 5(1): 48
- Radiation effects, 5(2): 50; 6(1): 81-2; 6(4): 60-1
- bibliography, 6(3): 55
- theory, 4(4): 41; 6(1): 80-1; 6(3): 53-4
- Radiographic testing, development, 5(1): 74
- Radon, release from alkali chlorides, 6(4): 8
- Rare-earth borates (irradiated), effects, 6(3): 60
- Rare-earth hydrides, 6(1): 66
- Rare-earth oxide-uranium dioxide compacts, corrosion, 6(4): 51-2
- Rare-earth oxides (irradiated), effects, 6(3): 60
- Rare earths, 6(1): 66
- Rare gases, diffusion in solids, 6(4): 8
- Reactors, radiation-damage monitor, 5(1): 48
- Refractory alloys, corrosion, 6(1): 61
- diffusion bonding, 6(3): 68-9
- properties of binary, 6(3): 66
- Refractory carbides, joining to metals, 5(4): 75; 6(1): 99
- systems with uranium carbide, 4(3): 13
- Refractory coatings, oxidation, 5(4): 61
- Refractory compounds, chemical plating, 5(1): 68
- Refractory foils, joining, 6(3): 72
- Refractory fuels
- See Fuels (refractory)
- Refractory materials, dissolution in liquid slags, 6(4): 66
- literature search, 5(2): 55

5

Refractory materials (Continued)

- physical properties, 6(4): 66
- thermal properties, 6(4): 64
- Refractory materials (irradiated), effects, 6(1): 82
- Refractory metals
 - See Metals (refractory)
- Refractory oxide powders, sintering, 6(4): 66
- Refractory powders, compaction, 6(1): 8, 11
- René 41, corrosion, 5(1): 41; 6(4): 56
- creep exposure effects, 5(4): 71-2
- creep properties, 4(3): 29, 47
- diffusion bonding to molybdenum-titanium alloy, 6(1): 99
- mechanical properties, 5(4): 71-2
- oxidation effects, 4(3): 29
- rupture strength, 4(3): 47
- René 41 (coated), corrosion, 4(3): 29
- René 41 (irradiated), mechanical properties, 6(1): 82; 6(4): 61
- stress-rupture properties, 5(4): 69
- Rhenium, boring, 5(3): 69
- compatibility with UO_2 , 4(2): 6
- diffusion coating, 6(3): 70
- diffusion in tungsten single crystals, 6(4): 65
- fabrication, 5(2): 65
- Rhenium alloys, diffusion coating, 6(3): 70
- Rhenium beryllide, crystallography, 6(2): 61
- Rhenium powder, electrodeposition, 6(1): 13
- hot isostatic compaction, 6(1): 11
- Rhenium-tantalum alloys, hardness, 6(1): 87-8
- phase studies, 4(1): 51; 4(2): 43
- rolling, 6(4): 70
- Rhenium-tantalum base-barrier combination, properties, 5(3): 58
- Rhenium-tantalum-tungsten alloys, phase studies, 4(2): 43
- Rhenium-thorium alloys, phase studies, 5(4): 26
- Rhenium-thorium dioxide couples, reactions, 5(3): 59
- Rhenium-tungsten alloys, 4(2): 42
- hardness, 6(1): 87-8
- Rhenium-tungsten base-barrier combination, properties, 5(3): 58
- Rhenium-uranium alloys, phase studies, 5(4): 18; 6(2): 16
- Rhenium-uranium dioxide couples, reactions, 5(3): 59
- Rhodium, applications in neutron radiography, 4(1): 73
- compatibility with UO_2 , 5(4): 34
- corrosion, 5(3): 39
- dimensional changes, 5(1): 40
- oxidation, 5(1): 40; 5(2): 46
- Rhodium-thorium alloys, intermetallics, 4(4): 4
- Rhodium-tungsten base-barrier combination, properties, 5(3): 58
- Rubidium, corrosive effects, 4(2): 34; 5(1): 42; 6(3): 48
- Ruthenium-tantalum alloys, hardness, 6(1): 87-8
- phase studies, 4(1): 51; 4(2): 43
- preparation, 6(3): 66
- Ruthenium-tantalum base-barrier combination, properties, 5(3): 58
- Ruthenium-tantalum-tungsten alloys, phase studies, 4(1): 51
- Ruthenium-tungsten alloys, hardness, 6(1): 87-8
- oxidation, 5(2): 45
- phase studies, 4(1): 51; 4(2): 43
- preparation, 6(3): 66
- Ruthenium-tungsten base-barrier combination, properties, 5(3): 38
- Ruthenium-zirconium compounds, corrosion, 5(2): 42

S Monel

- See also Monel
- corrosion, 4(1): 42
- Samarium, fabrication, 4(4): 31; 5(1): 64
- Samarium alloys, phase studies, 6(4): 51
- Samarium borate, properties, 6(3): 60
- Samarium oxide, compatibility with metals and alloys, 6(3): 60
- properties, 6(3): 60
- Samarium oxide (irradiated), effects, 6(3): 60
- Samarium oxide-uranium dioxide dispersions, stability, 6(3): 42
- Sauerseisen, corrosive effects, 5(4): 62
- Scandium, corrosion, 6(1): 27-8
- Scandium hydride, preparation and properties, 4(4): 28
- Scandium-titanium alloys, phase studies, 4(4): 45
- Scandium-yttrium alloys, phase studies, 5(4): 73-4
- SCb-291, welding, 6(4): 75
- Selenium, melting, 5(1): 63
- Selenium-thorium compounds, crystal structure, 4(1): 9
- Selenium-uranium compounds, corrosion, 4(3): 13
- density, 4(3): 13
- development, 4(2): 9
- fuel applications, 4(2): 9
- Semiconductors (irradiated), effects, 4(3): 35; 5(4): 67
- Shielding materials, 5(1): 77
- Shippingport Pressurized-Water Reactor, fuel fabrication, 6(1): 98; 6(4): 71
- Silica
 - See Silicon dioxide (irradiated)
- Silicates, diffusion, 6(1): 90; 6(3): 59
- Silicides, chemical plating with, 5(1): 69; 5(2): 69
- coatings, 4(2): 58; 4(4): 34; 5(1): 38-9; 5(3): 70; 6(1): 101; 6(3): 70-1; 6(4): 74
- emittance, 5(4): 75
- Silicon, chemical-plating steel with, 5(1): 69
- coatings, 4(1): 67; 5(3): 70
- diffusion, in niobium, 4(4): 46
- in uranium, 4(1): 52
- melting, 5(1): 63
- range-energy relation, 5(2): 49
- reaction with Eu_2O_3 in steels, 4(1): 36
- vapor deposition, 5(3): 9
- Silicon (irradiated), effects, 4(1): 55; 6(3): 54
- length changes, 5(3): 46
- sputtering, 4(4): 38
- Silicon carbide, coatings, 4(4): 35; 6(4): 74
- compatibility with H_2 and tungsten, 5(1): 58
- oxidation, 4(3): 6
- preparation of thin-walled articles of, 6(4): 74
- Silicon carbide (irradiated), dimensional changes, 5(4): 3-4
- oxidation, 5(4): 9
- Silicon carbide-uranium carbide dispersions, preparation, 4(3): 14
- Silicon dioxide (irradiated), catalytic activity, 5(4): 9
- damage recovery, 4(2): 37
- dimensional changes, 5(4): 3-5
- effects, 4(1): 55-6; 4(2): 37; 4(4): 40-1
- light scattering, 4(3): 33
- phase transformation, 5(4): 7
- thermal conductivity, 5(4): 7
- Silicon dioxide gel (irradiated), catalytic activity, 5(4): 9
- Silicon dioxide powder, production, 6(1): 2
- Silicon dioxide-uranium dioxide glasses, devitrification, 4(2): 7
- Silicon films, preparation, 4(4): 54

- Silicon nitride, coating with tungsten, 6(1): 101
- Silicon nitride coatings, 4(4): 35
- Silicon-nickel carbide coatings, electro-potential testing, 4(3): 65
- on graphite, 4(3): 59
- oxidation, 4(3): 59
- reactions with metals and alloys, 4(2): 43
- Silicon-tantalum system, brazing with, 6(4): 76
- corrosion, 5(2): 47
- Silicon-thorium compounds, corrosion and density, 4(2): 5
- Silicon-thorium system, phase studies, 5(1): 8
- Silicon-thorium-uranium compounds, corrosion, 4(2): 5
- density, 4(2): 5
- hardness, 4(4): 5
- Silicon-titanium-tungsten disilicide coatings, deposition on niobium alloys, 6(1): 101
- Silicon-uranium system, behavior, 4(2): 2
- fuel applications, 6(1): 23-4
- grain size, 5(2): 3
- oxidation, 5(2): 3
- properties, 4(2): 2
- specific heat, 5(1): 17-18
- Silicon-uranium system (beryllium-clad), coextrusion, 4(1): 23; 4(2): 56
- Silicon-uranium system (irradiated), effects, 4(1): 6; 4(3): 3
- Silicon-uranium-zirconium system, phase studies, 5(3): 2
- Silicon-yttrium-zirconium coatings, preparation, 5(3): 70
- Silicon-zirconium compounds, corrosion, 5(2): 42
- Silver, electroplating uranium oxide with, 5(1): 68
- internal friction, 6(3): 58
- Silver (irradiated), annealing, 6(1): 75
- carbon-ion energy loss and ranges, 4(3): 32
- damage recovery, 4(2): 35
- effects, 4(1): 54, 56; 5(2): 49; 6(1): 77; 6(3): 49, 51
- electrical resistance, 6(1): 74
- electrical resistivity, 5(2): 48; 6(1): 75; 6(3): 49
- lattice vacancies, 6(1): 75
- nuclear particle tracks, 6(1): 77
- oxygen-ion energy loss and ranges, 4(3): 32
- quenching, 6(1): 75
- recoil-atom ranges, 4(3): 32
- threshold energy, 5(2): 48
- vacancy-formation energy, 5(1): 45
- Silver alloys (Consil 995), corrosion, 5(1): 40
- Silver chloride (irradiated), effects, 6(3): 53
- fission-recoil tracks, 5(4): 66
- Silver crystals (irradiated), atomic collisions, 4(3): 30-1
- disoriented crystallites, 4(3): 32
- Silver cyanamide (irradiated), fission tracks, 5(1): 47
- Silver halide crystals (irradiated), cosmic-ray tracks, 5(4): 66
- Silver-zirconium alloys, corrosion, 6(1): 68
- hydrogen absorption, 5(2): 42
- Silver-zirconium intermetallic compounds, corrosion, 5(2): 42
- Sodium, absorption by graphite, 6(3): 32
- bonding of uranium carbides to austenitic stainless steel, 6(4): 30
- corrosive effects, 4(1): 44, 56
- niobium solubility in, 6(4): 58
- reaction with steam, 5(1): 44
- thermodynamic properties, 4(3): 30
- Sodium (gaseous), effects on ceramics and glasses, 6(1): 90
- Sodium (irradiated), annealing, 5(2): 50
- electrical resistivity, 5(4): 64
- vacancy relaxation, 4(1): 56

Sodium (mo
corrosive
63; 6(3)
mass tra
nickel so
reaction
Sodium chl
tion er
effects,
interstit
Sodium pol
effects,
Sodium-po
5(2):
corrosio
4(2):
Solid-susp
testing,
Solids
See a
diffusio
rare-ga
ultraso
vapor d
vapor t
Solids (in
41; 5(1)
Solids (ir
6(4):
collisio
creep,
effects,
6(3):
harder
ion ran
range-
rare-e
reacti
spectr
surface
Space re
Spinel (i
5(4):
Stainles
6(3):
borat
brazin
brazin
canni
carb
cladd
of
coati
comp
wi
wi
wi
wi
corr
6
decc
diff
6
grap
high
t
join
me
oxi
pen
pla
ran
rea

- Sodium (molten), carbon transfer in, 6(3): 46
corrosive effects, 4(2): 34; 5(2): 46; 5(4): 63; 6(3): 46-8
mass transfer by, 6(4): 58
nickel solubility in, 4(4): 36
reaction with graphite, 4(4): 35
Sodium chloride (irradiated), chlorine activation energy, 5(2): 50
effects, 6(3): 53
interstitial defects, 4(4): 40
Sodium polyphosphate (molten), corrosive effects, 5(1): 42-3
Sodium-potassium alloys, compatibility, 5(2): 22; 6(2): 43
corrosion of niobium-zirconium alloys, 4(2): 34
Solid-suspension systems, nondestructive testing, 4(4): 59
Solids
See also Crystals
diffusion, 6(1): 100
rare-gas diffusion in, 5(4): 74
ultrasonic testing, 4(3): 64
vapor deposition, 6(1): 100
vapor transport, 6(1): 100
Solids (inorganic) (irradiated), effects, 4(4): 41; 5(1): 47-8; 5(3): 47
Solids (irradiated), annealing, 6(3): 54; 6(4): 60
collision focusing, 4(3): 34
creep, 6(1): 81
effects, 4(3): 34; 5(4): 67-8; 6(1): 81; 6(3): 52-5; 6(4): 60
hardening, 6(1): 81
ion ranges, 6(1): 81
range-energy relations, 5(2): 50
rare-gas behavior in, 5(4): 38; 6(4): 8
reactivity, 5(3): 47; 5(4): 9
spectrum effects, 4(3): 34
surface heterogeneity, 4(2): 37
Space reactors, fuel development, 6(3): 1-10
Spinel (irradiated), mechanical properties, 5(4): 5
Stainless steel, bonding to Zircaloy-2, 6(3): 67
borated-glass stability in, 4(1): 36
braze, 5(3): 71; 5(4): 46
braze-alloy corrosion, 5(4): 59-60
canning applications, 5(3): 22
carburization, 6(3): 46-7
cladding, of oxide powders, 6(3): 68
of UO_2 , 6(3): 67
coating with Al_2O_3 , 6(1): 101
compatibility, with beryllium, 4(1): 30
with PuC, 6(1): 28
with rare-earth oxides, 6(3): 60
with thorium-uranium alloys, 4(1): 10
with UC, 6(1): 44
with US, 6(2): 43
corrosion, 5(4): 58-9; 6(3): 43-5, 47-8; 6(4): 55-6
decontamination, 4(1): 42
diffusion bonding, 5(2): 68; 6(1): 98-9; 6(3): 68-9
graphitization, 4(4): 21-2
high-temperature applications and properties, 4(1): 51-2
joining to Zircaloy, 6(1): 98
mechanical properties, 6(3): 57
oxidation, 6(1): 69
penetration by molten uranium and fission-uranium alloys, 6(2): 16-17
plasma-jet spraying with UO_2 , 5(3): 70
rare-gas diffusion, 4(1): 52
reaction, with uranium monosulfide, 5(2): 22
with water, 6(3): 49
with UC, UC_2 , and UN, 6(2): 42
stress-corrosion cracking, 5(2): 43-4; 5(4): 59
thermal radiative properties, 6(4): 65
welding, 4(2): 60; 5(2): 70; 6(3): 71
xenon diffusion, 4(2): 45-6
Stainless steel [15-15 Ni(CrNi)], scaling, 6(1): 69
Stainless steel (16-25-6), scaling, 6(1): 69
Stainless steel (17-4 PH), stress-corrosion cracking, 5(3): 38; 6(1): 69
Stainless steel (17-4 PH) (irradiated), tensile properties, 4(3): 36
Stainless steel (17-7 PH), creep properties, 4(3): 47
rupture strength, 4(3): 47
stress-corrosion cracking, 5(3): 38
Stainless steel (17-14 CuMo), scaling, 6(1): 69
Stainless steel (18-8), scaling, 6(1): 69
Stainless steel (300), corrosion, 5(1): 41
Stainless steel (300 series), corrosion, 6(4): 56
Stainless steel (302), creep properties and rupture strength, 4(3): 47
Stainless steel (304), carbon diffusion into, 5(2): 20-1
carburization, 4(1): 44; 4(2): 33
cladding applications, 4(4): 53
compatibility, with boron carbides, 6(2): 69; 6(4): 51
with U_3Si_2 , 5(1): 18
corrosion, 4(1): 44-5; 4(4): 34; 5(2): 46; 5(3): 38; 5(4): 59, 63; 6(1): 69-70; 6(4): 55, 56
creep properties, 4(1): 47; 4(3): 47; 6(1): 86
explosive extrusion, 5(1): 71
impact properties, 4(1): 47
nitriding, 4(4): 35
oxidation, 4(1): 41; 4(2): 33; 5(3): 40
reaction, with PuO_2 - ZrO_2 solid solutions, 6(4): 16
with silicon-silicon carbide, 4(2): 43
rupture properties, 4(1): 47
stress-corrosion cracking, 6(1): 69-70
stress rupture, 4(1): 47
tensile properties, 4(1): 47
ultrasonic roll bonding, 4(3): 53
uranium diffusion into, 5(2): 21
Stainless steel (304) (irradiated), annealing effects, 4(3): 38
creep properties, 5(2): 50
ductility, 5(1): 49
rupture, 4(2): 40; 5(1): 49
stress rupture, 4(4): 42; 5(2): 50-1; 5(4): 69
tensile properties, 4(3): 36, 38
Stainless steel (304) (molten), reaction with water, 5(3): 43-5
Stainless steel (304) (powder), plasma-arc spraying, 6(1): 8
Stainless steel (304B), reactions with SrB_6 and YB_6 , 4(1): 36
Stainless steel (304 ELC) (irradiated), rupture life, 4(2): 40
Stainless steel (304L), coextrusion with zirconium and zirconium alloys, 6(1): 99
compatibility with graphite, 6(2): 51
corrosion, 4(4): 34
reactions with UC and UO_2 , 4(4): 45
Stainless steel (316), corrosion, 5(1): 41; 6(4): 57-8
explosive welding, 4(1): 70; 5(3): 71, 73
scaling, 6(1): 69
Stainless steel (316), corrosion, 4(3): 29; 4(4): 34; 5(1): 41-2; 5(3): 38; 5(4): 63; 6(1): 61; 6(4): 58
creep properties, 4(3): 47
creep-rupture properties, 4(2): 47
diffusion bonding, 6(1): 99; 6(4): 77
oxidation, 4(1): 43
physical properties, 5(2): 58
reaction, with PuO_2 - ZrO_2 solid solutions, 6(4): 16
with silicon-silicon carbide, 4(2): 43
with water, 6(1): 74
rupture strength, 4(3): 47
Stainless steel (316) (Inconel-clad), stress-corrosion cracking, 5(2): 44
Stainless steel (316) (irradiated), mechanical properties, 6(4): 61
tensile properties, 4(3): 36; 4(4): 42; 5(4): 68-9
Stainless steel (316) (nickel-plated), stress-corrosion cracking, 5(2): 43-4
Stainless steel (316L), creep and creep-rupture properties, 4(3): 47
Stainless steel (317), corrosion, 5(3): 38
Stainless steel (318), brazing to beryllium, 4(3): 60
Stainless steel (321), corrosion, 5(4): 62-3
Stainless steel (347), coextrusion with zirconium and zirconium alloys, 6(1): 99
compatibility with Gd_2O_3 - Sm_2O_3 , 4(3): 26-7
corrosion, 4(4): 34, 36; 6(1): 61-70
creep properties, 4(3): 47
diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
stress-corrosion cracking, 5(4): 59; 6(1): 70
Young's modulus, 6(1): 30
Stainless steel (347) (irradiated), annealing effects, 4(3): 38
effects, 4(1): 57
mechanical properties, 6(4): 61
tensile properties, 4(3): 36, 38; 4(4): 42; 5(4): 68-9
Stainless steel (348), corrosion, 6(4): 55
Stainless steel (405), corrosion, 6(4): 56
Stainless steel (406), corrosion, 6(4): 55
properties, 6(1): 86
Stainless steel (406) (irradiated), mechanical properties, 6(4): 61
tensile properties, 4(4): 42
Stainless steel (410), cold-roll joining to Zircaloy-2, 4(3): 53-4
corrosion, 5(1): 41; 5(4): 62
explosive bonding to Zircaloy-2, 5(1): 71; 5(3): 74; 5(4): 87-8; 6(1): 101-7
roll bonding to Zircaloy-2, 5(4): 80
Stainless steel (410) (irradiated), annealing, 6(1): 78
effects, 5(1): 49
hardening, 6(1): 78
tensile properties, 5(4): 69
Stainless steel (410 modified), corrosion, 6(4): 56
Stainless steel (410, 12 Cr), corrosion, 4(1): 44-5
Stainless steel (430), compatibility with boron carbides, 6(2): 69; 6(4): 51
corrosion, 6(1): 70
diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
reaction with silicon-silicon carbide, 4(2): 43
Stainless steel (430T), 4(1): 47
Stainless steel (430 Ti), reaction with silicon-silicon carbide, 4(2): 43
Stainless steel (431), stress-corrosion cracking, 6(1): 70
Stainless steel (446), corrosion, 4(4): 34; 5(4): 60; 6(4): 56
Stainless steel (4340), explosive extrusion, 5(1): 71
Stainless-steel (4340) powder, plasma-arc spraying, 6(1): 8
Stainless steel (A-286) (irradiated), corrosion, 5(1): 41
creep properties, 4(3): 47
mechanical properties, 6(4): 61

- Stainless steel (A-286) (irradiated) (Continued)
 rupture strength, 4(3): 47
 stress-corrosion cracking, 5(3): 38
- Stainless steel (A-286) (irradiated), creep properties, 5(4): 69
 mechanical properties, 6(1): 82
 stress-rupture properties, 5(3): 49-50
 tensile properties, 5(3): 49-50; 5(4): 69
- Stainless steel (AF 1753), corrosion, 5(1): 41
- Stainless steel (AM-350), stress-corrosion cracking, 5(3): 38
 tensile properties, 4(3): 38
- Stainless steel (AM-350) (irradiated), tensile properties, 4(3): 37-8
- Stainless steel (austenitic), 4(1): 47; 4(4): 28
 carburization, 6(4): 30
 corrosion, 5(1): 31-2, 40; 6(1): 70; 6(4): 57
 scaling, 6(1): 69
- Stainless steel (boron), corrosion, 4(2): 30
- Stainless steel (boron) (chromium-plated), nondestructive testing, 4(4): 59
- Stainless-steel (B¹⁰) powder (stainless-steel-clad) (irradiated), effects, 6(3): 42
- Stainless steel (ferritic), corrosion, 5(1): 40; 6(1): 70
 scaling, 6(1): 69
- Stainless steel (Greek Ascoloy), stress-corrosion cracking, 5(4): 59
- Stainless steel (irradiated), defects, 6(1): 77
 effects, 5(1): 45; 5(3): 54; 6(3): 55-6
 mechanical properties, 5(3): 47; 6(4): 61
 point defects, 6(1): 75-6
 yield strength, 4(3): 38
- Stainless steel (molten), reaction, with UC, 6(2): 42
 with water, 6(3): 49
- Stainless steel (RA 330) (irradiated), properties, 6(1): 86; 6(4): 61
- Stainless steel (semiaustenitic), mechanical properties and cladding strength, 5(4): 71
- Stainless steel (silver-plated), corrosion, 5(1): 40
- Stainless steel (UO₂-coated), preparation, 5(3): 15
- Stainless-steel-titanium dioxide-uranium dioxide dispersion fuels (irradiated), fission-gas release, 4(3): 12
- Stainless-steel tubing, welding, 6(3): 71
- Stainless-steel (304) tubing, collapse, 4(2): 47
 creep buckling, 4(2): 47
 rupture properties, 4(3): 47
- Stainless-steel (304) tubing (irradiated), burst properties, 4(3): 35
- Stainless-steel (410) tubing, explosive joining to zirconium, 4(3): 63
- Stainless-steel-uranium dioxide cermets (clad), pressure bonding, 4(2): 54
- Stainless-steel-uranium dioxide cermets (irradiated), effects, 4(2): 10
- Stainless-steel (302B)-uranium dioxide cermets, modulus of rupture, 4(1): 12
 preparation, 4(3): 7
 thermal conductivity, 4(3): 8
- Stainless-steel-uranium dioxide dispersions, burnup, 4(1): 11
 development, 4(1): 12; 5(2): 11-12
 fabrication, 4(1): 36-7; 4(2): 10
 properties, 6(2): 40
 structure, 6(1): 14
 thermal expansion, 5(1): 9
- Stainless-steel (347)-uranium dioxide dispersions, tensile properties and Young's modulus, 6(1): 30
- Stainless-steel-uranium dioxide dispersions (irradiated), annealing, 6(2): 27
 effects, 4(2): 10; 5(2): 12
 fission-gas release, 4(3): 12
- Stainless-steel (318)-uranium dioxide dispersions (irradiated), stability, 5(1): 9-10
- Stainless-steel (347)-uranium dioxide dispersions (irradiated), U²³⁵ depletion, 6(2): 26
- Stainless-steel-uranium dioxide dispersions (stainless-steel-clad), roll bonding, 5(1): 65
- Stainless-steel (347B)-uranium dioxide dispersions [stainless-steel (347)-clad], 4(3): 7; 4(4): 5
- Stainless-steel-uranium dioxide powder, explosive compaction, 5(2): 73; 6(1): 13
 rolling, 6(1): 4-5
- Stainless-steel-uranium dioxide-zirconium diboride dispersions, boron loss and preparation, 5(1): 36
- Stainless-steel (347)-uranium dioxide-zirconium diboride dispersions, development, 4(4): 5
- Stainless-steel (347)-uranium nitride cermets (clad), pressure bonding, 4(2): 54
- Stainless-steel (304) welds (irradiated), mechanical properties, 4(3): 35
- Stainless-steel (304)-zirconium dioxide dispersion control rod [stainless-steel (304)-clad], coextrusion, 4(2): 55
- Steel, bonding to copper, 4(4): 53
 brittle fracture, 5(4): 72
 chemical plating with silicon, 5(1): 69
 cladding applications, 4(4): 53
 corrosion, 4(1): 46; 5(2): 43; 5(4): 59; 6(1): 70; 6(3): 45-8
 explosive extrusion, 5(1): 70
 explosive forming, 5(2): 71
 friction with uranium, 6(4): 11, 70
 ultrasonic testing, 4(3): 65
 welding to zirconium, 6(3): 71
- Steel (13 Cr ferritic-martensitic) (irradiated), mechanical properties, 4(2): 39
- Steel (17-4 PH), corrosion, 5(1): 41
 stress-corrosion cracking, 4(4): 35
- Steel (17 Cr ferritic) (irradiated), mechanical properties, 4(2): 39
- Steel (406), explosive forming, 5(2): 72
- Steel (502), heat-treatment effects on mechanical properties, 4(2): 47
- Steel (1010), corrosion, 6(1): 61
- Steel (1018 carbon), corrosion, 4(1): 44-5
- Steel (1020), explosive extrusion, 5(1): 71
- Steel (4130 alloy), compatibility with boron carbides, 6(2): 69; 6(4): 51
 corrosion, 4(1): 44-5
- Steel (4340), explosive welding, 4(1): 70-1; 5(3): 71-3
- Steel (A-212) (irradiated), damage recovery, 4(2): 38-9
- Steel (A-212B), notch toughness, 4(2): 47
- Steel (A-212B) (irradiated), annealing, 5(4): 68
 ductility transition temperature, 5(4): 68
 mechanical properties, 5(3): 47-8; 6(4): 61
 notch ductility, 4(4): 42
- Steel (A-212 carbon), corrosion, 6(1): 70
- Steel (A-302) (irradiated), annealing, 5(4): 68
- Steel (A-302B) (irradiated), notch ductility, 4(4): 42
- Steel (Armco), corrosion, 6(1): 71
- Steel (austenitic) (irradiated), mechanical properties, 4(2): 39
- Steel (beryllium-coated), preparation, 4(4): 23
- Steel (boron) (irradiated), bubbles, 6(3): 41
- Steel (boron-coated), preparation, 4(2): 57
- Steel (carbon), corrosion, 4(1): 42; 4(2): 33-4; 5(1): 40-1; 5(2): 43, 46; 5(3): 38-9, 41; 5(4): 62; 6(1): 70; 6(4): 59
 decontamination, 4(1): 42
- Steel (carbon) (clad), mercury containment, 4(2): 34
- Steel (carbon) (Inconel-clad), corrosion, 5(3): 41
- Steel (carbon) (irradiated), effects, 5(3): 54
 mechanical properties, 6(4): 61
- Steel (chromium), corrosion, 5(2): 47; 6(1): 70-1
- Steel (chromium) (irradiated), phase transformation, 5(1): 46
- Steel (chromium-molybdenum), corrosion, 5(2): 46; 5(3): 41; 6(4): 58-9
 creep properties, 4(3): 47
 creep-rupture properties, 4(2): 47; 4(3): 47
 oxidation, 5(3): 39
 uranium diffusion into, 5(2): 21
- Steel (chromium-molybdenum) (irradiated), corrosion, 4(2): 34-5
- Steel (chromium-molybdenum ferritic), 4(1): 47
 corrosion and mechanical strength, 4(1): 44
- Steel (chromium-molybdenum-titanium), corrosion, 6(4): 58
- Steel (chromium-nickel austenitic) (irradiated), mechanical properties, 4(2): 39
- Steel (chromium-plated), corrosion, 4(1): 68
- Steel (Conlo I) (irradiated), ductile-brittle transition temperature, 4(3): 49
- Steel (Croloy), corrosion, 5(1): 41
- Steel (diffusion-coated), preparation, 4(2): 58
- Steel (EN2) (irradiated), embrittlement, 4(2): 40
- Steel (high-strength), stress corrosion, 6(1): 70
- Steel (irradiated), annealing, 4(3): 35, 37-8
 damage recovery, 4(2): 38
 effects, 4(1): 57; 4(2): 38; 6(3): 52, 54-5
 mechanical properties, 4(3): 35, 37-8; 5(1): 48; 5(4): 68
 transition temperature, 4(2): 38
- Steel (low-alloy), corrosion, 4(2): 33-4; 5(1): 40; 5(3): 39; 6(3): 45
 oxidation, 4(4): 35; 5(1): 40
- Steel (low-alloy) (irradiated), effects, 4(1): 57; 5(3): 54
 mechanical properties, 6(4): 61
- Steel (low-carbon), corrosion, 5(4): 59
- Steel (manganese-molybdenum-vanadium austenitic), age hardening, 4(2): 43
- Steel (mild), explosive joining, 5(1): 71; 6(1): 103, 105
 welding, 5(2): 70
- Steel (mild) (irradiated), effects, 6(4): 60
- Steel (Neatro Tool), corrosion, 5(1): 41
- Steel (nickel-plated), properties, 4(1): 67
- Steel (PH 15-7 Mo), corrosion, 5(1): 41
- Steel (SA-212B) (irradiated), coercive force, hardness, and magnetic properties, 5(1): 48-9
- Steel (Sicromo), corrosion, 5(1): 41; 5(4): 62
- Steel (silicon), Eu₂O₃ reaction with silicon, 4(1): 36
- Steel (Swedish 21YY) (irradiated), damage recovery, 4(2): 39
- Steel (T-1), corrosion, 4(1): 42
- Steel (titanium carbide-coated), preparation, 4(2): 58
- Steel powder, explosive compaction, 4(4): 56-7
- Steel weldments, ultrasonic testing, 4(4): 58
- Stellites, corrosion, 4(1): 42
- Strontium, diffusion, 4(2): 45; 5(1): 21, 58
- Strontium boride, reaction with stainless steel (304B), 4(1): 36
- Strontium oxide, diffusion in graphite, 4(2): 46; 5(1): 21
- Strontium-thorium-uranium alloys, hardness, 5(2): 22
- Structural materials, 6(4): 54-66
 See also Metals (structural) (irradiated)
- Structural materials (irradiated), effects, 4(1): 57; 4(2): 38; 6(3): 55
 properties, 4(4): 41-3
- Superalloys, oxidation, 6(3): 46
- Superconductors (irradiated), effects, 6(3): 51
- Sylvania No. 4, corrosion, 5(1): 41

T

- Tantalum, annealing, 4(3): 31-2
 bibliography, 4(4): 44-5
 boriding, 5(3): 69
 brazing, 6(4): 76
 carbon diffusion, 4(1): 52
 carbon solubility, 4(1): 52; 4(2): 41
 casting, 4(2): 51; 4(4): 51
 chemical plating of, 5(2): 69
 chemistry, 4(1): 51
 coating, 4(1): 43; 4(2): 58; 5(1): 38-9;
 6(3): 70; 6(4): 74
 compatibility, with PuC, 6(1): 28
 with UN, 4(2): 10
 with UO_2 , 4(2): 6; 4(4): 11; 6(4): 29
 with US, 6(2): 43
 containment of molten aluminum-thorium-uranium alloys, 5(4): 21
 corrosion, 4(1): 44; 4(4): 4; 5(1): 41;
 5(2): 45-7; 5(3): 41; 5(4): 22-3, 63;
 6(1): 24, 27, 73; 6(3): 46; 6(4): 58-9
 creep properties, 4(3): 47
 determination in beryllium, 6(1): 54
 diffusion, with fission-plutonium-uranium
 alloys, 4(2): 5; 4(4): 4
 in zirconium, 4(2): 45
 diffusion barriers for, 4(4): 45
 diffusion bonding, 5(3): 66; 6(1): 99;
 6(3): 69
 electroplating with chromium cermets,
 5(2): 68-9
 explosive forming, 4(1): 68; 4(3): 63
 extrusion, 5(2): 66; 5(4): 80
 fabrication, 5(3): 65
 forging, 5(2): 66
 gas effects, 4(1): 51
 heat capacity, 4(4): 44
 high-temperature properties, 4(3): 47
 hydrogen diffusion and solubility, 4(1): 52
 joining, 4(4): 55; 6(1): 99
 mechanical properties, 4(2): 40
 melting, 4(2): 51; 4(4): 51
 metallurgy, 4(1): 51
 nitrogen diffusion, 4(1): 52
 nitrogen solubility, 4(1): 52; 4(2): 41
 notch sensitivity, 5(1): 55; 6(3): 57
 oxidation, 4(1): 42-3; 4(2): 33; 4(3): 22,
 28; 5(3): 39-40; 5(4): 60
 oxygen diffusion, 4(1): 52
 oxygen solubility, 4(1): 52; 4(2): 41
 preparation by chloride reduction, 6(4): 73
 pressure bonding to niobium, 6(1): 98
 properties, 6(1): 86
 reactions, with carbides, 4(4): 45; 5(4):
 35-6; 6(3): 15
 with UO_2 , 4(4): 45
 recrystallization of cold-worked, 6(4): 70
 review, 6(3): 56
 self-diffusion, 4(3): 44
 tensile properties, 4(3): 47; 5(1): 55;
 5(2): 53
 thermal radiative properties, 6(4): 65
 vapor deposition, 5(3): 6
 weld bend ductility, 5(1): 72
 welding, 4(1): 71; 5(2): 70
 Tantalum (aluminum-tantalum alloy-coated),
 oxidation, 4(3): 28
 Tantalum (coated), corrosion, 5(2): 45;
 5(4): 62
 Tantalum (irradiated), annealing, 6(1): 75
 compatibility with uranium carbide,
 4(4): 12
 corrosion, 5(4): 60
 effects, 4(1): 54
 hydrogen diffusion, 4(1): 54
 Tantalum (silicide-coated), oxidation, 4(3): 28
 Tantalum alloys, bibliography, 4(4): 44-5
 coatings, 5(1): 38-9; 6(3): 70
 corrosion, 6(3): 48-9
 development, 4(4): 43
 extrusion, 5(1): 64
 fabrication, 5(3): 65
 heat-treatment, 5(3): 65
 hot hardness, 5(3): 55
 joining, 4(4): 55
 oxidation, 5(3): 55
 pack cementation of, 6(3): 70
 phase studies, 4(4): 45
 review, 6(3): 56
 strength and strength-weight ratios,
 4(1): 48-9
 thermal radiative properties, 6(4): 65
 Tantalum alloys (coated), corrosion, 5(4): 61
 Tantalum alloys (molten), corrosive effects,
 6(3): 48-9
 Tantalum alloys (silicide-coated), preparation,
 4(2): 58
 Tantalum aluminides, solid solubility, 6(3): 58
 Tantalum beryllides, fabrication effects,
 6(2): 60
 heating effects, 5(1): 30
 oxidation, 5(3): 28; 6(2): 61
 processing effects, 6(2): 60
 properties, 5(2): 35; 6(2): 60-1
 vapor pressure, 5(3): 28
 Tantalum capsules, fabrication, 4(1): 64
 Tantalum carbide-zirconium carbide system,
 diffusion bonding to tantalum, 6(1): 99
 Tantalum carbides, bibliography, 4(4): 44-5
 chemical plating with, 5(1): 69
 coatings, 4(2): 57-8; 4(3): 57; 4(4): 54
 compatibility, 5(1): 58; 5(3): 40
 corrosion, 5(1): 41
 melting, 5(1): 64
 pyrolytic deposition, 5(3): 69
 uranium carbide behavior with, 5(1): 17
 Tantalum chloride, reduction to metal,
 6(4): 73
 Tantalum compounds, bibliography, 4(4): 44-5
 Tantalum crucibles, 4(3): 52; 5(3): 4
 Tantalum crystals, elastic constants, 4(3): 39
 Tantalum diboride, compatibility, 5(1): 58;
 6(4): 29
 Tantalum foils, brazing using, 6(3): 71
 Tantalum hydride, electrical properties,
 4(1): 33
 Hall coefficient, 4(1): 33
 Tantalum monocarbide, compatibility with
 molten UO_2 , 6(4): 29
 Tantalum monocarbide (plasma-arc sprayed),
 properties, 6(1): 9
 Tantalum monocarbide crucibles, reaction
 with cerium-cobalt-plutonium alloy,
 5(3): 4-5
 Tantalum monocarbide powder, plasma-arc
 spraying, 6(1): 8
 Tantalum nitride, compatibility with H_2 and
 tungsten, 5(1): 58
 Tantalum oxide powder, electrodeposition,
 6(1): 13
 Tantalum (thoriated) powder, explosive com-
 paction, 4(3): 62
 Tantalum sheet, development, 4(1): 63
 Tantalum systems, diffusion, 5(1): 58
 Tantalum-thorium alloys, corrosion, 5(2): 47
 phase studies, 5(1): 8; 6(1): 28-9
 Tantalum-thorium dioxide powder, explosive
 compaction, 5(2): 73; 6(1): 13
 Tantalum-titanium alloys, brazing with,
 6(4): 76
 Tantalum-tungsten alloys, annealing, 5(1): 57
 chemical plating with silicide, 5(1): 69
 corrosion, 5(2): 47
 creep properties, 5(2): 53
 diffusion bonding, 6(3): 69
 mechanical properties, 4(2): 40; 4(4): 51
 melting, 4(4): 51; 5(1): 64
 notch sensitivity, 6(3): 57
 oxidation, 6(3): 44
 recrystallization, 5(1): 57
 stress-rupture testing, 6(3): 56-7
 tensile properties, 5(1): 55; 5(2): 53
 welding, 5(1): 72
 Tantalum-tungsten alloys (aluminum-tin-
 coated), oxidation, 5(2): 45
 Tantalum-tungsten alloys (chromium-silicon-
 titanium-coated), corrosion, 5(4): 62
 Tantalum-tungsten alloys (irradiated),
 mechanical properties, 4(2): 40
 Tantalum-tungsten base-barrier combination,
 properties, 5(3): 58
 Tantalum-uranium dicarbide diffusion couples,
 reactions, 5(3): 16
 Tantalum-uranium dioxide couples, reactions,
 5(3): 59
 Tantalum-uranium monocarbide diffusion
 couples, reactions, 5(3): 16
 Tantalum-vanadium alloys, brazing with,
 6(4): 76
 Tantalum-yttrium alloys, corrosion, 5(2): 47
 Tantalum-zirconium alloys, mechanical
 properties, 6(1): 86-7
 zirconium diffusion, 4(2): 45
 Technetium, melting, 4(3): 52-3
 Technetium-thorium compounds, crystal
 structure, 4(1): 9
 Technetium-uranium compounds, fuel applica-
 tions, 4(2): 9
 Tellurium, diffusion in graphite, 5(1): 21
 Tellurium-zirconium alloys, corrosion,
 6(1): 68
 Thermal insulators (irradiated)
 See Insulators (irradiated)
 Thorium, bibliography, 5(1): 8
 carbon diffusion in, 5(3): 7
 corrosion, 4(3): 2-3
 corrosion protection, 5(4): 26
 diffusion, in PyC, 6(4): 26
 in ThO_2 , 6(1): 90
 ductility, 4(4): 5
 hardness, 6(2): 25
 heat of sublimation, 4(1): 9
 hot hardness, 4(1): 10
 hydrogen effects, 4(4): 5
 mechanical properties, 6(2): 25
 plating, 4(3): 58; 5(1): 67; 5(2): 69
 production, 5(1): 8
 properties, 5(1): 8-9
 purification, 6(2): 25
 reactions with UC, UC_2 , and UN, 6(2): 42
 silver brazing, 4(4): 55
 soldering, 4(4): 55
 tensile elongation, 4(1): 10
 thermal conductivity, 6(1): 29-30
 vapor pressure, 4(1): 9
 Thorium (aluminum-canned), rolling, 6(1):
 30
 Thorium (aluminum-clad), hot pressing,
 4(1): 67
 Thorium (chromium-nickel-plated), corrosion,
 4(2): 60
 Thorium (irradiated), annealing, 4(1): 10
 density, 6(4): 18
 effects, 4(1): 10; 5(1): 8
 hardness, 4(3): 6; 6(4): 18
 mechanical properties, 5(3): 7
 spallation, 5(1): 45
 tensile elongation, 4(1): 10
 tensile properties, 5(1): 9
 Thorium (molten), ThO_2 solubility in, 5(3): 7
 Thorium (zirconium-clad), rolling, 5(3): 66
 Thorium alloys, 6(4): 18
 Thorium aluminide, casting, 5(1): 19-20
 hardness, 4(4): 5
 Thorium beryllide, corrosion, 4(4): 5
 hardness, 4(4): 5
 preparation, 5(1): 20
 sintering, 5(4): 51
 Thorium beryllide-thorium-uranium oxide
 system, sintering, 5(3): 28
 Thorium beryllide-uranium beryllide sys-
 tem, 6(2): 61

- Thorium beryllide-uranium beryllide system (irradiated), effects, 6(3): 38
- Thorium boride, hardness, 4(4): 5
- preparation, 5(1): 20
- Thorium boride-uranium boride system, properties, 6(2): 40
- thermal conductivity, 6(1): 29-30
- Thorium carbide, temperature effects on electron and ion emission, 4(2): 9
- Thorium carbide-uranium carbide particles (PyC-coated), specifications, 5(4): 29
- Thorium carbide-uranium carbide system, corrosion, 4(2): 5
- density, 4(2): 5
- oxidation, 4(3): 6
- thermal conductivity, 6(1): 29-30
- Thorium carbide-uranium dicarbide [(Th₃U)C₂], properties, 6(2): 40
- Thorium carbide-uranium monocarbide [(Th₃U)C], properties, 6(2): 40
- Thorium carbide-uranium powder (coated) (irradiated), Xe¹³³ release, 6(1): 4
- Thorium compounds, corrosion, 4(4): 5
- preparation of cubic perovskite type, 4(3): 13
- properties, 4(4): 5
- refractory properties, 4(3): 6
- Thorium dicarbide, casting, 5(1): 19-20
- corrosion, 4(3): 13
- oxidation, 4(1): 15; 5(1): 16
- properties, 6(1): 45
- state, change in, 6(4): 31
- thermal properties, 6(2): 43
- vapor pressure, 4(4): 13
- Thorium dicarbide particles (carbon-coated), development, 6(2): 29
- Thorium dicarbide-uranium dicarbide particles (carbon-coated), preparation, 6(1): 34
- Thorium dicarbide-uranium dicarbide particles (carbon-coated) (irradiated), Xe¹³³ release, 6(2): 37, 39
- Thorium dicarbide-uranium dicarbide particles (PyC-coated), development, 5(2): 14
- thermal-cycling effects, 6(4): 26-7
- Thorium dicarbide-uranium dicarbide particles (PyC-coated) (irradiated), delamination, 5(4): 33-4
- fission-gas release, 5(2): 17; 6(4): 24-5
- reprocessing, 6(1): 36
- Thorium dicarbide-uranium dicarbide particles (PyC, silicon carbide-coated), properties, 6(2): 29-30
- Thorium dicarbide-uranium dicarbide system, oxidation, 4(1): 15; 4(3): 6; 5(2): 11
- solubility, 4(1): 15
- thermal conductivity, 6(1): 29-30
- Thorium dioxide, compaction, 4(3): 14
- densification, 5(2): 74-5
- density, 4(1): 15
- hot pressing, 6(1): 90
- molybdenum fiber effects on properties, 6(1): 46
- oxidation-reduction, 4(1): 15
- physical properties, 4(3): 13
- production, 5(1): 20
- reaction with beryllium, 6(1): 89
- sintering, 4(3): 15
- solubility in molten thorium, 5(3): 7
- thermal expansion, 4(4): 10, 12
- thorium diffusion in, 6(1): 90
- vapor pressure, 4(4): 13; 5(3): 7
- Thorium dioxide (aluminum-clad), hot pressing, 4(1): 67
- Thorium dioxide (irradiated), Kr⁸⁵ diffusion in, 6(1): 48
- Rn²²² diffusion in, 6(2): 44-5
- Xe¹³³ diffusion in, 6(2): 44-5
- Thorium dioxide compacts, sinterability, 4(4): 15
- Thorium dioxide pellets, production, 4(3): 14-15
- Thorium dioxide powder, densification, 6(2): 43
- explosive compaction, 4(4): 58; 5(2): 72
- production, 6(1): 2
- sintering, 6(3): 26-7
- Thorium dioxide-uranium dioxide (aluminum-clad), hot pressing, 4(1): 67
- Thorium dioxide-uranium dioxide (clad) (irradiated), fission-gas release, 4(1): 13
- Thorium dioxide-uranium dioxide (irradiated), effects, 4(1): 12
- metal-fiber effects on thermal conductivity, 4(2): 7
- Thorium dioxide-uranium dioxide (sintered), oxidation, 4(3): 9-10
- Thorium dioxide-uranium dioxide ceramics, solution in HNO₃ and ultrasonic activation, 5(3): 60
- Thorium dioxide-uranium dioxide particles, production of spheroidal, 6(4): 32
- Thorium dioxide-uranium dioxide particles (Al₂O₃-coated), preparation, 6(2): 28
- Thorium dioxide-uranium dioxide powder, compaction, 4(3): 14; 5(3): 67; 6(1): 6
- Thorium dioxide-uranium dioxide system, phase studies, 6(2): 41
- thermal expansion, 4(4): 10
- Thorium hydride, lattice parameters, 5(4): 62
- Thorium monocarbide, casting, 5(1): 19-20
- corrosion, 4(3): 13
- properties, 6(1): 45
- thermal conductivity, 6(2): 43
- Thorium monocarbide powder, electrodeposition, 6(1): 13
- Thorium monosulfide, hardness, 5(2): 22
- melting point, 6(3): 26
- oxidation, 5(2): 22
- properties, 6(2): 43
- Thorium nitride-uranium nitride system, corrosion, 4(1): 10
- Thorium nitrides, corrosion, 4(3): 13
- fabrication, 6(4): 31
- properties, 6(4): 31
- Thorium oxide-uranium dispersions, particle preparation, 5(2): 22-3
- Thorium selenides, electrical properties, 5(4): 38
- Thorium silicides, casting, 5(1): 19-20
- corrosion, 4(3): 13
- hardness, 4(4): 5
- Thorium sponge, melting and purification, 5(4): 79
- Thorium sulfides, corrosion, 4(3): 13
- crystal structure, 4(1): 9
- fabrication, 6(4): 31
- phase studies, 5(1): 17
- physical properties, 4(3): 13
- properties, 5(1): 17; 5(4): 38; 6(4): 31
- rupture, 5(1): 17
- sintering, 4(2): 9; 4(4): 15
- Thorium tellurides, electrical properties, 5(4): 38
- Thorium-tin alloys, phase studies, 5(4): 25
- Thorium-uranium alloys, casting, 5(2): 65
- compatibility with stainless steel, 4(1): 10
- corrosion, 4(1): 9
- creep strength, 4(1): 9-10
- melting, 5(2): 65
- preparation, 6(3): 67
- recrystallization, 4(1): 9
- strength, 4(1): 10
- Thorium-uranium alloys (irradiated), annealing, 6(1): 29-30
- effects, 4(1): 10; 4(3): 6
- mechanical properties, 5(3): 7
- stability, 4(4): 5
- swelling, 6(1): 29-30
- Thorium-uranium alloys (Zircaloy-2-clad), coextrusion, 6(3): 69
- Thorium-uranium aluminide [(Th₃U)₂Al], hardness, 4(4): 5
- Thorium-uranium beryllide [(Th₃U)Be₁₂], hardness, 4(4): 5
- Thorium-uranium beryllides, oxidation, 5(3): 8
- Thorium-uranium boride [(Th₃U)B₄], hardness, 4(4): 5
- Thorium-uranium borides, compressive strength, oxidation, and thermal expansion, 5(3): 8
- Thorium-uranium carbides, compressive strength, oxidation, and thermal expansion, 5(3): 8
- Thorium-uranium couples, galvanic effects, 4(3): 3
- Thorium-uranium dicarbide (carbon-coated), fuel migration, 5(1): 11
- preparation, 5(3): 10-11
- thermal cycling, 5(1): 11
- Thorium-uranium dicarbide (carbon-coated) (irradiated), effects, 5(3): 12, 14
- fission-gas release, 5(1): 11, 13-14
- Thorium-uranium dicarbide particles (coated), preparation, 4(2): 59; 4(4): 7, 9
- Thorium-uranium dicarbide particles (PyC-coated) (irradiated), fission-product release, 6(2): 11-12
- Thorium-uranium intermetallic compounds, casting, 5(1): 19
- refractory properties, 4(3): 6
- Thorium-uranium monocarbide (carbon-coated), properties, 4(1): 67
- Thorium-uranium silicide [(Th₃U)₂Si₂], hardness, 4(4): 5
- Thorium-uranium-zirconium alloys, phase studies, 5(4): 25
- preparation, 6(3): 67
- properties, 6(3): 67
- Thorium-uranium-zirconium alloys (Zircaloy-2-clad), coextrusion, 6(3): 69
- Thorium-vanadium alloys, phase studies, 6(1): 29
- Thorium-ytterbium alloys, phase studies, 5(1): 8
- Thorium-yttrium alloys, 4(2): 5
- Thorium-zinc alloys, structure, 4(3): 5
- Thorium-zirconium alloys, aging effects, 5(2): 11
- hardness, 4(4): 5; 5(1): 8-9; 5(2): 11
- heat-treatment effects, 5(2): 11
- phase studies, 5(1): 8; 5(2): 11; 5(4): 25
- recrystallization, 4(4): 5
- 3Zr, 6(3): 46, 57, 59
- Timken 16-15-6, corrosion, 4(1): 42
- Tin, determination, 6(1): 54-5
- diffusion, 4(2): 45
- reaction with uranium carbide, 5(4): 36
- self-diffusion, 4(2): 45; 5(2): 59
- Tin (irradiated), annealing, 5(2): 50
- effects, 4(2): 35-6
- phase transformation, 5(4): 6
- Tin (molten), corrosive effects, 6(4): 59
- Tin oxide crystals, vapor deposition, 5(4): 85
- Tin powder (nickel-coated), production, 6(1): 3
- Tin-yttrium alloys, phase studies, 4(3): 41
- Tin-zirconium alloys, corrosion, 6(3): 43
- creep properties, 4(3): 46
- hydrogen absorption, 5(2): 42
- oxidation, 5(3): 41
- tin diffusion, 4(2): 45
- zirconium diffusion, 4(2): 45
- Tin-zirconium intermetallic compounds, corrosion, 5(2): 42
- Titanium, brazing with, 4(4): 56
- coating with, 5(3): 70
- coating with complex fluorides, 4(3): 60
- compatibility with UN, 4(2): 10
- corrosion, 5(1): 41; 5(2): 46; 5(4): 63; 6(1): 61; 6(4): 58-9

Titanium (Continued)

diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
 explosive extrusion, 5(1): 70
 hardness, 4(1): 39
 interdiffusion with uranium, 4(2): 45
 internal friction, 6(3): 58
 melting, 5(1): 63
 plating, 4(3): 37; 5(1): 68
 preparation by iodide refining, 6(3): 70
 reactions with UC, UC₂, and UN, 6(2): 42
 Sn¹¹³ diffusion, 4(2): 45
 solubility in lithium, 5(1): 42
 thermal radiative properties, 6(4): 65
 uranium diffusion, 4(1): 52
 Titanium (irradiated), anisotropic growth, 4(4): 38
 corrosion, 5(4): 60
 effects, 6(3): 27
 electrical resistance and resistivity, 6(1): 75
 isochronal annealing, 5(2): 48
 sputtering, 4(4): 38
 Titanium alloys, coating, 4(3): 60
 corrosion, 6(3): 48
 explosive forming, 5(2): 71
 hydriding, 5(4): 53
 thermal radiative properties, 6(4): 65
 Titanium alloys (irradiated), effects, 6(3): 55
 Titanium alloys (6Al-4V), explosive welding, 5(3): 71-3
 Titanium alloys (B120VCA), explosive welding, 5(3): 71, 73
 Titanium alloys (BC120VCA), explosive welding, 4(1): 70
 Titanium beryllide, crystallography and oxidation, 6(2): 61
 Titanium boride, coating with, 6(1): 101
 Titanium carbide, coating with, 6(1): 101
 compatibility with H₂ and tungsten, 5(1): 58
 melting, 5(1): 64
 Titanium diboride, compatibility with H₂ and tungsten, 5(1): 58
 Titanium diboride (irradiated), effects, 6(3): 51
 Titanium diboride crucibles, reaction with cerium-cobalt-plutonium alloy, 5(3): 4-5
 Titanium diboride powder (nickel-coated), production, 6(1): 3
 Titanium dioxide powder, production, 6(1): 2
 Titanium dioxide-uranium dioxide powder, explosive compaction, 4(4): 58
 sinterability, 4(3): 12
 Titanium dioxide-uranium dioxide powder (irradiated), fission-gas release, 4(3): 11-12
 Titanium dioxide-uranium dioxide powder (sintered), strength, 4(3): 12
 Titanium foil, brazing using, 6(3): 72
 Titanium hydride, bibliography, 6(1): 60
 solubility in molten lithium hydride, 4(1): 33
 structure, 6(3): 39
 Titanium monocarbide, coating with, 4(2): 58
 Titanium monocarbide (plasma-arc sprayed), properties, 6(1): 9
 Titanium monocarbide crucibles, reaction with cerium-cobalt-plutonium alloy, 5(3): 4-5
 Titanium monocarbide powder, plasma-arc spraying, 6(1): 8
 Titanium monocarbide-uranium nitride powder, explosive compaction, 4(3): 62
 Titanium nitride, coating with, 4(3): 57; 6(1): 101
 compatibility with H₂ and tungsten, 5(1): 58
 Titanium nitride (plasma-arc sprayed), properties, 6(1): 9
 Titanium nitride powder, plasma-arc spraying, 6(1): 8
 Titanium powder, explosive compaction, 4(3): 62; 4(4): 56-7
 production, 6(1): 2

Titanium systems, diffusion, 5(1): 58
 Titanium-tungsten alloys, ceramic coatings for, 5(3): 70
 explosive compaction, 6(1): 10, 13
 Titanium-uranium alloys, oxidation, 5(2): 3
 strength, 5(3): 2
 Titanium-uranium alloys (irradiated), swelling upon annealing, 6(3): 12
 Titanium-uranium-zirconium alloys, phase studies, 5(4): 18
 Titanium-vanadium alloys, beta-phase stability, 4(2): 44
 Titanium-vanadium-zirconium alloys, yield strength, 4(1): 51
 Titanium-yttrium alloys, phase studies, 4(1): 51; 4(3): 41
 Titanium-zirconium alloys, corrosion, 6(1): 68
 creep properties, 4(3): 46-7
 hydriding, 6(4): 49
 Transducers, ultrasonic testing, 5(1): 73
 Transition Metals
 See Metals (transition)
 Tubing, nondestructive testing, 4(2): 60; 4(3): 65
 planetary swaging, 5(4): 80
 ultrasonic testing, 5(2): 75-6
 Tungsten, annealing, 4(3): 31-2
 bibliography, 4(4): 44
 boring, 5(3): 69
 brazing, 4(4): 56; 6(3): 71; 6(4): 77
 brazing alloys, 5(4): 87
 carbon solubility, 4(1): 52
 casting, 4(2): 51; 4(4): 51
 coating, 4(1): 67; 4(2): 58; 4(4): 54; 5(1): 39; 5(3): 70; 6(1): 101; 6(3): 70
 compatibility, with borides, 5(1): 58
 with carbides, 5(1): 58; 5(3): 40
 with ErBO₃, 6(3): 60
 with EuBO₃, 6(3): 60
 with nitrides, 5(1): 58
 with oxides, 5(1): 58; 5(3): 40
 with rare-earth oxides, 6(3): 60
 with UN, 4(2): 10
 with UO₂, 4(2): 8; 4(4): 11; 6(4): 29
 with US, 6(2): 43
 corrosion, 5(1): 41; 5(2): 45; 5(4): 60-3; 6(4): 58-9
 creep properties, 5(2): 53
 deposition, 5(2): 69; 5(3): 9, 69; 5(4): 84
 diffusion barriers for, 4(4): 45
 diffusion bonding to tungsten, 4(4): 72
 diffusion in molybdenum, 4(2): 45
 electrical resistivity, 5(2): 31
 explosive forming, 4(1): 68; 4(3): 63; 5(1): 70; 5(2): 70-1; 6(1): 101
 extrusion, 5(2): 66
 forging, 5(2): 66
 hydrogen solubility, 4(1): 52
 joining, 4(4): 55-6
 Lorentz ratios, 5(2): 31
 mechanical properties, 5(3): 55
 melting, 4(2): 51; 4(4): 51; 5(1): 63-4
 nitrogen solubility, 4(1): 52
 notch sensitivity, 5(1): 55
 oxidation, 4(1): 42-3; 5(1): 39; 5(2): 45; 6(1): 71-2; 6(3): 44
 oxygen solubility, 4(1): 52
 plating of, 5(1): 69; 5(2): 68-9; 5(3): 69
 plating with, 4(1): 68; 5(1): 68; 5(3): 69; 5(4): 84
 powder metallurgy, 6(3): 66
 production, 5(3): 69
 properties, 6(1): 7, 9, 86-7
 reactions with carbides and UO₂, 4(4): 45; 5(4): 36
 review, 6(3): 56
 self-diffusion, 4(3): 44
 tensile properties, 5(1): 55; 5(2): 53; 6(1): 86
 thermal conductivity, 5(2): 31

thermal properties, 6(4): 64
 thermal radiative properties, 6(4): 65
 thermoelectric power, 5(2): 31
 vacancy annealing, 4(3): 31-2
 vapor deposition, 6(4): 73
 welding, 4(4): 56; 5(4): 87
 Tungsten (aluminum-tin-coated), oxidation, 5(4): 61
 Tungsten (glass and zircon-coated), preparation, 4(2): 60
 Tungsten (hafnium carbide-coated), preparation, 4(2): 57
 Tungsten (irradiated), annealing, 5(2): 50
 damage, 4(3): 31, 34; 6(1): 77
 damage recovery, 4(3): 34
 density, 4(4): 38
 effects, 4(2): 36; 6(4): 59
 electrical resistance, 6(1): 75
 energy dependence of damage, 4(3): 31
 field-ion microscopy, 5(4): 65
 lattice defects, 5(4): 65
 sputtering, 4(4): 38
 vacancy annealing, 4(3): 31-2
 X-ray lattice parameter and line breadth, 4(4): 38
 Tungsten (plasma-arc sprayed), properties, 6(1): 9
 Tungsten (silicide-coated), oxidation, 5(2): 45
 plating, 5(4): 84
 Tungsten alloy powders, sintering, 5(2): 58
 Tungsten alloys, bibliography, 4(4): 44
 coating of, 6(3): 70
 corrosion, 6(3): 48-9
 development, 5(1): 63-4
 ductility, 4(2): 42
 extrusion, 5(3): 55-6
 fabrication, 5(3): 65
 hardness, 4(2): 42; 5(3): 55
 heat-treatment, 5(3): 65
 mechanical properties, 4(4): 51; 5(3): 55-6
 melting, 4(4): 51; 5(3): 64
 oxidation, 5(3): 55
 phase studies, 4(4): 45
 review, 6(3): 56
 strength, 4(1): 48-9; 5(2): 53, 58
 strength-weight ratios, 4(1): 48-9
 thermal radiative properties, 6(4): 65
 twinning, 4(2): 42
 welding, 4(4): 56
 Tungsten alloys (coated), corrosion, 5(4): 61
 Tungsten alloys (molten), corrosive effects, 6(3): 48-9
 Tungsten beryllide, oxidation, 6(2): 61
 Tungsten boride, compatibility with H₂ and tungsten, 5(1): 58
 Tungsten carbide, bibliography, 4(4): 44
 coatings, 4(4): 35
 compatibility with H₂ and tungsten, 5(1): 58
 corrosion, 5(1): 41
 Tungsten carbide powder (cobalt-coated), production, 6(1): 3
 Tungsten compounds, bibliography, 4(4): 44
 Tungsten crucibles, compatibility with BeO and machining, 5(3): 28
 Tungsten crystals, diffusion, 6(4): 65
 Tungsten dicarbide-uranium powder, electrodeposition, 6(1): 13
 Tungsten disilicide, corrosion, 6(1): 72
 oxidation, 5(2): 45
 Tungsten oxide powder, production, 6(1): 2
 Tungsten powder, compaction, 4(3): 62; 5(2): 72-3; 6(1): 10, 13-14, 101
 electrodeposition, 6(1): 13
 metallurgy, 6(3): 66
 plasma-arc spraying, 6(1): 7-8
 production, 6(1): 2
 rolling, 5(2): 65
 Tungsten sheet, development, 4(1): 63
 Tungsten systems, diffusion, 5(1): 58
 Tungsten tubing, production, 6(3): 66

Tungsten-uranium dicarbide diffusion couples, reactions, 5(3): 16

Tungsten-uranium dioxide cermets, electrical resistivity and thermal conductivity, 6(4): 21

Tungsten-uranium dioxide cermets (tungsten-clad) (irradiated), effects, 6(2): 26-7

Tungsten-uranium dioxide dispersions, development, 4(1): 12

sintering, 6(1): 31

Tungsten-uranium dioxide powder, electrodeposition, 6(1): 13

explosive compaction, 4(3): 62; 5(2): 73; 6(1): 13; 6(3): 73

Tungsten-zirconium alloys, hydrogen absorption, 5(2): 42

Tungsten-zirconium dioxide (CaO) couples, reactions, 5(3): 59

Tungsten-zirconium intermetallic compounds, corrosion, 5(2): 42

TZM, brazing and welding, 6(3): 72

TZM foil, joining, 6(3): 72

U

Ultrasonic testing, evaluation, 4(4): 59

symposia, 5(1): 72-3

techniques, 5(3): 75

transducers, 4(2): 62; 5(1): 73

Uranium, alpha-beta cycling, 4(2): 1

aluminum diffusion, 4(1): 53; 4(3): 2

annealing, 4(1): 64; 4(3): 1-2, 53

atomic position parameter, 5(1): 1

beta transformation, 6(1): 19

brazing, 4(4): 55

burning, 6(4): 31-2

casting, 4(3): 52

cell dimensions, 5(1): 1

chromium diffusion, 4(1): 52; 6(1): 19, 89

cladding, 4(4): 3

coating, 4(1): 16

cobalt diffusion, 6(1): 19, 89

compatibility, 4(4): 2

copper diffusion, 4(1): 52-3

corrosion, 4(1): 5, 16; 4(3): 2-3; 4(4): 1-2; 5(2): 5; 5(3): 1-2; 6(1): 71; 6(2): 15, 21

cracking, 6(1): 22

creep, 4(3): 1; 6(1): 20, 22; 6(3): 13; 6(4): 11

cross-rolling effects, 4(3): 2

crystallography, 6(3): 11

data compilation, 5(2): 3

deformation, 4(3): 2; 6(1): 22

diffusion, 4(2): 45; 4(4): 46; 5(1): 58; 5(2): 3, 21; 5(3): 1; 5(4): 21; 6(1): 89; 6(4): 27-8

diffusion bonding to aluminum and nickel, 5(1): 67

dilatometry, 4(1): 1

dimensional stability, 4(1): 16; 5(1): 1

economics of fuels, 4(2): 52

electrical resistivity, 6(3): 27

electrolytic production, 4(3): 59

enthalpy, 4(2): 1

entropy, 4(2): 1

extraction, 4(4): 2

extrusion, 4(3): 1-2, 53; 5(1): 64-5; 6(1): 97

fabrication, 4(2): 52; 4(3): 53; 4(4): 2; 6(3): 66-7

formability, 4(2): 52; 5(1): 64

free-energy function, 4(2): 1

friction with steel, 6(4): 11, 70

fuels bibliography, 6(3): 27

fuels economics, 4(2): 52

furnace-charge-material effects, 4(4): 51

gold diffusion, 4(3): 2

grain-boundary migration, 6(1): 20, 22

grain refinement, 4(3): 1; 5(4): 16

heat capacity, 4(2): 1

heat content, 6(1): 19

heat-treatment, 4(3): 53; 5(2): 1, 3, 66

helium behavior in, 6(3): 12

hydriding, 4(2): 11

hydrogen diffusion, 4(3): 1; 5(1): 58; 5(2): 3

inclusions, 6(4): 11

incremental collapse, 6(4): 11

ingot production, 5(1): 63

interatomic distances, 5(1): 1

internal friction, 4(3): 2; 6(2): 15; 6(3): 58

iron diffusion, 4(1): 52; 4(2): 45

krypton effects, 6(3): 27

lanthanum diffusion, 4(2): 45

manganese diffusion, 6(1): 19, 89

mechanical properties, 4(4): 2; 5(2): 1; 5(4): 16

melting, 5(4): 79

metallurgy, 4(4): 1; 6(2): 15

molybdenum diffusion, 4(1): 52

nickel diffusion, 4(1): 52-3

niobium diffusion, 4(1): 53

occurrence, 4(4): 2

orientation effects, 4(3): 2

outgassing, 4(3): 53; 5(2): 66

oxidation, 4(2): 11; 4(4): 2, 16; 5(4): 21; 6(3): 11, 13

phase transformation, 4(1): 1; 4(3): 2; 5(3): 1; 5(4): 17; 6(2): 15-16; 6(3): 11; 6(4): 11-13

physical properties, 4(4): 2

plating of, 4(3): 58-9; 5(1): 67-8; 5(2): 69; 5(3): 68

plating with, 5(1): 68-9

preferred orientation, 4(3): 2; 5(1): 1; 6(2): 16; 6(3): 27

preparation, 4(4): 2

pseudo-creep, 6(4): 11

purification, 5(4): 79

rare-gas diffusion, 5(1): 58

rare-gas solution in, 4(1): 16

reaction, with steam, 4(1): 18; 5(4): 21; 6(2): 21; 6(3): 13

with water, 4(1): 17; 5(1): 43-4

recrystallization, 4(2): 1; 4(3): 1; 5(3): 1-2

rolling effects, 5(2): 1; 6(3): 11

rotary piercing, 6(3): 67

self-diffusion, 4(1): 16; 4(3): 2; 5(2): 59; 5(3): 1; 5(4): 16; 6(2): 15, 17

silicon diffusion, 4(1): 52

solubility in aluminum, 5(4): 21

in PyC, 6(4): 27

in UC, 5(3): 15-16

sponge fuel evaluation, 6(3): 11-12

strontium diffusion, 4(2): 45

structure, 4(3): 1-2; 5(3): 2; 5(4): 17

temperature effects, 4(3): 2

texture, 6(3): 11

thermal analysis, 4(1): 1

thermal conductivity, 5(1): 2

thermal cycling, 4(3): 1; 5(1): 1; 6(1): 22

thermal expansion, 4(3): 2; 6(3): 27

titanium diffusion, 4(1): 52; 4(2): 45

ultrasonic grain size, 4(2): 61; 6(4): 11

uses for depleted and natural, 6(3): 12

work function, 6(2): 15

zirconium diffusion, 4(1): 52

Uranium-233, self-diffusion in UO_2 , 6(1): 44-5

Uranium-235, self-diffusion in UO_2 , 6(1): 44

Uranium (aluminum-clad), burnup, 4(1): 2-3

canning, 4(3): 56

corrosion, 4(2): 11

diffusion bonding, 5(2): 68

extrusion, 6(4): 72

Uranium (aluminum-coated), corrosion, 4(3): 3

Uranium (aluminum-plated), preparation, 4(2): 60

Uranium (aluminum-silicon-coated), fabrication, 5(2): 68

Uranium (beryllium-clad), coextrusion, 4(1): 23, 66

Uranium (carbon-coated) (irradiated), fission-gas release, 5(1): 11

Uranium (chromium-plated), coating, 4(4): 54

Uranium (clad), interactions, 4(2): 45

Uranium (clad) (irradiated), swelling, 6(2): 44

Uranium (copper-plated), development, 4(1): 68

Uranium (dingot), stress-rupture properties, 4(1): 2-3

tensile properties, 4(1): 2

Uranium (iron-plated), preparation and cladding, 4(1): 68

Uranium (irradiated), annealing, 6(3): 12-13

atom ejection by fission fragments, 5(3): 45; 6(1): 47

behavior as function of fabrication, 5(1): 1

bubble formation, 4(3): 15; 5(1): 21; 5(2): 24; 6(2): 44; 6(4): 32-3

creep, 5(1): 20

deformation, 6(1): 22

dimensional changes, 4(3): 15; 5(1): 20-1; 5(2): 1, 3, 23-4; 5(3): 18; 5(4): 17

dislocation loops, 5(2): 23

effects, 4(1): 3-4, 16, 56; 4(3): 35; 4(4): 2, 17; 5(3): 18; 5(4): 67; 6(3): 11, 13, 27, 53; 6(4): 12

fission-product ranges, 4(3): 32

growth, 4(2): 13; 4(3): 15; 4(4): 1, 17; 6(4): 33

heating effects on fission-gas resolution, 4(3): 15-16

internal friction, 6(2): 44

^{131}I release during oxidation, 6(2): 44

krypton release, 4(3): 15; 5(4): 17; 6(4): 32-3

lattice defects, 4(2): 13

mechanical properties, 5(1): 1-2

melting, 5(4): 17

oxidation, 5(3): 3

point-defect effects, 4(4): 17

rare-gas release, 6(2): 44

reactions with air, CO_2 , and steam, 4(1): 17-18

stability, 5(2): 1-3

stresses, 4(3): 15

structural changes, 4(4): 16-17

swelling, 4(1): 3-4, 16; 4(2): 12; 4(3): 3, 15; 4(4): 17; 6(1): 22, 47; 6(2): 17, 44; 6(3): 12-13

thermal cycling, 5(1): 20

thermal expansion, 4(4): 16-17

volume changes, 6(4): 33

Xe 139 diffusion, 5(4): 38-9; 6(2): 44

Uranium (magnesium-clad), extrusion, 4(1): 64

Uranium (metal-coated), corrosion, 4(1): 68

Uranium (molten), density, 5(3): 1

interaction with zirconium, 4(2): 45

penetration of stainless steel, 6(2): 16-17

reaction with water, 4(3): 30; 4(4): 36; 5(3): 43-4

zirconium diffusion, 4(2): 45

Uranium (nickel-canned), fabrication, 6(4): 72

Uranium (nickel-clad), electroplating, 6(4): 73

Uranium (nickel-coated), chemical plating, 5(4): 84

Uranium (nickel-plated), preparation and properties, 4(1): 68

Uranium (nickel-plated) (aluminum-clad), corrosion of bonds, 4(3): 4

Uranium (stainless-steel-clad), extrusion, 4(1): 64

Uranium (stainless-steel-clad) (irradiated), interface effects, 4(3): 35

Uranium (vinyl-coated), corrosion, 4(3): 3

Uranium (Zircaloy-clad), corrosion, 4(4): 1

rupture, 4(4): 1

swaging, 4(4): 52

Uranium (Zircaloy-2-clad), defect-test behavior, 4(4): 1

- Uranium (Zircaloy-2-clad) (irradiated), bond damage, 4(3): 35
 swelling, 5(3): 18; 5(4): 17; 6(4): 11
 Uranium (zirconium-clad), canning, 4(3): 56
 casting, 4(4): 53
 corrosion, 4(2): 11
 Uranium (zirconium-coated), vapor deposition, 4(3): 57
 Uranium alloys, 6(2): 15
 beta-phase metastability and retention, 4(1): 2
 casting, 4(3): 52
 corrosion, 4(1): 5; 4(3): 3; 5(2): 5
 diffusion, 5(1): 58; 5(2): 3
 extrusion, 5(1): 64-5; 6(3): 67
 fuel development, 6(3): 67
 helium behavior in, 6(3): 12
 phase studies, 5(2): 4
 Uranium alloys (clad), sodium bonding, 4(1): 66
 Uranium alloys (cubic) (irradiated), effects, 4(2): 12
 Uranium alloys (irradiated), annealing, 6(3): 12-13
 dimensional changes, 5(2): 24
 effects on beta phase, 4(1): 2
 swelling, 4(2): 12-13; 6(2): 44; 6(3): 12-13, 67
 Uranium alloys (nickel-plated), preparation, 4(2): 59-60
 Uranium alloys (nickel-plated) (aluminum-clad), testing, 4(2): 59-60
 Uranium aluminides, suppression in alloys, 6(2): 20
 Uranium beryllide-zirconium beryllide, properties, 6(2): 61
 Uranium beryllides (irradiated), 6(2): 61
 sintering, 5(4): 51
 Uranium blanket rods [stainless-steel (304)-clad], canning and sodium bonding, 4(2): 57
 Uranium carbide cathodes, chemical transport between platinum anodes, 6(1): 100
 Uranium carbide particles (carbon-coated), evaluation, 6(1): 35-6
 Uranium carbide particles (carbon-coated) (irradiated), fission-gas release, 5(4): 32-3
 fracture, 5(4): 33
 Uranium carbide particles (PyC-coated), 5(4): 29-31; 6(4): 23
 Uranium carbide particles (PyC-coated) (irradiated), fission-gas release, 5(4): 33
 Uranium carbide pellets, coating with chromium, 6(1): 101
 Uranium carbide powder, explosive compaction, 4(4): 58
 fabrication and preparation, 4(2): 9
 metallurgy, 4(3): 13
 sintering, 4(3): 14; 5(4): 38
 Uranium carbide powder (irradiated), xenon diffusion, 5(4): 36; 6(2): 44-5
 Uranium carbide-vanadium dispersions, development, 4(2): 10
 Uranium carbide-zirconium carbide particles (coated), evaluation, 6(1): 34-5
 Uranium carbide-zirconium carbide system, creep strength, 4(1): 15
 reactive hot pressing, 4(4): 14
 Uranium carbide-zirconium dispersions, development, 4(2): 10
 Uranium carbides, analysis, 6(1): 44
 bibliography, 5(2): 20
 carbon activity, 6(4): 30-1
 carburization of austenitic stainless steel in sodium systems, 6(4): 30
 casting, 4(1): 16; 4(3): 13-14; 4(4): 13-14; 5(1): 18
 cladding materials, 4(2): 8
 coatings, 4(1): 15
 compatibility with H₂ and tungsten, 5(1): 58
 corrosion, 4(1): 15
 deformation, 4(4): 12
 density, 4(1): 15; 4(4): 14
 electrical resistivity, 4(1): 15; 4(4): 12
 electronic work function, 6(1): 45
 evaluation, 4(3): 13; 6(1): 96-7
 fabrication, 4(1): 16; 4(3): 13
 flexure strength, 4(1): 15
 fuel development, 4(4): 13
 grain growth, 4(4): 12
 hardness, 4(1): 5, 15; 4(3): 13; 4(4): 12; 6(3): 4
 high-temperature applications, 6(4): 31
 isostatic hot pressing, 4(3): 14
 lattice parameters, 4(3): 13; 4(4): 12
 melting, 4(1): 16; 4(4): 13; 6(4): 30
 microhardness, 4(3): 13
 microstructure, 4(1): 15
 oxidation, 6(4): 32
 phase studies, 6(4): 30
 Poisson's ratio, 4(3): 13
 powder metallurgy, 4(3): 13
 preparation, 4(1): 16; 4(3): 14; 6(1): 96-7
 production, 4(4): 14
 properties, 4(1): 14; 4(3): 13; 6(2): 42
 reactions, 4(4): 45; 5(4): 36; 6(3): 5
 self-diffusion, 4(2): 8
 slip casting, 4(3): 14
 stability, 6(1): 44
 strength, 6(3): 4
 technology, 5(1): 16
 temperature effects, 4(4): 12
 thermal conductivity, 4(1): 14-15; 4(3): 13; 6(3): 4
 thermal-cycling effects, 4(3): 13
 thermal expansion, 4(1): 14-15; 4(3): 13
 thermal properties, 4(4): 12
 transient heating effects, 4(2): 8-9
 uranium density, 6(3): 4
 xenon diffusion, 4(3): 16
 Uranium carbides (beryllium-clad), coextrusion, 4(1): 23
 Uranium carbides (carbon-coated), fabrication, 4(4): 9
 Uranium carbides (clad), pressure bonding, 4(2): 54
 Uranium carbides (irradiated), compatibility with tantalum, 4(4): 12
 effects, 4(1): 15; 4(2): 8; 4(3): 13; 5(1): 17; 5(2): 21; 6(2): 42; 6(3): 5; 6(4): 30
 fission-gas release, 4(4): 12; 6(4): 5-6
 Uranium carbides (niobium-clad) (irradiated), effects, 6(1): 45-6
 Uranium carbides (niobium-zirconium alloy-clad), swaging, 4(3): 54
 Uranium carbides (silicon-silicon carbide-canned), fabrication, 4(4): 53
 Uranium carbides (stainless-steel-clad) (irradiated), effects, 6(1): 45-6
 Uranium compacts, extrusion, 5(1): 64-5
 Uranium compounds, diffusion, 5(1): 58; 5(2): 3
 Uranium ceramics (niobium-coated), preparation, 6(3): 19
 Uranium crystals, elastic moduli of single, 4(2): 1
 thermal expansion, 4(3): 2
 Uranium crystals (irradiated), effects, 4(4): 17
 growth of single, 6(1): 47
 Uranium (depleted) blanket slugs, loading, 6(1): 100
 Uranium dibismuthide (irradiated), Xe¹³³ diffusion from, 5(3): 18
 Uranium dicarbide, cubic modification, 4(2): 9
 diffusion barrier for, 6(2): 42
 dissociation pressure, 4(1): 15; 5(4): 36
 entropy, 6(3): 26
 heat capacity, 6(3): 26
 hot hardness, 4(3): 13
 oxidation, 4(1): 15; 5(1): 16
 phase transformation, 5(2): 20
 reaction, with metals, 5(4): 36; 6(2): 42
 with water, 5(1): 16-17
 thermal conductivity, 6(4): 31
 vapor pressure, 4(4): 13
 Uranium dicarbide (carbon-coated), development, 4(1): 67
 production, 4(4): 9
 rupture, 5(1): 12; 6(3): 24
 Uranium dicarbide (carbon-coated) (irradiated), effects, 5(1): 13; 5(3): 12, 14; 6(3): 24
 fission-gas release, 5(1): 12, 14; 5(3): 11-12
 Uranium dicarbide (irradiated), compatibility with NaK, 5(2): 22
 fission-gas release, 6(4): 5-6
 Uranium dicarbide (PyC-coated), preparation, 6(3): 21
 Uranium dicarbide particles (carbon-coated), 6(2): 7-8
 development, 6(2): 29
 Uranium dicarbide particles (carbon-coated), (irradiated), failure, 6(2): 39
 Uranium dicarbide particles (irradiated), fission-product release, 6(1): 40; 6(2): 11-13
 Uranium dicarbide particles (PyC-coated), compatibility with HNO₃, 5(2): 15
 fuel-element fabrication, 5(2): 14-15
 thermal-cycling effects, 6(4): 26-7
 uranium diffusion, 6(4): 27
 Uranium dicarbide particles (PyC-coated) (irradiated), evaluation, 6(1): 37-8, 40-1
 failure, 6(4): 25
 fission-product release, 5(2): 16-17; 5(4): 34; 6(2): 11-13; 6(4): 24-5
 Uranium dicarbide particles (zirconium-coated), development, 6(2): 32-3
 Uranium dicarbide powder, production, 6(1): 2
 Uranium dicarbide powder (carbon-coated), production, 6(1): 3
 Uranium dicarbide-uranium-iron dicarbide system, phase studies, 6(4): 30
 Uranium dioxide, applications, 5(1): 14
 bibliography, 4(3): 9
 characterization, 6(2): 42
 cladding, 6(1): 98; 6(3): 67
 compatibility, 4(2): 6; 4(4): 11, 23-4, 26; 5(1): 15; 5(4): 34; 6(3): 2
 electrolytic growth, 6(4): 32
 conversion from UF₆, 6(4): 73
 data, 4(3): 9
 decomposition, 4(1): 13
 density, 4(2): 52-3; 6(1): 41
 diffusion, 5(1): 58; 5(2): 3
 electrical conductivity, 4(4): 10; 5(2): 18
 fabrication, 6(4): 32
 fabrication of porous, 5(1): 16
 fission-product distribution, 6(3): 27-8
 flame spraying, 5(3): 15
 gas evolution on heating, 5(1): 16
 heat of fusion, 6(2): 40
 fluorine removal, 5(1): 16
 Kr⁸⁴ diffusion, 4(3): 10
 magnetic moment of uranium atoms, 6(4): 29
 melting, 6(2): 40; 6(3): 25
 niobium diffusion, 5(1): 58; 6(4): 66
 outgassing, 5(3): 15
 oxidation, 4(3): 9, 12; 5(2): 18; 6(3): 2
 oxidation-reduction cycling, 4(3): 12
 oxygen self-diffusion, 4(4): 10
 phase studies, 5(1): 14
 physical properties, 4(3): 13; 6(3): 2
 plasma-jet spraying with, 5(3): 70
 power-generation simulation, 5(3): 15
 pressure bonding, 5(2): 67
 properties, 5(1): 14; 5(4): 34; 6(2): 40; 6(3): 2
 rare-gas diffusion, 5(1): 58

Uranium dioxide (Continued)

reaction, with beryllium, 4(3): 55; 6(2): 59
 with bivalent metal oxides, 6(1): 42-3
 with cladding materials, 4(4): 45
 with graphite, 4(2): 17-18
 with zirconium, 4(3): 55; 6(1): 89
 rod rolling, 4(2): 53
 self-diffusion, 5(1): 56
 solid solutions, 5(1): 14
 specific volume, 6(1): 41-2; 6(3): 25
 stabilization against oxidation, 4(3): 12
 strontium diffusion, 4(1): 53; 5(1): 58
 substoichiometry, 6(4): 29
 swaged density, 4(2): 52-3
 temperature profile, 4(1): 13
 thermal conductivity, 4(2): 6; 4(3): 9;
 4(4): 10; 5(1): 15; 5(2): 18; 6(1): 29-30,
 41; 6(3): 2, 24-5
 thermal expansion, 4(1): 13; 4(2): 6;
 4(3): 12; 4(4): 10
 thermal stress, 4(1): 13
 uranium inclusions, 6(1): 41
 uranium self-diffusion, 4(4): 10
 vapor deposition, 6(2): 4
 vaporization, 5(2): 18
 xenon diffusion, 4(3): 11, 16
 zirconium diffusion, 4(1): 53; 5(1): 58
 Uranium dioxide (aluminum alloy-clad),
 coextrusion, 4(2): 56
 Uranium dioxide (aluminum-clad), diffusion
 bonding, 5(2): 67-8
 swaged density, 4(2): 52-3
 Uranium dioxide (Al_2O_3 -coated), development,
 4(1): 67-8
 oxidation, 6(3): 19
 preparation, 5(1): 10-11; 5(3): 10
 Uranium dioxide (Al_2O_3 -coated) (irradiated),
 effects, 6(3): 21, 23
 fission-gas release, 5(1): 11, 13; 5(3): 12
 Uranium dioxide (aluminum-iron alloy-clad),
 pressure bonding, 4(2): 53
 Uranium dioxide (beryllium-clad), bonding,
 5(1): 65; 5(2): 67; 5(4): 46
 Uranium dioxide (beryllium-coated), prepara-
 tion, 4(4): 6
 Uranium dioxide (beryllium oxide-coated),
 development, 4(4): 6; 6(3): 20
 leaching, 6(3): 19
 Uranium dioxide (carbon-coated), preparation,
 5(3): 10
 Uranium dioxide (carbon-coated) (irradiated),
 Xe^{135} release, 5(3): 12
 Uranium dioxide (ceramic-clad), development,
 4(4): 55
 Uranium dioxide (chromium-coated), prepara-
 tion, 4(1): 67; 4(4): 6; 5(3): 8-9; 6(3): 19
 Uranium dioxide (chromium-nickel alloy-clad),
 cold drawing, 4(3): 54
 Uranium dioxide (chromium-plated), develop-
 ment, 4(1): 68
 Uranium dioxide (clad), pressure bonding,
 4(2): 53-4; 4(4): 53
 swaging, 5(1): 65; 5(3): 65-6
 Uranium dioxide (clad) (irradiated), fission-
 gas release, 4(1): 13
 Uranium dioxide (coated), development for
 fuel, 6(3): 19
 Uranium dioxide (copper-plated), development,
 4(1): 68
 Uranium dioxide (enriched), density, 5(4): 34
 Uranium dioxide (Fansteel 80- and 82-clad),
 swaging, 4(4): 52
 Uranium dioxide (Hastelloy-iron-clad),
 swaging, 4(4): 52
 Uranium dioxide (Inconel-X-clad), pressure
 bonding, 5(2): 67
 Uranium dioxide (iron-coated), preparation,
 5(3): 8-9; 6(3): 19
 swaging, 4(4): 52
 Uranium dioxide (irradiated), activation
 energy, 4(4): 9

annealing, 6(1): 48
 bubble formation, 6(3): 28
 crystal growth, 5(1): 15
 effects, 4(1): 12-14, 16-17, 56; 4(2): 6;
 4(4): 11; 5(1): 14; 6(3): 2-3, 25, 28, 53
 electrical conductivity, 4(4): 9-10; 5(2): 18
 fission-product diffusion, 4(1): 17; 6(1):
 43-4
 fission-product release, 4(1): 13, 17;
 4(2): 13-14; 4(3): 10-12; 4(4): 10-11;
 5(1): 21; 5(2): 23; 5(3): 18; 5(4): 34;
 6(1): 48; 6(4): 2-3, 33
 fission tracks, 4(2): 13, 37; 6(1): 78
 fracture, 4(2): 13
 I^{135} and I^{135m} diffusion, 5(3): 18
 Kr^{85} diffusion, 5(3): 18; 6(2): 44-5
 Kr^{85m} and Kr^{85} diffusion, 4(4): 10-11
 melting point, 4(2): 13; 4(4): 10; 5(2):
 17-18; 5(3): 14-15
 oxidation in water, 4(2): 6
 oxygen effects, 6(3): 29
 physical properties, 6(1): 47-8
 properties, 5(4): 34
 rare-gas diffusion from, 6(2): 44
 Rn^{222} diffusion, 6(2): 44-5
 stored-energy release, 5(4): 39
 structure, 4(3): 11
 thermal conductivity, 4(1): 13; 4(2): 6;
 5(1): 16; 5(2): 18; 6(4): 29
 uranium diffusion, 6(2): 44-5
 vaporization, 5(2): 18; 5(4): 39
 xenon release, 6(2): 45; 6(3): 28
 Xe^{135} and Xe^{135m} diffusion, 4(4): 10
 Xe^{135} diffusion, 5(1): 15; 5(2): 23; 5(3): 18;
 5(4): 39; 6(2): 44-5
 Xe^{135} diffusion, 5(3): 18
 Uranium dioxide (mild-steel-clad), swaged
 density, 4(2): 52-3
 Uranium dioxide (molten), compatibility,
 4(4): 11; 6(4): 29
 expansion, 6(2): 40-1; 6(3): 25
 surface tension, 6(2): 40; 6(3): 25
 Uranium dioxide (molybdenum-clad), extrusion,
 4(1): 64
 Uranium dioxide (molybdenum-coated), prepara-
 tion, 4(4): 6; 5(3): 8-9; 6(3): 19
 Uranium dioxide (molybdenum-plated), develop-
 ment, 4(1): 68
 Uranium dioxide (nickel-coated), preparation,
 4(4): 6; 5(3): 8-9; 6(3): 19
 Uranium dioxide (nickel-plated), development,
 4(1): 68
 Uranium dioxide (niobium-coated), preparation,
 4(4): 6
 pressure bonding, 4(2): 53
 Uranium dioxide (niobium-plated), development,
 4(1): 68
 Uranium dioxide (niobium-vanadium alloy-
 coated), preparation, 4(4): 6
 Uranium dioxide (oxide-coated) (irradiated),
 effects, 6(3): 23
 Uranium dioxide (PuO_2 -enriched), irradiation
 testing, 5(3): 6
 Uranium dioxide (pressure-bonded), density,
 4(3): 54
 Uranium dioxide (PyC-coated), development
 and properties, 4(1): 68
 Uranium dioxide (silicon-coated), preparation,
 4(1): 67; 4(4): 6
 Uranium dioxide (sintered), grain growth,
 4(3): 9; 5(4): 34
 microscopy, 5(2): 18
 surface area, 4(3): 9
 Uranium dioxide (stainless-steel-clad), co-
 extrusion, 4(1): 66; 5(3): 66
 corrosion, 6(3): 48
 extrusion, 4(1): 64
 pressure bonding, 4(2): 53; 4(3): 54-5;
 5(1): 66; 5(2): 67; 5(4): 81
 swaged density, 4(2): 52-3
 swaging, 4(1): 65

tandem rolling, 5(3): 66
 Uranium dioxide [stainless-steel (304)-clad],
 density and stoichiometry of coextruded,
 4(1): 66
 stress-corrosion cracking, 5(3): 38
 swaged density, 4(2): 52-3
 Uranium dioxide [stainless-steel (304L)-clad],
 pressure bonding, 5(2): 67
 Uranium dioxide [stainless-steel (316L)-clad],
 bonding, 5(4): 80
 Uranium dioxide [stainless-steel (406)-clad],
 pressure bonding, 5(2): 67
 Uranium dioxide (tungsten-plated), develop-
 ment, 4(1): 68
 Uranium dioxide (vanadium-coated), prepara-
 tion, 4(4): 6
 Uranium dioxide (Zircaloy-clad), coextrusion,
 4(1): 66
 fabrication, 4(2): 8
 hydriding, 5(3): 37
 swaging, 4(4): 52
 Uranium dioxide (Zircaloy-clad) (irradiated),
 failure, 6(1): 43
 Uranium dioxide (Zircaloy-2-clad), hydriding,
 6(1): 68
 pressure bonding, 4(1): 68; 4(2): 54;
 5(2): 67
 swaged density, 4(2): 52-3
 swaging, 4(1): 64
 welding, 5(3): 71
 Uranium dioxide (Zircaloy-2-clad) (irradiated),
 failure, 4(4): 12
 interface effects, 4(3): 35
 Uranium dioxide (Zircaloy-4-clad), pressure
 bonding, 5(2): 67
 swaged density, 4(2): 52-3
 Uranium dioxide ceramics, economics,
 4(4): 12
 Uranium dioxide ceramics (irradiated),
 annealing, 4(4): 17-18
 dislocations, 4(4): 17
 effects, 4(1): 12
 fission-fragment trajectories, 4(4): 17
 Uranium dioxide ceramics (Zircaloy-clad),
 diffusion bonding, 4(2): 55
 Uranium dioxide cermets, 4(3): 7-8
 oxidation, 6(3): 7
 preparation, 6(1): 4
 thermal conductivity, 6(3): 7
 Uranium dioxide cermets (clad), pressure
 bonding, 4(2): 53-4
 Uranium dioxide cermets (irradiated), effects,
 4(1): 12
 Uranium dioxide crystals, explosive com-
 paction, 4(4): 58
 infrared absorption, 6(4): 29
 orientation, 4(3): 9
 preparation, 6(1): 101; 6(2): 41-2
 specific volume, 6(4): 29
 thermoelectric power, 6(4): 29
 uranium precipitation, 6(4): 29
 Uranium dioxide crystals (irradiated), effects,
 6(2): 45
 Uranium dioxide dispersions (clad), fabrica-
 tion, 4(4): 5-6
 pressure bonding, 4(2): 53-4
 Uranium dioxide dispersions (clad) (irradiated),
 effects, 4(4): 5-6
 Uranium dioxide dispersions [stainless-steel
 (347)-clad] (irradiated), effects, 5(1): 10
 Uranium dioxide films (irradiated), micro-
 structure, 4(1): 13
 Uranium dioxide films (single-crystal) (ir-
 radiated), fission-fragment tracks, 6(2): 45
 Uranium dioxide materials, fabrication,
 4(1): 14
 Uranium dioxide-oxide mixtures, melting
 points, 4(1): 13
 Uranium dioxide particles (Al_2O_3 -coated),
 compatibility with molten LiF-NaF
 eutectic, 6(4): 23

- Uranium dioxide particles (Al_2O_3 -coated)
(Continued)
corrosion, 5(2): 14
development, 4(4): 6; 5(2): 13
gas-pressure bonding, 6(4): 71-2
graphite-matrix grain orientation, 5(4): 27-8
oxidation, 5(2): 14; 6(4): 28
pelletizing, 6(1): 33-4
preparation, 4(2): 59; 5(4): 27; 6(1): 14;
6(2): 28
properties, 4(2): 59; 4(3): 57-8
 UO_2 densification, 6(2): 29
Uranium dioxide particles (Al_2O_3 -coated)
(irradiated), failure, 6(1): 32, 36-7;
6(2): 33
fission-product release, 5(2): 15-16;
6(1): 36, 40; 6(2): 11-13; 6(4): 24-5
performance, 6(4): 24
 Xe^{135} release, 6(2): 33
Uranium dioxide particles (Al_2O_3 , BeO-coated)
(irradiated), performance, 6(4): 24-5
Uranium dioxide particles (Al_2O_3 , PyC-coated)
(irradiated), fission-product release,
6(2): 11-13
performance, 6(4): 24-5
Uranium dioxide particles (BeO-coated), de-
velopment, 5(2): 13-14
oxidation, 5(2): 14; 6(4): 28
preparation, 5(4): 27; 6(1): 31-2
Uranium dioxide particles (BeO-coated)
(irradiated), fission-product release,
6(2): 11-13; 6(4): 24-5
 Xe^{135} release, 6(2): 33
Uranium dioxide particles (carbon-coated),
preparation, 5(2): 13; 6(2): 28
Uranium dioxide particles (carbon-coated)
(irradiated), effects, 6(1): 32-3
Uranium dioxide particles (ceramic-coated),
preparation, 6(2): 4
 Xe^{135} retention, 5(4): 31-2
Uranium dioxide particles (ceramic-coated)
(irradiated), leached uranium, 5(4): 31-2
Uranium dioxide particles (chromium-coated),
preparation and properties, 4(2): 59
Uranium dioxide particles (coated), prepara-
tion, 6(1): 14, 16
Uranium dioxide particles (MgO-coated),
corrosion, 5(2): 14
development, 5(2): 13-14
failure, 6(1): 32
oxidation, 6(4): 28
preparation, 5(4): 27
properties, 5(4): 27
Uranium dioxide particles (nickel-coated),
evaluation, 6(1): 31
preparation, 5(2): 12
Uranium dioxide particles (niobium-coated),
preparation, 6(2): 4, 28-9
Uranium dioxide particles (PyC-coated),
preparation and properties, 6(2): 29
Uranium dioxide particles (PyC-coated)
(irradiated), failure, 6(1): 37; 6(4): 25
fission-product release, 5(2): 16-17;
6(1): 36, 40; 6(2): 11-13
Uranium dioxide particles (stainless-steel-
coated), evaluation, 6(1): 31
fabrication, 6(4): 22-3
Uranium dioxide particles (tungsten-coated),
preparation, 6(2): 28-9
Uranium dioxide pellets, fabrication, 4(3): 12
Uranium dioxide pellets (beryllium-clad),
failure, 6(1): 57
Uranium dioxide plates, fabrication, 4(2): 8
Uranium dioxide plates (Zircaloy-clad)
(irradiated), development, 6(2): 39
Uranium dioxide powder, characterization,
6(2): 41-2
compaction, 4(2): 53; 4(3): 54, 63-4; 4(4):
57; 5(1): 71; 5(2): 72; 5(3): 66-8, 73-4;
5(4): 82-3; 6(1): 5-8, 12, 99; 6(3): 69-70,
72-3; 6(4): 72
electrodeposition, 6(1): 13
plasma-arc spraying, 6(1): 8
preparation, 4(2): 7-8
production, 6(1): 2
sintering, 4(2): 7-8; 4(3): 12; 5(1): 16
swaging, 6(3): 67-8
Uranium dioxide powder (Al_2O_3 -coated), de-
velopment, 4(2): 59
preparation, 4(4): 6; 6(1): 3
pressure bonding, 4(2): 54
properties, 4(2): 59; 6(1): 3-4
Uranium dioxide powder (BeO-coated), pro-
duction, 6(1): 3
Uranium dioxide powder (carbon-coated),
production, 6(1): 3
Uranium dioxide powder (clad), compaction,
6(4): 71-3
pressure bonding, 4(2): 53-4; 6(4): 71
swaging, 6(4): 70
Uranium dioxide powder (Inconel-X-clad),
pressure bonding, 6(4): 71
Uranium dioxide powder (MgO-coated),
production, 6(1): 3
Uranium dioxide powder (molybdenum-coated),
production, 6(1): 3
use in cermet preparation, 6(1): 4
Uranium dioxide powder (nickel-coated),
production, 6(1): 3
Uranium dioxide powder (niobium-coated),
production, 6(1): 3
use in cermet preparation, 6(1): 4
Uranium dioxide powder [stainless-steel
(AISI-406)-canned], vibratory compaction,
5(4): 82
Uranium dioxide powder (stainless-steel-clad),
vibratory compaction, 4(1): 65
Uranium dioxide powder (stainless-steel-
coated), production, 6(1): 3
Uranium dioxide powder (tungsten-coated),
production, 6(1): 3
Uranium dioxide powder (vanadium-coated),
preparation, 4(1): 67
Uranium dioxide powder (zirconium-coated),
preparation, 6(2): 4
Uranium dioxide powder (ZrO_2 -coated), pro-
duction, 6(1): 3
Uranium dioxide rods, compaction, 6(1): 99
fabrication, 6(4): 32
Uranium dioxide spheres (molybdenum-coated),
preparation, 4(2): 58-9
Uranium dioxide spheres (niobium-vanadium
alloy, chromium-coated), preparation,
4(2): 58
Uranium dioxide-thorium dioxide particles
(BeO-coated), production, 4(4): 6
Uranium dioxide-yttrium oxide solid solu-
tions, plasticity, 6(1): 42
stability, 4(2): 6
Uranium dioxide-yttrium oxide system
(irradiated), phase studies, 4(3): 11
Uranium dioxide-yttrium oxide system
(sintered), structure, 4(3): 11
Uranium dioxide-zirconium dioxide mixtures
(PyC-coated), preparation, 5(3): 69
Uranium dioxide-zirconium dioxide powder,
explosive compaction, 6(3): 72
Uranium dioxide-zirconium dioxide system,
corrosion, 4(2): 6-7
lattice parameters, 4(2): 6
phase studies, 4(2): 6; 4(3): 11; 4(4): 12;
5(1): 16; 6(1): 41-2
reduction of ZrO_2 , 5(2): 19
solid-solution studies, 5(2): 19
structure, 4(3): 11
thermal expansion, 4(2): 6
thermodynamic properties, 5(2): 19
 Xe^{135} diffusion, 4(3): 11
Uranium dioxide-zirconium dioxide system
(irradiated), development, 6(2): 39
dimensional changes, 5(4): 5
effects, 4(1): 56; 6(3): 25
phase studies, 5(1): 16
structure, 4(3): 11
thermal conductivity, 5(1): 16
 Xe^{135} diffusion, 4(2): 7
Uranium dioxide-zirconium monoxide powder,
production, 6(1): 3
Uranium disilicide, preparation, 5(3): 64
Uranium films, surface structure, 5(4): 16
Uranium foils (irradiated), dislocation loops,
6(4): 33
Uranium hexafluoride, conversion to UO_2 ,
6(4): 73
Uranium hydride-zirconium hydride system,
temperature effects, 6(3): 39
Uranium hydrides, oxidation, 4(2): 11
Uranium ingots, chemistry, 6(1): 96
furnace atmosphere effects, 4(1): 63
Uranium-molybdenum alloy-uranium carbide
dispersions, development, 4(1): 11
Uranium-molybdenum alloy-uranium dioxide
dispersions, development, 4(1): 11
Uranium monocarbide, annealing, 5(1): 19
carbon diffusion, 5(2): 21; 6(4): 30
casting, 5(1): 18
compatibility, with cobalt, 5(3): 17
with niobium alloys, 5(1): 17
with stainless steel, 6(1): 44
diffusion barrier for, 6(2): 42
diffusion bonding to tantalum, 6(1): 99
entropy, 6(3): 26
explosive compaction, 5(1): 71
flow stress, 6(2): 42
grain growth, 5(3): 16
heat capacity, 6(3): 26
melting point, 6(4): 30
oxidation, 5(1): 16; 5(3): 16
physical properties, 6(3): 2
plastic deformation, 5(2): 21
preparation, 5(2): 22; 5(3): 64
pressing, 5(1): 19
production, 5(1): 19
properties, 6(2): 40
reaction, with beryllium, 5(1): 59
with carbides, 5(1): 17
with CO_2 , 6(2): 42
with CO, 6(2): 42
with metals, 5(1): 59; 5(4): 35-6;
6(2): 42
with N_2 , 6(2): 42
with O_2 , 6(2): 42
with water, 5(1): 16-17
softening, 6(4): 30
solubility in carbides, 5(1): 17
storage, 5(1): 19
structure, 6(3): 4
thermal conductivity, 6(2): 24-5
uranium self-diffusion, 5(2): 21
uranium solubility in, 5(3): 15-16
 Xe^{135} diffusion, 5(3): 16; 6(4): 31
Uranium monocarbide (irradiated), annealing,
5(2): 22; 6(1): 46
density, 5(1): 17
effects, 5(2): 23; 6(1): 46
fission-product release, 6(4): 6, 30
lattice strain, 5(2): 22
rare-gas release, 6(2): 44
resistivity, 5(2): 22
 Xe^{135} diffusion, 6(2): 44-5
Uranium monocarbide (nickel-clad) (ir-
radiated), effects, 6(2): 42
Uranium monocarbide [stainless-steel (304)-
clad] (irradiated), effects, 5(2): 21;
6(2): 42-3
Uranium monocarbide (tantalum-clad)
(irradiated), failure, 6(1): 45
Uranium monocarbide compacts, failure,
5(3): 17
Uranium monocarbide particles (PyC-coated),
fission-product retention, 5(2): 14
Uranium monocarbide particles (SiC-coated),
development, 6(2): 29

- Uranium monocarbide powder, compaction, 5(2): 72; 6(1): 8
 electrodeposition, 6(1): 13
 metallurgy, 5(1): 18-19
 production, 5(2): 22; 6(1): 2
 sintering, 5(1): 18-19; 5(3): 17; 6(1): 46-7; 6(3): 26
- Uranium monocarbide powder (carbon-coated), production, 6(1): 3
- Uranium monocarbide-zirconium monocarbide powder, electrodeposition, 6(1): 13
- Uranium monocarbide-zirconium monocarbide system, hardness, 6(1): 45
- Uranium mononitride, compatibility with metals, 5(3): 17; 6(3): 6
 density, 6(3): 5
 melting point, 6(3): 5
 physical properties, 6(3): 2
 properties, 6(2): 40, 43
 pyrochoricity, 6(3): 6
 reactions with metals, 6(2): 42
 strength, 6(3): 5-6
 structure, 6(3): 5
 thermal conductivity, 6(3): 5
 uranium density, 6(3): 5
- Uranium mononitride (irradiated), density, 5(4): 36, 38
 effects, 5(2): 23; 6(3): 5-6
- Uranium mononitride powder, compaction, 6(1): 8; 6(3): 72
- Uranium monophosphide, properties, 6(2): 43
- Uranium monophosphide powder, preparation and properties, 6(4): 31
- Uranium monosulfide, compatibility with materials, 6(2): 43
 hardness, 5(2): 22
 melting point, 6(3): 26
 oxidation, 5(2): 22
 physical properties, 5(3): 16
 properties, 6(2): 43
 reaction with metals and alloys, 5(2): 22
 thermal conductivity, 6(3): 26
- Uranium monosulfide powder, fabrication, 6(3): 26
- Uranium monosulfide-uranium monoxide monosulfide system, preparation and properties, 6(4): 31
- Uranium nitride cermets, fabrication, 4(1): 12
 gas-pressure bonding, 4(2): 10
 sintering, 4(2): 10
- Uranium nitride dispersions [stainless-steel (347)-clad], fabrication, 4(4): 5-6
- Uranium nitride dispersions [stainless-steel (347)-clad] (irradiated), effects, 4(4): 5-6; 5(1): 10
- Uranium nitride powders, 4(2): 9; 4(3): 14
- Uranium nitrides, compatibility with metals, 4(2): 10
 deformation, 4(4): 12
 fabrication, 6(4): 31
 grain growth, 6(1): 46
 modulus, of rupture, 4(3): 13
 of shear, 4(3): 13
 Poisson's ratio, 4(3): 13
 preparation, 4(2): 9
 production, 4(4): 14-15
 properties, 6(4): 31
 thermal expansion, 4(2): 9; 4(3): 13; 4(4): 10, 12
- Uranium nitrides (clad), pressure bonding, 4(2): 54
- Uranium nitrides (irradiated), annealing, 6(1): 46
 effects, 6(1): 46
 fabrication, 4(3): 14
- Uranium nitrides [stainless-steel (304)-clad], cold swaging, 4(3): 54
- Uranium oxide coatings, volatility and water-vapor effects on, 6(4): 28
- Uranium oxides, cathodic deposition, 4(3): 59
 free energy of formation, 6(2): 41
 lattice parameters, 5(3): 15
 plating, 4(3): 59; 5(1): 68; 6(4): 73
 pressure bonding, 4(3): 55
 reactions with beryllium, 6(1): 89
 reduction by carbon monoxide and hydrogen, 6(1): 43
 thermal conductivity, 4(2): 6
- Uranium oxides (Al_2O_3 -coated), catalytic activation, 6(3): 23
- Uranium oxides (irradiated), effects, 4(1): 55
- Uranium oxides (metal-coated), corrosion, 4(1): 68
- Uranium oxides (PyC-coated), catalytic activation, 6(3): 23
- Uranium oxides (U_3O_8), magnetic moment of uranium atoms, 6(4): 29
- Uranium oxides (U_3O_8), phase studies, 5(2): 18-19
- Uranium oxides (U_3O_8), dissociation, 5(2): 18
 heat capacity, 5(4): 35
 magnetic moment of uranium atoms, 6(4): 29
 reduction by hydrogen, 5(3): 14
 solid-phase reactions, 5(4): 35
- Uranium oxides (U_3O_8) (aluminum-clad), coextrusion, 5(2): 68
- Uranium oxides (U_3O_8) (irradiated), fission-gas diffusion, 6(2): 44-5
 stored-energy release, 5(4): 39
 uranium diffusion, 6(2): 44-5
- Uranium oxides (U_3O_8), oxidation, 5(2): 19
- Uranium oxides (U_3O_8) (irradiated), stored-energy release, 5(4): 39
- Uranium oxides (Zircaloy-2-clad), failure, 4(3): 30
- Uranium particles (nickel-coated), preparation, 6(2): 3
- Uranium particles (zirconium-coated), preparation, 6(2): 4
- Uranium powder (carbon-coated), production, 6(1): 3
- Uranium selenide, corrosion, 4(3): 13
 density, 4(3): 13
 development, 4(2): 9
 electrical properties, 5(4): 38
 structure, 6(3): 26
- Uranium sesquicarbide (irradiated), 5(2): 22
 fission-gas release, 6(4): 6
- Uranium sheet, recrystallization, 5(4): 16-17
- Uranium silicides, behavior, 4(2): 2
 chemical properties, 4(1): 15; 4(3): 13
 compatibility with stainless steel (304), 5(1): 18
 deformation, 4(4): 12
 disintegration, 4(1): 15
 dynamic modulus, 5(1): 18
 electrical resistivity, 5(1): 5, 17; 6(1): 23
 mechanical properties, 4(3): 13
 modulus, of rupture, 4(3): 13
 of shear, 4(3): 13
 oxidation, 4(1): 15
 physical properties, 4(1): 15; 4(3): 13
 Poisson's ratio, 4(3): 13
 properties, 4(2): 2
 specific heat, 6(1): 23
 thermal expansion, 4(1): 15-16; 4(2): 9; 4(3): 13
 thermal properties, 5(1): 5, 17
 weight gain, 4(1): 15
 Young's modulus, 4(1): 16
- Uranium silicides (irradiated), effects, 4(3): 13
- Uranium silicides (U_3Si_2), preparation, 5(3): 64
 properties, 6(2): 40
- Uranium sulfide powder, production, 4(4): 14; 5(1): 19
 sintering, 4(2): 9; 4(3): 15
- Uranium sulfide-uranium dispersions, development, 4(2): 10
- Uranium sulfide-zirconium dispersions, development, 4(2): 10
- Uranium sulfides, development, 4(2): 9
 electrical resistivity, 4(2): 9
 fabrication, 6(4): 31
 heat of dissociation, 4(2): 9
 lattice parameter, 4(2): 9
 melting point, 4(2): 9
 oxidation, 5(1): 17
 phase studies, 5(1): 17
 physical properties, 4(3): 13
 properties, 5(1): 17; 5(4): 38; 6(4): 31
 rupture, 5(1): 17
 structure, 6(3): 26
 vapor species, 4(2): 9
- Uranium sulfides (irradiated), hardness, 6(4): 31
- Uranium systems, intermediate layer growth, 5(2): 59
- Uranium tellurides, development, 4(2): 9
 electrical properties, 5(4): 38
 structure, 6(3): 26
- Uranium trioxide, dissociation, 5(2): 18
 free energy of formation, 6(2): 41
 reduction, 5(3): 14
 vapor pressure, 6(2): 41
- Uranium tubing, 4(1): 63-4
 production, 5(1): 63; 5(4): 79-80
- Uranium-uranium carbide system, 4(3): 13; 4(4): 12
- Uranium-uranium carbide system (beryllium-clad), coextrusion, 4(2): 56
 rolling, 4(3): 53
- Uranium-uranium dialuminide-uranium monocarbide system, phase studies, 6(4): 30
 coextrusion, 4(2): 56
 rolling, 4(3): 53
- Uranium-uranium dioxide dispersions, 5(1): 2-3
 isotopic interchange, 4(3): 8-9
- Uranium-uranium dioxide powder, explosive compaction, 6(3): 72
- Uranium-uranium monocarbide cermets, grain growth, 5(3): 16
- Uranium-vanadium alloys, oxidation, 5(2): 3
- Uranium-vanadium alloys (irradiated), swelling, 4(1): 3-4
- Uranium wire, 4(1): 63-4
- Uranium-yttrium alloys (irradiated), swelling, 4(1): 3-4; 5(2): 5
- Uranium-yttrium dispersions, mechanical strength and powder metallurgy, 4(2): 10
- Uranium-zinc alloys, preparation, 5(1): 6
 structure, 4(3): 5
- Uranium-Zircaloy-2 alloys, phase studies and structure, 4(3): 40
- Uranium-zirconium alloy cladding, 4(4): 3
- Uranium-zirconium alloys, corrosion, 5(2): 4
 electrical resistivity, 5(2): 4
 extrusion, 5(4): 82
 heat-treatment, 5(1): 3; 5(4): 18
 hydriding, 6(2): 63
 magnetic susceptibility, 5(2): 4
 metallography, 5(1): 3
 oxidation, 5(2): 3
 phase studies, 5(4): 18; 6(1): 20, 22
 phase transformation, 4(1): 6
 uranium self-diffusion, 5(3): 2; 6(2): 17
- Uranium-zirconium alloys (beryllium-clad), extrusion, 4(1): 23
- Uranium-zirconium alloys (irradiated), annealing, 6(3): 12
 bubble formation, 5(1): 4
 dimensional changes, 5(4): 18-20
 effects, 4(1): 16; 4(3): 3
 metallography, 5(1): 3
 point defects, 5(3): 18
 swelling, 6(1): 22-3; 6(3): 12

Uranium-zirconium alloys (molten), reaction with water, 5(4): 21
 Uranium-zirconium alloys [stainless-steel (304)-clad] (irradiated), effects, 4(2): 1-2
 stability, 6(2): 17-19
 Uranium-zirconium alloys [stainless-steel (347)-clad], hot drawing and swaging, 4(3): 54
 Uranium-zirconium alloys (Zircaloy-clad), coextrusion, 5(4): 81-2
 Uranium-zirconium alloys (Zircaloy-2-clad), 4(1): 1-2
 Uranium-zirconium beryllides, 5(1): 30
 Uranium-zirconium hydride dispersions, fabrication, 4(1): 34
 properties, 4(2): 25
 Uranyl sulfate solutions, corrosive effects, 5(2): 46

V

Vanadium, cladding applications, 4(4): 53
 coating, 4(1): 67; 6(1): 101; 6(3): 70; 6(4): 74
 compatibility with US, 6(2): 43
 corrosion, 5(4): 63; 6(3): 44, 48
 deoxidation, 5(1): 64
 diffusion barrier for tungsten, 4(4): 45
 diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
 melting, 5(1): 64
 plating of, 5(2): 69
 reaction, with UC, UC₂, and UN, 6(2): 42
 with US, 5(2): 22
 review, 6(3): 56
 solubility of carbon, hydrogen, nitrogen, and oxygen, 4(1): 52
 Vanadium (irradiated), sputtering and thermal conductivity, 4(4): 38
 Vanadium alloys, coating of, 5(3): 70; 6(3): 70
 diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
 mechanical properties, 4(4): 51
 melting, 4(4): 51
 review, 6(3): 56
 Vanadium alloys (coated), corrosion, 5(4): 61
 Vanadium crystals, elastic constants, 4(3): 39
 Vanadium intermetallic compounds, superconductivity, 6(4): 63
 Vanadium oxide (V₂O₅), solid-phase reaction, 5(4): 35
 Vanadium systems, diffusion, 5(1): 58
 Vanadium-yttrium alloys, phase studies, 4(3): 41
 Vanadium-zirconium alloys, corrosion, 6(1): 68
 Vanadium-zirconium intermetallic compounds, hydriding, 4(4): 28; 5(4): 52-3
 Vinyl coating corrosion, 4(3): 3
 Vycor, coating with PyC, 5(3): 69
 sodium vapor effects on, 6(1): 90
 Vycor (UO₂-bearing) (irradiated), applications, 6(2): 41

W

W-54S, creep properties, 4(1): 48
 Waspalloy, corrosion, 5(1): 41
 Welding, bibliographies, 4(4): 56
 joint evaluation, 5(3): 71
 ultrasonic, 5(2): 69-70
 ultrasonic testing, 4(1): 72; 5(3): 74-5
 Wigner energy, 5(2): 37
 Windscale Advanced Gas-Cooled Reactor, stainless steel for canning, 5(3): 22
 Wires, ultrasonic testing, 6(1): 108

X

X-110, welding, 6(4): 75
 Xenon-133, diffusion, 4(3): 11; 4(4): 10
 in UC, 6(4): 31
 in UO₂, 6(1): 44
 release from UO₂, 6(4): 33
 Xenon-135, diffusion, 4(2): 46; 4(4): 10
 release from UO₂, 6(4): 33
 Xenon isotopes, diffusion, 4(2): 45-6; 4(3): 16; 5(1): 21; 5(3): 18
 in graphite, 6(4): 8
 release, 6(4): 2-8

Y

Yankee Power Reactor, cadmium-indium-gold control rods, 6(2): 67
 Yttrium, coating with ceramics, 5(1): 69-70; 5(2): 75
 corrosion, 5(4): 55; 6(1): 27-8
 by manganese-plutonium-uranium and manganese-uranium alloys, 6(4): 15
 diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
 elasticity, 5(3): 29
 electron-beam melting, 6(1): 96
 fabrication, 5(2): 65
 oxidation, 4(1): 43-4; 4(3): 29; 6(1): 71
 purification, 6(1): 96; 6(4): 70
 Yttrium-91, diffusion in UO₂, 6(1): 44-5
 Yttrium coatings, preparation, 5(3): 70
 Yttrium deuteride, thermodynamic properties, 6(3): 39
 Yttrium hexaboride, reaction with stainless steel (304B), 4(1): 36
 Yttrium hexaboride (irradiated), effects, 6(3): 51
 Yttrium hydride, bibliography, 6(1): 60
 hydrogen content, 5(3): 28
 pressure-composition isotherms, 5(3): 29
 properties, 5(2): 36; 5(3): 29
 solubility relations, 5(3): 29
 tensile properties, 6(1): 60
 thermodynamic properties, 6(3): 39
 Yttrium hydride (irradiated), effects, 6(3): 38-9
 Yttrium oxide, corrosion, 6(1): 27-8
 diffusion in graphite, 4(2): 46; 5(1): 21
 self-diffusion, 5(4): 75
 Yttrium oxide crucibles, reaction with manganese-plutonium-uranium alloy, 5(3): 5
 Yttrium oxide powder, explosive compaction, 6(3): 72
 sintering, 5(4): 75
 Yttrium tetraboride (irradiated), effects, 6(3): 51
 Yttrium-zirconium alloys, corrosion, 6(1): 68
 hydrogen heat of transport, 4(3): 41
 phase studies, 4(3): 41

Z

Zinc, plating, 5(3): 68
 Zinc (irradiated), anisotropic growth, 4(4): 38
 diffusion in irradiated copper-zinc alloy, 5(1): 46; 6(1): 78
 effects, 6(3): 27
 electrical resistivity, 6(1): 75
 Zinc oxide, reaction with UO₂, 6(1): 42-3
 Zircaloy, brazing, 5(2): 70
 coating, 4(3): 59
 copper diffusion, 4(1): 53
 corrosion, 4(1): 47; 6(3): 43
 creep properties, 5(2): 53
 diffusion bonding, 4(1): 66
 extrusion, 5(4): 82
 joining, 5(4): 86; 6(1): 98
 plating, 4(4): 54-5
 reaction with PuO₂-UO₂, 6(3): 16
 ultrasonic testing, 4(1): 72; 5(2): 75-6; 5(4): 88
 welding, 4(2): 60; 6(3): 71
 Zircaloy (chromium-plated), preparation and properties, 4(2): 60
 Zircaloy (copper-plated), preparation, 4(2): 60
 Zircaloy-1, development, 6(4): 54
 Zircaloy-2, annealing, 5(2): 58
 bonding, to stainless steel, 5(1): 71; 5(2): 68; 5(3): 74; 5(4): 80, 87-8; 6(3): 67
 to thorium fuels, 6(4): 76
 brazing, 5(3): 71
 cesium effects on properties, 6(1): 97
 cladding, of copper by coextrusion, 6(3): 69
 of iron by coextrusion, 6(3): 69
 of thorium-uranium alloys by coextrusion, 6(3): 69
 of thorium-uranium-zirconium alloys by coextrusion, 6(3): 69
 with Zircaloy-2 by coextrusion, 6(3): 69
 coextrusion with stainless steel, 6(1): 99
 cold-roll joining to stainless steel (410), 4(3): 53-4
 compatibility with UO₂, 4(4): 11
 contamination, 4(2): 46
 corrosion, 4(1): 40, 46; 4(2): 32; 4(4): 51-2; 5(2): 42-3; 5(3): 37; 5(4): 57; 6(1): 67-8; 6(3): 43, 46; 6(4): 54-5
 creep properties, 4(1): 46-7; 4(2): 46-7; 4(3): 46; 5(4): 73
 deformation twinning, 5(3): 57-8
 development, 6(4): 54
 diffusion with fission-plutonium-uranium alloys, 4(2): 5; 4(4): 4
 drawing, 6(1): 97
 eddy-current testing, 4(1): 73
 explosive joining to stainless steel (410), 4(3): 63; 6(1): 101-7
 extrusion, 6(1): 97
 fabrication, 4(2): 46; 4(4): 51-2
 hydriding, 6(4): 54
 fluorine pickup, 5(4): 57
 fracture properties, 5(2): 54-5
 heat-treatment effects, 4(3): 44
 hydriding, 4(1): 33-4, 40-1; 4(2): 32; 4(3): 46; 4(4): 33; 5(1): 39; 5(2): 42; 5(3): 37; 5(4): 58
 hydrogen solubility, 4(3): 40-1; 6(1): 60
 hydrogen thermal diffusion, 4(3): 42, 44; 6(1): 88-9
 impact properties, 4(1): 46; 4(3): 44
 mechanical properties, 4(2): 46; 4(3): 45-6; 6(3): 57
 melting, 4(4): 51-2
 notch sensitivity, 4(3): 44
 oxidation, 4(2): 32; 5(3): 41
 physical properties, 4(3): 45-6
 plasma-jet spraying with UO₂, 5(3): 70
 properties, 4(2): 10, 46; 6(1): 88
 reaction, with aluminum-plutonium alloys, 4(3): 5
 with UC, 4(4): 45
 with UO₂, 4(4): 45
 with water, 4(3): 30
 self-diffusion, 4(4): 46; 6(3): 59
 stress effects, 5(2): 54-5
 stress relaxation, 4(2): 46
 stringer content, 4(4): 51-2
 tensile properties, 4(1): 46-7; 4(2): 46; 4(3): 44
 thermal cycling, 6(1): 88; 6(3): 59
 ultrasonic testing, 5(1): 73; 5(4): 88
 uranium diffusion into, 5(2): 21
 welding, 4(3): 60; 4(4): 52-3; 5(1): 71; 6(3): 71

- Zircaloy-2 (Continued)
- X-ray diffraction, 5(1): 57
 - yield properties, 5(2): 54-5
- Zircaloy-2 (aluminum-clad), hydriding, 5(4): 58
- Zircaloy-2 (chromium-plated), properties, 4(1): 67
- Zircaloy-2 (cold-worked), annealing effects, 4(3): 46
- Zircaloy-2 (irradiated), annealing, 6(1): 77-8
- corrosion, 5(4): 60, 69; 6(1): 67; 6(4): 54
 - creep properties, 5(1): 50; 5(2): 51
 - effects, 4(1): 57-8; 6(3): 56
 - fatigue properties, 5(2): 51-2
 - hardening, 6(1): 77-8
 - mechanical properties, 5(3): 50, 54; 5(4): 69-70; 6(1): 81-4
 - properties, 6(1): 88
 - rupture, 4(2): 40; 5(1): 50
 - stress-rupture properties, 5(2): 51
 - tensile properties, 4(3): 35, 37; 5(1): 49-50; 5(2): 51
- Zircaloy-2 (molten), reaction with water, 5(3): 43
- Zircaloy-2 (stainless-steel-clad), hydriding, 5(4): 58
- pressure bonding, 5(1): 65
 - rolling, 5(2): 67
- Zircaloy-2 (UO₂-coated), preparation, 5(3): 15
- Zircaloy-2 cladding (irradiated), strength, 4(3): 35
- Zircaloy-2 crystals, preparation of single, 6(4): 70
- Zircaloy-2 powder, explosive compaction, 4(3): 62; 5(2): 73; 6(1): 13
- metallurgy, 4(2): 10
 - sintering, 4(4): 46
- Zircaloy-2 sheaths (swaged), burst and tensile properties, 4(3): 44-5
- Zircaloy-2 sheet, spinning, 4(2): 52
- Zircaloy-2 tubing, cold extrusion, 4(4): 52
- fabrication, 5(3): 65
 - properties, 4(2): 46-7; 4(3): 35
 - testing, 4(1): 72-3; 4(3): 65
 - ultrasonic drawing, 5(3): 65
- Zircaloy-2 tubing (irradiated), burst strength, 4(3): 35; 4(4): 42-3
- Zircaloy-2-zirconium boride dispersions, fabrication, 6(1): 66
- Zircaloy-2-zirconium diboride dispersions (irradiated), dimensional changes, 6(4): 52
- Zircaloy-3, corrosion, 5(2): 42
- development, 6(4): 54
- Zircaloy-3 (molten), reaction with water, 5(2): 47
- Zircaloy-4, coextrusion with stainless steel, 6(1): 99
- corrosion, 5(4): 57; 6(1): 67; 6(4): 54
 - development, 6(4): 54
 - fluorine pickup, 5(4): 57-8
 - hydriding, 4(2): 32; 4(4): 52
 - hydrogen solubility in, 6(1): 60
 - properties, 4(1): 46; 4(3): 44
 - swaging, 4(4): 52
- Zircon, coating with tungsten, 6(1): 101
- Zirconium, adiabatic elastic moduli, 5(2): 58
- annealing, 5(1): 52
 - anodizing, 6(4): 73
 - burning, 6(4): 31-2
 - coating, 4(3): 60; 4(4): 35
 - coextrusion with stainless steel, 6(1): 99
 - compatibility, with UN, 4(2): 10
 - with US, 6(2): 43
 - corrosion, 4(1): 40-1; 4(3): 29; 5(1): 41; 5(2): 42-3, 46; 5(4): 57-8, 63; 6(1): 67-8; 6(3): 46; 6(4): 58
 - deformation, 5(1): 57
 - diffusion, 4(1): 53; 4(2): 45; 5(1): 58; 5(2): 59-61; 5(4): 57, 74
 - diffusion barrier for tantalum, 4(4): 45
 - elastic constants, 4(1): 72
 - fissionium-plutonium-uranium alloy diffusion, 4(4): 4
 - grain growth, 4(1): 51
 - hardness, 4(3): 40
 - hydriding, 5(1): 39; 5(2): 42; 5(4): 58
 - hydrogen diffusion, 4(2): 45; 4(3): 42
 - hydrogen solubility, 4(3): 40-1; 6(1): 60
 - internal friction, 6(3): 58
 - lattice constants, 4(3): 40
 - melting, 5(1): 63
 - nitrogen effects, 4(3): 40
 - oxidation, 4(1): 44-5; 5(3): 41; 5(4): 57; 6(1): 88; 6(3): 49
 - plating with, 5(1): 68
 - preparation, by chloride reduction, 6(4): 73
 - by iodide refining, 6(3): 70
 - production, 5(1): 63
 - properties, 6(1): 88
 - purification, 6(4): 70
 - reaction, with CO₂, 5(3): 37-8
 - with molten uranium, 4(2): 45
 - with uranium compounds, 4(3): 55; 5(2): 22; 6(1): 89; 6(2): 42
 - with water, 4(1): 17; 4(3): 30; 5(1): 43; 6(1): 73-4
 - recovery, 5(2): 66
 - recrystallization, 5(2): 66
 - roll-cladding of plutonium-zirconium alloys, 6(3): 67
 - scaling, 5(2): 41
 - self-diffusion, 4(1): 52; 4(2): 45; 4(3): 44; 4(4): 46; 6(1): 89; 6(3): 59
 - strontium diffusion, 4(1): 53
 - tantalum diffusion, 4(2): 45
 - thermal cycling, 6(3): 59
 - ultrasonic testing, 5(4): 88
 - unit-cell volume, 4(3): 40
 - uranium diffusion, 4(1): 52
 - welding, 5(2): 70; 6(3): 71
 - X-ray diffraction, 5(1): 57
- Zirconium-95, diffusion in UO₂, 6(1): 44-5
- Zirconium (irradiated), anisotropic growth, 4(4): 38
- annealing, 5(1): 52; 5(2): 48; 6(1): 77-8
 - density, 4(4): 38
 - effects, 4(2): 36; 4(4): 41; 6(3): 27
 - electrical resistivity, 5(1): 52
 - hardness, 5(1): 52; 6(1): 77-8
 - mechanical properties, 5(4): 70
 - oxidation, 5(4): 57
 - properties, 6(1): 88
 - vacancy diffusion, 5(1): 52
 - X-ray lattice parameter and line breadth, 4(4): 38-9
- Zirconium (molten), reaction with water, 4(1): 17; 4(3): 30; 4(4): 36; 5(3): 43
- Zirconium alloys, beta-phase decay, 4(1): 51
- coating with complex fluorides, 4(3): 60
 - corrosion, 4(1): 40; 4(2): 32; 4(4): 33; 5(1): 39; 5(2): 42; 6(1): 68; 6(3): 43-4, 48
 - fabrication, 6(1): 97
 - hardness, 4(4): 45; 5(1): 56
 - hydriding, 5(2): 42; 5(4): 53; 6(4): 48-9
 - oxidation, 4(1): 40, 44-5; 6(1): 68
 - properties, 4(2): 46; 6(1): 88
 - recovery, 5(2): 66
 - recrystallization, 5(2): 66
 - strength, 5(1): 39
 - zirconium diffusion, 4(2): 45
- Zirconium alloys (irradiated), corrosion, 6(1): 67
- effects, 4(4): 41; 6(3): 55
 - properties, 6(1): 88
- Zirconium beryllide powder, sintering, 5(4): 51
- Zirconium beryllides, carbon effects, 5(1): 30
- fabrication, 6(2): 60
 - heating effects, 5(1): 30
 - oxidation, 5(1): 30; 5(4): 51-2; 6(2): 60-1; 6(3): 38
 - oxygen effects, 5(1): 30
 - preparation, 5(1): 30
 - properties, 6(2): 61
 - rupture, 5(1): 30
 - spalling, 5(1): 30
 - strength, 5(1): 30
 - thermal-stress resistance, 5(1): 30
 - vapor pressure, 5(3): 28
- Zirconium boride coatings, formation, 6(1): 101
- Zirconium borides, kinetic and thermodynamic behavior, 6(1): 90
- Zirconium carbide coatings, 4(4): 35; 6(1): 101
- Zirconium carbides, compatibility, 5(1): 58; 5(3): 40
- kinetic behavior, 6(1): 90
 - oxidation, 4(3): 6
 - pyrolytic deposition, 5(3): 69
 - strength, 5(4): 85
 - thermal expansion, 4(4): 44
 - thermodynamic behavior, 6(1): 90
 - UC behavior with, 5(1): 17
- Zirconium chloride, reduction to metal, 6(4): 73
- Zirconium coatings, preparation, 5(3): 70
- vapor deposition, 6(1): 33
- Zirconium crystals, preparation of iodide single, 6(4): 70
- ultrasonic testing, 4(2): 60; 4(3): 65
- Zirconium deuteride, electrical resistivity, 5(2): 36
- heat capacity, 6(3): 38
 - thermodynamic properties, 6(3): 38
- Zirconium diboride, compatibility with H₂ and tungsten, 5(1): 58
- melting, 5(1): 64
 - preparation and properties, 6(1): 90
- Zirconium diboride (irradiated), effects, 6(3): 51
- Zirconium diboride crucibles, reaction with cerium-cobalt-plutonium alloy, 5(3): 4-5
- Zirconium diboride dispersions [stainless-steel (347)-clad] (irradiated), effects, 5(1): 10
- Zirconium dichromide-zirconium diferride system, phase studies, 6(4): 65
- Zirconium dioxide, compatibility, 5(1): 58; 5(3): 40
- diffusion in graphite, 4(2): 46; 5(1): 21
 - electrical resistance, 6(3): 43
 - plating with, 5(1): 69
 - preparation, 6(3): 60
 - PuO₂ effects on thermal-shock properties, 5(1): 8
 - reaction with PuO₂, 4(1): 15
 - stability, 4(1): 15
- Zirconium dioxide (irradiated), dimensional changes, 5(4): 3
- effects, 4(1): 55
 - fission tracks, 4(2): 37
 - mechanical properties, 5(4): 5
 - phase transformation, 5(4): 7; 6(1): 79
 - structure, 4(3): 11
- Zirconium dioxide powder, plasma-arc spraying, 6(1): 8
- production, 6(1): 2
- Zirconium foil, brazing using, 6(3): 72
- Zirconium hydride, bibliography, 5(4): 52; 6(1): 60
- brittleness, 6(1): 60
 - cladding, 5(2): 35-6
 - creep-rupture properties, 4(1): 32
 - density, 4(1): 31
 - dissociation pressures, 5(1): 31; 5(4): 52
 - electrical resistivity, 4(1): 32-3; 4(2): 25
 - formation on Zircaloy-2, 4(1): 33-4
 - hardness, 4(1): 31
 - heat capacity, 4(4): 27-8; 6(3): 38
 - hydrogen content, 5(3): 28
 - hydrogen thermal diffusion, 4(1): 31
 - literature survey, 6(4): 46
 - mechanical properties, 4(1): 31; 5(2): 35

Zirconium
metallurg
moderat
oxygen c
phase st
31; 5
physical
product
propert
rupture
solubili
specific
stress
thermal
thermal
thermo
6(3):
twinning

Zirconium hydride (Continued)

metallographic structure, 4(1): 30-1
 moderator technology, 5(4): 52; 6(1): 60
 nuclear magnetic resonance, 5(4): 52
 oxygen effects, 4(2): 24-5
 phase studies, 4(1): 30-1; 4(2): 24; 5(1):
 31; 5(3): 29; 6(2): 62
 physical properties, 4(1): 31
 production, 6(3): 38; 6(4): 48-9
 properties, 6(2): 62
 rupture, 5(1): 31
 solubility, 4(1): 33; 4(2): 24-5
 specific heat, 4(1): 32-3
 stress relaxation, 4(2): 25
 thermal conductivity, 4(1): 32-3; 4(3): 42
 thermal expansion, 4(1): 32; 4(3): 24
 thermodynamic properties, 4(4): 28;
 6(3): 38
 twinning, 4(2): 25

ultimate tensile strength, 4(1): 31
 Zirconium hydride (stainless-steel-clad),
 pressure bonding, 5(2): 67
 Zirconium hydride powder, electrodeposition,
 6(1): 13
 hot isostatic compaction, 6(1): 9
 Zirconium monocarbide, preparation and
 properties, 6(1): 90
 Zirconium monocarbide (plasma-arc
 sprayed), properties, 6(1): 9
 Zirconium monocarbide crucibles, reaction
 with cerium-cobalt-plutonium alloy,
 5(3): 4-5
 Zirconium monocarbide powder, plasma-arc
 spraying, 6(1): 8
 Zirconium monoxide, diffusion in graphite,
 5(1): 21
 Zirconium nitride, compatibility with H₂ and
 tungsten, 5(1): 58

Zirconium nitride coatings, formation,
 6(1): 101
 Zirconium oxide coatings, cohesive strength,
 5(3): 70
 compatibility with graphite, 6(4): 28
 hydrogen effects on, 6(4): 28
 volatility, 6(4): 28
 Zirconium oxides, oxidation, 5(4): 57
 Zirconium powder, electrodeposition,
 6(1): 13
 Zirconium pyrocarbide alloy, strength,
 6(4): 40
 Zirconium silicon oxide (irradiated), effects,
 4(1): 55
 Zirconium systems, diffusion, 5(1): 58
 Zirconium tubing, production and testing,
 4(1): 64
 Zirconium-uranium hydride, thermal ex-
 pansion, 5(1): 32

LEGAL NOTICE

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.